

2025

Gear & Brands Collection

Version 25-2

GTD DIVING

Two Decades of Diving Excellence "Gear, Service & Training"

TABLE OF CONTENT

ABOUT GTD DIVING 2

SCUBA FORCE

About SCUBA FORCE 3
Exposure Protection 4
Drysuits 5
Drysuit Accessories 9
Undergarment 10
THENAR Dry Glove System 13
SI Tech 15
SF2 ECCR 16
Dive Lights 20
BCs 24
Sidemount System 31
Rigging Kits 34
Regulators 35
Instruments 40
Reels and SMBs 42
Adapters 43
Hardware 44
Fin, Mask, Snorkel 46
Scuba Hoses 48

GULL

About GULL 49
Mask 50
Snorkel 55
Fin 57
Exposure Protection 61
Boots 64
Gloves 65
Bags 66

ZEE GRAVITY

About ZEE GRAVITY 69
SPGs and Hoses 70

SHEARWATER

About SHEARWATER 72
Teric 73
Tern 74
Tern TX 75
Pregrine 76
Pregrine TX 77
Perdic 2 78
Petrel 3 79
Petrel 3 Fischer 80
NERD 2 81
SWIFT Transmitter 82
DC Accessories 83

DIVESOFT

About DIVESOFT 84
DNA 85
SOLO O2 86
SOLO 87
He/O2 88
DIVESOFT Accessories 89

OCEAN REEF

About OCEAN REEF 90
Why Dive an IDM? 91
Neptune III 92
Neptune III Basic 93
VESPER Light 93
Regulators 1st/2nd 94
OCEAN REEF Accessories 94
Communications 97
Why Snorkel with ARIA? 101
ARIA Snorkeling FFM 102
Snorkie TALKIE 103
DUO Fins 103

EEZYCUT

About EEZYCUT 105
Why EEZYCUT 106




Interested in retail prices or ready to purchase?
Click the logo below to explore our full product range, check pricing, and place your order directly through our online store.

GTD DIVING

Two Decades of Diving Excellence "Gear, Service & Training"

About GTD DIVING .

With over 20 years of expertise in the scuba diving industry, we are dedicated to providing top-quality products, services, and training for divers of all levels. Our experience spans across multiple sectors, including scuba gear distribution, professional servicing and maintenance, and comprehensive dive training programs. From beginner courses to advanced technical diving and CCR (Closed Circuit Rebreather) training, we offer a complete range of solutions for recreational and professional divers. Our commitment to excellence ensures that every diver, whether exploring for leisure or pursuing a career, receives the best equipment, knowledge, and support to dive with confidence.





Looking for Top-Quality Scuba Gear?

We've Got the Best in the Game!
We partner with top scuba gear manufacturers as a distributor in the Middle East and dealer in the UAE and Oman, focusing on quality and design. Interested in becoming a dealer? Email us at dealers@gtddiving.com.

TRUSTED BY LEADING COMPANIES

About SCUBA FORCE

With years of experience in cave, wreck, and deep diving, we set out to develop specialized equipment for a new generation of technical divers — gear that didn't yet exist on the market. By combining our expertise with insights from industry professionals, our mission is to create innovative, state-of-the-art products that meet the demands of technical diving. Founded in 2003, dive2gether.net — the company behind SCUBA FORCE — initially focused on the German-speaking market but quickly expanded worldwide. Our passion lies in making diving more comfortable and effortless, evolving continuously to provide high-performance, top-quality gear. As an innovative company with a commitment to excellence, we understand the importance of using only the best materials and cutting-edge designs to ensure the highest level of safety and reliability.



At SCUBA FORCE, innovation is at the core of everything they do — and we're proud to represent their cutting-edge gear.
Just a few highlights from their groundbreaking product lineup:
SF2 ECCR – the world's first electronically controlled rebreather with all components housed inside a single tube.
Arctic X-Nine Undergarment – the first to combine highly elastic fleece with advanced 3M™ Thinsulate™ insulation.
X-HEAT System – the first underwater heating solution that delivers high power without cables.
.
SCUBA FORCE works closely with global experts from both inside and outside the diving industry to push boundaries and ensure continuous innovation.
For example, the X-Series undergarments were developed in partnership with 3M, utilizing their expertise to achieve exceptional thermal insulation and comfort through the use of Thinsulate™.
As a German-based manufacturer, SCUBA FORCE is known for its precision, innovation, and uncompromising product quality — and we are proud to bring that excellence to our customers

GTD DIVING

Official SCUBA FORCE Distributor in the Middle East

GTD DIVING

Two Decades of Diving Excellence "Gear, Service & Training"



EXPOSURE PROTECTION



Stay Warmer, Dive Longer – The Scuba Force Shadow 2mm Vest

Enhance your dive with the Scuba Force Shadow 2mm Vest – the perfect thermal layer for your Shadow suit. Designed for added warmth and comfort, this 2mm neoprene vest with an attached hood fits snugly under your drysuit, reducing heat loss and improving insulation in cold waters.

•Premium 2mm neoprene for flexibility and warmth •Attached hood for full head coverage and heat retention •Ergonomic design for a perfect fit under your Shadow suit •Lightweight & non-restrictive, allowing full mobility •Stay warm, stay comfortable, and dive deeper with confidence.

SCUBA FORCE SHADOW WETSUIT

DIVE DEEPER WITH ULTIMATE COMFORT & WARMTH!



Introducing our Premium 5mm Diving Wetsuit, crafted from high-end Yamamoto neoprene for unmatched softness, flexibility, and warmth.

Designed for serious divers, this wetsuit features:

•Ultra-Flexible Material – Maximum mobility for effortless movement underwater

•Superior Thermal Protection – Keeps you warm in chilly waters

•Reinforced Shoulders & Knees – Extra durability where it matters most

•Back-Zip Design – Easy on & off for hassle-free dives

•Integrated Computer Strap – Secure fit for your dive computer

•Perfect for cold water adventures – Stay warm, dive longer, and explore further!

•Pockets with zipper **Men size:** S,M,L,XL, XXL, ML, LL, XLS **Lady size:** S, M, L



HOOD

Available in two thicknesses, 5mm and 8mm, and in six sizes, XS to XXL.

Our Warm Neck Hood is a premium addition to our dry suits, made of soft and high-quality neoprene for excellent insulation. It has a thinner neoprene in the mouth and chin area, and all seams are blind-stitched and glued. The hood is ventilated, and the collar is extra long, ensuring it stays in place during diving.

SHADOW BOOT

Experience the perfect fit with the Shadow Boot, designed for divers who demand durability and comfort. Featuring a 6.5mm neoprene construction for warmth and a hard sole for superior grip and protection. The zip-free design ensures a snug, secure fit, reducing water entry and maximizing comfort. Ideal for cold- water dives, spearfishing, and rugged underwater adventures.



Key Features:

•6.5mm neoprene for warmth & flexibility

•Hard sole for superior traction & durability

•No zipper for a streamlined, snug fit

•Perfect for diving, spearfishing & watersports



XPEDITION

HIGH-TECH MADE IN GERMANY

One of the most modern drysuit production facilities is located in the heart of Germany, and this is where all ScubaForce drysuits are manufactured.
State-of-the-art machinery, precise production processes, and extensive material and quality controls – all of this is standard at ScubaForce. It's no coincidence that we are one of the largest producers of high-quality drysuits worldwide.
We have been producing suits for over 20 years, and this extensive experience allows us to create products that are unparalleled worldwide. One example: the ScubaForce XPEDITION
The material makes the difference. The XPEDITION is made from TYGATEX® and combines the two most important characteristic of a drysuit: mobility and durability. The ripstop nylon offers everything drysuit divers seek: easy donning and doffing, a wonderful soft touch, and excellent mobility.
The XPEDITION also sets standards in its production process. First and foremost is the "Double Seal Technology!" This process, developed by SCUBAFORCE, involves double-sealing of all seams. First, the seams are sealed and then sealed with a machine- applied hot-melt tape.
The XPEDITION also offers unique features:
OPS - Overlay Protection System The XPEDITION features an Overlay Protection System (OPS). The OPS protects the suit in all areas subject to particular stress (shoulders, back, arms and legs). The Cordura is available in various colors (see features). This allows the XPEDITION to be customized to your needs.

Perfect fit thanks to a wide range of sizes


Adiagonal front zipper combined with a telescopic torso ensures the XPEDITION has an optimal fit. This combination also allows for independent donning and doffing.

The XPEDITION is available in five women's and nine men's sizes. It is also available as a custom- made suit.









Women's sizes: S, M, L
Men's sizes: S, M, ML, L, LL, XLS, XL, XXL

XBP Bellows Pockets Even the basic configuration of the XPEDITION comes with two large XBP pockets. These generously sized pockets offer the diver enough space for necessary additional equipment. Reinforcement in the pocket lid increases grip, even with thick gloves. Integrated bungee loops allow for secure attachment of accessories and simplify handling. The XBP pockets feature a separate inner pocket for storing items such as wet notes. The pockets are available in two sizes: small and standard.

Unique Boot Selection With the XPEDITION, both boot size and boot type can be selected at no extra charge. Three different boot types are available: a classic, sturdy neoprene boot, the ScubaForce Slim Line Boots, and neoprene socks (optimally combined with the ScubaForce Rockboots). The boots are available in the following sizes: Dry Boots: 38–50 Slim Line Boots: XXS–5XL Neoprene Socks: XS–XXL



Additional features: Latex cuffs, neoprene, and silicone cuffs (SITECH) available for an additional charge; Apeks inlet and outlet valves; Integrated knee and leg protection; Sturdy suspender system; Integrated waistband; Large thermal collar; Crotch strap; Name Badge Colors: black, blue, red, yellow, pink, olive,

camouflage, kevlar



XPEDITION SE

MAXIMUM PROTECTION...



For years, one of the most popular drysuits worldwide – the ScubaForce XPEDITION SE. One of the most important factors: the material used: TYGATEX® combines the two most important characteristics for a drysuit: mobility and durability. Equally important are the workmanship, features, and fit. ScubaForce sets standards in all areas. SCUBA FORCE's "Double Seal Technology," in which all seams are sealed and double-sealed with a machine-applied hot-melt tape, is a proven method that has been continuously refined over time. Our latest-generation sealing tape forms a permanent bond with the material while remaining soft and waterproof.
The ScubaForce XPEDITION SE features a protective package that meets even the most demanding requirements and the most adverse environments. All overlays and protective elements in the SE version are made of robust, abrasion- resistant Kevlar and are attached with double stitching. The combined leg and knee protection protects the front of the legs from damage, even in extreme environments. Particular attention is paid to the three-part upper body overlay (Kevlar) and the four-part crotch and seat protection, which are made of robust Cordura. The XPB pockets were specially redesigned for the SE version and are available in two sizes (small and standard). The volume can be reduced using the side zippers, allowing the diver to adjust the pocket size to suit their contents.

More features:

- Latex cuffs, arm and neck, sizes S - XL
- Neoprene and silicone seals (SITECH) - at extra cost
- ScubaForce Argo and Shell, High Performance Inlet and Outlet Valves
- ScubaForce Vega Valve - combined intake valve with E / O Cord – at extra cost
- Durable suspenders system
- Waist adjustment band
- Warm neck collar with SE logo
- Triangle - crotch strap
- BDM metal or YKK plastic zip
- Name patch - Name tag on the bag - at extra cost

The ScubaForce XPEDITION SE features two large expandable XBP Pockets, available in two sizes (Standard and Small, depending on body size). These generously sized pockets offer the diver (in both sizes) enough space for necessary additional equipment. Reinforcement in the lid of the pocket increases grip and facilitates handling, even with thick gloves. Integrated loops made of durable webbing (in the main and lid pockets) allow for secure attachment of accessories and simplify handling. These can be expanded at any time with bungees. The Expandable XBP Pockets feature a separate interior pocket for storing wet notes, for example.

OPS - Overlay Protection System The XPEDITION SE suit comes with an Overlay Protection System made of Kevlar (OPS). The OPS is specifically designed to protect the parts of the suit that are exposed, such as the shoulders, back, arms, knees, seat, and crotch. Kevlar is available in two designs - classic and triangular.



The XPEDITION SE features: SOPS – Splitted Overlay Protection System The XPEDITION SE features the Splitted Overlay Protection System (SOPS). The upper body and leg protection are made of high-quality, extremely durable Kevlar. The crotch protection is made of robust Cordura. This system protects the suit in all areas subject to particular stress (shoulders, back, arms, zipper, crotch, seat, and legs) without restricting mobility.

Perfect Fit & Sizes The diagonal front zipper (made of metal or plastic) combined with a telescopic torso ensures a perfect fit on the ScubaForce XPEDITION SE. This combination also allows for independent donning and doffing. The ScubaForce XPEDITION SE is available in five women's and nine men's sizes.
It is also available as a made-to-measure (custom-made) suit.





Unique Boot Selection With the ScubaForce XPEDITION SE, you can choose both the boot size and boot type at no extra charge. Three different types are available: a classic, sturdy neoprene boot, the ScubaForce Slim Line Boots, and socks with Kevlar soles (optimally combined with the ScubaForce Rockboots).

Dry Boots: 38 - 50 Slim Line Boots: XXS - 5XL Neoprene Socks: XS - XXL

Women's sizes: S, M, L
Men's sizes: S, M, ML, L, LL, XLS, XL, XXL

EXPLORER

ANEW DESIGN – WITH PROVEN QUALITY

The EXPLORER is now available in an exciting new color combination: black and green. Naturally, in proven quality. The breathable material offers optimal comfort and maximum freedom of movement.
The EXPLORER also features all the features that make SCUBA FORCE drysuits so unique.
Features OPS - Overlay Protection System The EXPLORER NST features an Overlay Protection System (OPS). The OPS is made of durable Cordura and protects the suit in all areas subject to particular stress (shoulders, back, arms).
Perfect Fit & New Sizes Adiagonal front zipper combined with a telescopic torso ensures the EXPLORER has an optimal fit. This combination also allows for independent donning and doffing.
The EXPLORER NST is available in five women's and nine men's sizes.









XBP Bellows Pockets Even in the basic configuration, the EXPLORER NST comes with two large XBP pockets. These generously sized pockets offer the diver ample space for necessary additional equipment. Reinforcement in the pocket lid increases grip, even with thick gloves, and facilitates opening. Integrated bungee loops allow for secure attachment of accessories and simplify handling. The XBP pockets feature a separate inner pocket for storing wet notes, for example.

Unique Boot Selection With the EXPLORER NST, both boot size and boot type can be selected at no extra charge. Three different boot types are available: a classic, sturdy neoprene boot, the SCUBAFORCE Slim Line Boots, and neoprene socks that can be optimally combined with the rock boots. The boots are available in the following sizes: Dry boots: 38–50 Slim Line boots: XXS–5XL Neoprene socks XS–XXL

The XPEDITION SE features: SOPS – Splitted Overlay Protection System The XPEDITION SE features the Splitted Overlay Protection System (SOPS). The upper body and leg protection are made of high-quality, extremely durable Kevlar. The crotch protection is made of robust Cordura. This system protects the suit in all areas subject to particular stress (shoulders, back, arms, zipper, crotch, seat, and legs) without restricting mobility.

Additional features: Latex cuffs, neoprene, and silicone cuffs (SITECH) available for an additional charge; SiTech inlet and outlet valves; Integrated knee and leg protection; Sturdy suspender system; Integrated waistband; Large thermal collar; Crotch strap; Name badge.

Women's sizes: S, M, L
Men's sizes: S, M, ML, L, LL, XLS, XL, XXL

DRYSUIT EXTRAS AT NO EXTRA CHARGE

Boot Selection

Dry Boots



Sizes: 38 - 50

Slim Line Boots



Sizes : 2XS - 5XL

Neoprene Socks



Sizes: XS - XXL

Zipper Selection

Metal



Plastic



Color Selection (only for XPEDITION)



Seals

Latex



WHATEVER YOU LIKE WE MAKE IT POSSIBLE

Exchange System Arm
Thenar QC



Si Tech
Quick Cuff Round



Si Tech
Quick Cuff Oval



Si Tech
Släggö



Neoprene Seals



Exchange System Neck
Orust



Pee Valve



Name Patch



Rockboot



Dry Suit MTM Starter Kit



DRYSUIT SIZE TABLES

	Lady S	Lady M	Lady L
Unterarmumfang *Forearm*	22-26	26-30	30-34
Oberarmumfang *Biceps*	30-34	34-38	38-42
Brustumfang *Chest*	96-100	100-104	104-108
Taille *Waist*	86-90	90-94	94-98
Hüftumfang *Hips*	96-100	100-104	104-108
Oberschenkelumfang *Thigh*	65-60	60-64	64-68
Wadenumfang *Calf*	38-42	42-46	46-50
Schritt bis Boden *Crotch to Floor*	76-80	80-84	84-88
Wirbelsäule bis Handgelenk *Spine to Wrist*	66-70	70-74	74-78
Grösse *Height*	155-165	160-170	170-180
Gewicht *Weight*	45-60	55-70	65-80
SlimLine Boot Size	S	M	L
Dry Boots Size	38-39	40-41	42-43

	Men S	Men M	Men ML	Men XLS	Men L	Men LL	Men XL	Men XXL
Unterarmumfang *Forearm*	20-24	24-28	24-28	32-36	28-32	28-32	32-36	36-40
Oberarmumfang *Biceps*	30-34	34-38	34-38	42-46	38-42	38-42	42-46	46-50
Brustumfang *Chest*	94-98	98-102	98-102	106-110	102-106	102-106	106-110	110-114
Taille *Waist*	86-92	92-96	92-96	104-108	100-104	100-104	104-108	108-112
Hüftumfang *Hips*	90-94	94-98	94-98	102-106	98-102	98-102	102-106	106-110
Oberschenkelumfang *Thigh*	44-48	48-52	48-52	56-60	52-56	52-56	56-60	60-64
Wadenumfang *Calf*	34-36	36-38	36-38	40-42	38-40	38-40	40-42	42-44
Schritt bis Boden *Crotch to Floor*	80-84	84-88	88-92	88-92	88-92	92-96	92-96	96-100
Wirbelsäule bis Handgelenk *Spine to Wrist*	70-74	74-78	78-82	78-82	78-82	82-86	82-86	86-90
Grösse *Height*	163-173	173-183	178-188	178-188	178-188	183-193	183-193	188-198
Gewicht *Weight*	60-70	70-80	75-85	85-95	80-90	85-95	90-100	100-110
SlimLine Boot Size	L	XL	XL	2XL	2XL	3XL	3XL	4XL
Dry Boot Size	42-43	44-45	44-45	45-46	45-46	47-48	47-48	48-50

KEVLAR SOCKS SIZE TABLE

Size	Shoe Size
M	39-42
L	42-45
XL	45-48
XXL	48-51

NEOPRENE NECK SEAL SIZE TABLE

Neck	Size
35-37 cm	M
38-40 cm	L
41-43 cm	XL
up to 44	XXL



Größe	A	B	C
SlimLine Boots			
S (38/39) M		-	
(39/40) L	26 cm	9 cm	6 cm
41/42) XL	27 cm	9 cm	6 cm
(43/44) 2XL	28 cm	9 cm	6 cm
(45/46) 3XL	29 cm	10 cm	7 cm
(47/48) 4XL	30 cm	11 cm	7 cm
(49/50)	31 cm	11 cm	7 cm
B2 Dry Boots			
	22 cm	7 cm	6 cm
	23 cm	8 cm	6 cm
	24 cm	9 cm	6 cm
	25 cm	9 cm	7 cm
	26 cm	9 cm	7 cm
	27 cm	9 cm	7 cm
	28 cm	10 cm	7 cm
	29 cm	10 cm	7 cm
	30 cm	10 cm	8 cm
	31 cm	11 cm	8 cm







DRYSUIT ACCESSORIES

Argo and Shell The Argo exhaust valve is precisely adjustable and user-friendly, even with thick gloves. It provides exceptionally high airflow that enables the suit to be perfectly balanced in any situation. The shell-rotating inlet valve undergoes rigorous quality control, ensuring its flawless operation. Additionally, the inlet knob can be easily operated even with thick gloves.





Argon Set

The perfect set for the backplate with huge volume. The set consists of the 1.8-liter steel cylinder, a pressure reducer with a pressure relief valve, a 55 cm inflator hose, and the argon straps for the backplate. The pressure reducer has a G5/8 thread but is only suitable for filling the dry suit.



Rockboot Introducing our Rockboot - the perfect solution for those who require a stable and safe boat. Whether you need to navigate over boulders to reach the dive site, traverse long distances to the entrance, access dry areas in caves, or climb a boat ladder securely after your dive, our Rockboot has got you covered.

You can order it separately or in combination with our neoprene socks. It's available in EU sizes 38 to 48 or US sizes 6 to 14.5.

Drysuit bag The practical bag for the SCUBA FORCE dry suit comes included with the suit, but it can also be purchased separately. It is made of durable Cordura material that offers excellent protection. The bag features a round zipper that allows it to be opened completely, making it also useful as a changing mat. Additionally, there is a small compartment inside the bag where you can store wax, grease, and talc.



Talcum, Wax, Silicone Grease





Argon Straps Double Tank For secure attachment of the argon cylinder to the double tank. Argon cylinders with a size of 1.5 -3 liters and 14 Cuft (aluminum).

For double tanks with diameter: •140 mm double tank (7 liters & 8.5 liters long) •171 mm double tank (10 liters & 12 liters long)



Argon Straps Backplate For secure mounting on the backplate. The integrated anti-slip rubber pad ensures fast support of the cylinder. A slight variation in cylinder size is possible thanks to the adjustable Velcro strap. **Available in two sizes:**

- •0,85 Liter / 6 Cuft
- •1,5 Liter / 14 cuft

UNDERGARMENTS

X-SUITS

Our X-SUIT-SERIES is 100% made in Germany. We guarantee perfect manufacturing and high-quality products that last long, ensuring customer satisfaction. All suits can be ordered Made to Measure



Pontetorto and 3M are European companies that meet SCUBA FORCE's quality standards. We prioritize sustainable manufacturing and processing in compliance with European guidelines.

Thinsulate insulation uses small fibers that create a tight structure, reflecting body heat to keep you warm even at low temperatures. Thinsulate provides 1.5 times more warmth than down with the same thickness, is breathable and repels moisture.

Our top model, the X-NINE, uses Category B Thinsulate, which is excellent for insulation and high-pressure resistance. Thinsulate Type B can withstand pressure loads in the chest, thighs, and knees without issues and still provide the best insulation.

Type B Thinsulate is more tear-resistant than other types, making it ideal for washing. The X-NINE is one of the most comfortable and warm undergarments thanks to the combination of TECNOSTRETCH fleece and Thinsulate Type B.

TECNOSTRETCH fleece in X-NINE and X-PURE models is a 2-layer fabric weighing 300 grams. However, weight alone doesn't determine performance, especially when comparing different types of fabrics. Fleece's lattice structure enhances breath ability, directing moisture away from the body for quick drying. Wet clothes cool quickly, making the QUICKDRY system essential.

Jersey fabric with a technical look has velour construction inside, containing tiny air chambers that store body heat.

Italian experts in fleece lead the market with TECNOSTRETCH fabric for high-quality sportswear and insulation clothing. TECNOSTRETCH INSULATION system is top-notch in the fleece sector.

X-NINE



Staying warm in cold water is essential for divers. The X-Nine provides excellent insulation and high comfort level, making it the perfect choice to wear under a trilaminate dry suit. Its unique combination of materials ensures protection against the cold, making it particularly suitable for diving in icy waters.

The X-Nine is the warmest and most agile undergarment on the market. It combines two layers of Tecnostretch with 400 Type B ThinsulateTM filling in the torso area, ensuring exceptional insulation. The undergarment is highly comfortable, flexible, breathable, and washable.

Features •Material: Two layers TECNOSTRETCH (300gr) •400 Type B ThinsulateTM filling in the torso •200 Type B ThinsulateTM filling in arm/leg area •Solid two-way zipper •Pee Valve and heater feedthrough •Pockets with zipper on the arm and chest •Two insert pockets at the hips •Very high insulation capability • Super-elastic •Extremely breathable and wind-resistant •Washable at 30°C

X-PURE



The X-Pure is made of two layers of Tecnostretch fabric, which provides excellent breath ability and high insulation. Its pressure-resistant spacer fabric protects critical points like the chest, back, arms, and knees. It's comfortable and mobile, making it great for mild water temperatures. When paired with the X-Basic, it becomes the perfect all-rounder.

This material is highly breathable and keeps the skin dry even during physical activity by transporting moisture away from the body. It offers perfect comfort and is an ideal choice due to its high comfort level. It also has extremely high insulation properties and can be paired with a trilaminate dry suit for moderate water temperatures.

Features •Material: Two layers TECNOSTRETCH (300gr) •Pressure-resistant spacer fabric •Solid two-way zipper •Pee Valve and heater feedthrough •Pockets with zipper on the arm and chest •Two insert pockets at the hips •High insulation capacity •Super Elastic •Extremely breathable and wind-resistant •Washable at 30°C

Available sizes: XXS - 3XL (UNISEX) Made to measure

X-BASIC



The Arctic X-Basic is a one-layer undergarment made of light, soft, and breathable Tecnostretch material. It has high insulation value and is incredibly comfortable, making it ideal for long and cold dives. It can be used as functional underwear or combined with the Arctic X-pure undergarment for added warmth.

The Power Fleece is designed to provide extreme breath ability, ensuring that your skin stays dry even during physical exertion. It allows water vapor to escape, keeping you comfortable and dry. The X-Basic is an ideal companion to wear under a neoprene dry suit, thanks to its high level of comfort.

Features •Set of pants and top •Made from high-quality premium elastic fleece •Medium-high insulation •Super elastic •Extremely breathable and wind resistant •Anti allergic •Washable at 30°C

Available sizes: XXS - 2XL (UNISEX) Made to Measure



X-LINER

The X-LINER is a first layer made from special material belonging to PONTETORTO TECNODRY COLLECTION. Its TECNODRY technology ensures maximum moisture control by quickly absorbing and drying moisture generated during physical activity. Thanks to its "nub" structure, the fabric allows maximum air circulation and breath ability.

TECNODRY fabrics leave skin feeling fresh and are soft and comfortable. The X-LINER is full stretch, with thermo-regulating, antibacterial, and odor- inhibiting fibers. Made in Germany with Italian materials, it's a sustainable example. The X-LINER features a two-piece design, high collar, cuffs and leg end loops, and is made of 90% polyester and 10% elastane.

Features •Set of pants and top •Made from high-quality premium PONTETORTO TECNODRY •Medium-high insulation •Super stretch •Extremely air circulation and breath ability. • Antibacterial •Washable at 30°C

Available sizes: Available sizes: XXS - 2XL (UNISEX) Made measure



X-SOX The best solution for hot feet. Made from our proven undergarment material. Fully elastic and breathable. Two layers of Tecnostretch guarantee a perfect fit and maximum insulation property. Available in sizes: S-XL



X- SLEEVES The perfect addition to any dry diving gloves, providing significant benefits and comfort during diving and when putting on or taking off. Available in sizes Small and Standard.



X-BEANY Ahighly elastic Tecnostretch fleece beanie hat that keeps you warm and looks good. Available in sizes S/M and L/XL.

X-NECK Two variations available, both designed to keep you warm. The neck warmer protects your neck from the cold with latex and silicone cuffs. Choose between "straight" and "curved" models.





UNDERGARMENTS



ARCTIC X-HEAT SETS

The Scubaforce X-Heat Heating System Is An All-In-One Solution For Divers Looking To Stay Warm. The Suit Is Made Of Washable Tecnostretch Fleece And Includes Waterproof Heating Pads That Can Reach Up To 44 Degrees. It's Perfect For Both Technical And Recreational Diving.

Features
•Made of high-quality TECNOSTRETCH fleece
•Complete from trousers, top and heal baths, as well as heating lead-through
•Heating temperature up to 44°C
•Removable heating bath
•Washable 30°C

Two versions:
•Vega Valve with heating feedthrough
•Feedthrough for Apeks Valves

Available sizes:
XXS - 2XL
(UNISEX) Made to measure



Vega Valve The Vega inlet valve is a versatile solution for cold water diving, with two rotating ports, an accessible inflator button, and a standard E/O cord on the outside and a connector for the X-Heat system on the inside.



Features
•Material Pad: Textile Heating System®
•Material Cover: Cordura •Waterproof weld
•90 degree cable angle; IP 68 Protected
•Suitable for batteries 9 to 12V
•Total power 60 Watts
•Surface temperature directly on the pad
•(30 watts per pad – at 12 V) max. 44°C

Apeks X-Heat Connector Scuba Force X-Heat heating system has a POM tightening grommet with E/O Cord 18/2 SVO. It's compatible with standard batteries and has IP68 protection.





Blind Plug Mini Protective cap for all E / O cord connections.



Connector Waterproof plug connection. Male and female connectors in a set.

E/O-Cord Acable with a 5.8 mm diameter and 120 cm length that can be plugged in underwater.



THENAR DRY GLOVE SYSTEM

ULTIMATE PROTECTION & PERFORMANCE!

ScubaForce has given the popular THENAR DRY GLOVE system a great update for 2025. The Thenar complete ring set now comeswith the QC rings and thus offers unprecedented flexibility. It can still be installed in the cuff, but it is also possible to glue the rings directly into the suit. When glued in, the system also offers the advantage that cuffs can be changed independently. Of course, what has proven itself has not been changed. The special oval shape has remained, as has the simple plug-in method with the stable O-rings. So the Thenar Drysuit Gloves still provide more freedom of movement than traditional ring systems and are perfectly designed for technical diving. The oval Thenar glove rings are constructed of hard, anodized aluminium and the shape of the ring is devised to match the shape of the hand and follow the lines created by the thenar muscle. This results in a much lower ring circumference compared to standard rings with a constant diameter. The divers hand easily reaches through the Thenar ring and into the glove and all handling, such as reaching in the suit pocket or performing a valve drills is much easier. The material and design of the glove offers extreme durability and flexibility.

The THENAR Set



Thenar Rings glued in

Thenar Rings in seal



The Set includes:
2x Thenar QC rings; 2 x Thenar spanner rings; 2 x Thenar glove rings; 4 x O-rings 2 x protection rings. The gloves are not included in the scope of delivery and must be ordered separately

THENAR QC SYSTEM

ULTIMATE PROTECTION & PERFORMANCE!

We spent a significant amount of time searching for appropriate materials, sizes, and manufacturing methods, ultimately resulting in the Quick Change System from SCUBA FORCE, which is also compatible with our THENAR glove system. The system allows youto turn your drysuit into a modular platform that can accommodate both silicone and latex cuffs. With this system, you can replace a damaged or worn cuff in a matter of minutes, without requiring any tools or glue. It is impossible to be more flexible and better than this!





Thenar QC Ring Set
Set includes: 2x Spanner Rings, 2x Rings




Thenar Ring Set Glove Side
Set includes: 2x Thenar Rings, 4x O-Rings, 2x Protection Rings (gloves are not included)

THENAR DRY GLOVE SYSTEM XL

ULTIMATE PROTECTION & PERFORMANCE!

The THENAR drysuit glove system XL by SCUBA FORCE provides greater freedom of movement compared to traditional glove systems. It is specifically designed for drysuit diving and is made of high-quality materials, ensuring unparalleled performance. The THENAR system XL features oval rings made of anodized aluminum, shaped to match the hand's contours and the thenar muscle's lines. This design offers a small circumference with a maximum diameter, unlike systems with round rings. The smaller rim allows for easy handling, such as valve drills or reaching into suit pockets. Donning and doffing the THENAR system XL is also effortless, thanks to its simple plug-in system with robust O-rings that are sealed.





Difference in diameter and circumference to standard size – the unit of measurement is mm.

THENAR Ring Set XL
Set includes:
2x Thenar Rings suit side, 2x Thenar Rings glove side, XL, 4x Protection Ring, 6x O-Ring (gloves are not included)



SiTech Silicone Seals – The Best Choice for Quick-Change Systems! Upgrade your diving experience with SiTech Silicone Seals – the ultimate in comfort and durability.
•Quick-Change System Compatible – Hassle-free installation and replacement.
•Ultra-Comfortable – Soft, flexible fit for maximum ease of movement.
•Salt & Freshwater Resistant – Designed to withstand the toughest conditions.
•Available in Two Sizes – Standard & Small, perfect for every diver.
•From the Swedish Experts – Trusted innovators in dry glove systems.
Stay dry. Stay comfortable. Choose SiTech Silicone Seals!

Extreme Durability – Built to last in the toughest conditions.



•Waterproof & Cut-Resistant – Maximum protection for your hands.
•Perfect Fit – Tailored sizing for comfort and flexibility.
•Superior Grip – Enhanced control in wet and dry conditions.
Stay dry. Stay safe. Stay in control.
Get your THENAR DRY Gloves today! Available sizes: S-XXL

Stay Warm & Flexible with Thenar Fleece Gloves!

Looking for the perfect fleece gloves? The Thenar Fleece Glove offers:

•Exceptional Warmth – Stay cozy in cold conditions
•High Flexibility & Great Fit – Move with ease & comfort
•Excellent Price – Top quality at an unbeatable value
•Perfect Combination – Pairs seamlessly with Thenar Dry Gloves & Showa Gloves



Gear up for warmth & performance! Get yours today!
Available sizes: S-XXL

For decades, Showa has been the trusted name in dry gloves, delivering superior protection with unmatched flexibility and durability. Whether for work or everyday use, our gloves provide the comfort and reliability you need.
Flexible & Long-Lasting – Designed for superior grip and movement.
•Decades of Expertise – A proven choice for professionals and everyday users.
•Tailored Fit – Two versions for optimal performance:
•Showa 495 – Engineered for men. Showa 660 – Designed for women.
Stay protected. Stay dry. Choose Showa.
Available sizes: 495 Men size: M, L, XL / 660 Lady size: M, L, XL, XXL





Latex Seals for Quick Change Systems. Trusted Standard, Now Compatible with QC Systems!
For years, Latex seals have set the benchmark for reliability. Now, they seamlessly integrate with Quick Change (QC) systems, ensuring efficiency and durability. Available sizes: S-XL

SI TECH

QC SYSTEMS

Quick Cuff (QCS Round) The Quick Cuff change system allows you to turn your drysuit into a modular platform that can accommodate both silicone and latex cuffs. With this system, you can replace a damaged or worn cuff in a matter of minutes, without requiring any tools or glue. Additionally, matching glove systems are available.



Matching glove system:

•Quick Glove System
•Glove Lock QCP

Silicone seals are NOT included in the delivery.
These are available in two sizes: Small and Standard.



Släggö The Släggö system is also a modular base. But the rings are much more flexible. In our opinion, the best choice for those whose priority is the quick-change system.

Matching glove system:

•Oberon glove system

Silicone seals are NOT included in the delivery.
These are available in two sizes: Small and Standard.

Antares The Antares glove system is a slim and minimalist drysuit glove system with an oval ring design. It offers a minimal and comfortable design. The SCUBA FORCE Dry Gloves fit perfectly with the Antares system.



Matching QC system:

•Quick Cuff Oval

SCUBA FORCE Dry Gloves are omitted and must be ordered separately.

Quick Glove Quick Glove is the original in the SI TECH line of dry glove systems. A user-friendly and versatile squeeze-on system. ON by squeezing. Off by turning the release ring with one hand. The SCUBA FORCE Dry Gloves fit perfectly with the Quick Glove System.



Matching QC system:

•Quick Cuff Round

SCUBA FORCE Dry Gloves are omitted and must be ordered separately.

Oberon Oberon is the latest dry glove system from Si Tech. A user friendly and versatile bayonet system that is locked and also opened again by turning. The Oberon system fits the Släggö changing approach.



Matching QC system:

•Släggö

SCUBA FORCE Dry Gloves are omitted and must be ordered separately.

Quick Cuff Oval (QCS Oval) The QCS OVAL brings all the features of the Quick Cuff. The oval shape and narrow design make it compact and comfortable.



Matching glove system:

•Antares Dry Dive Glove System

Silicone seals are NOT included in the delivery.
These are available in two sizes: Small and Standard.

The installation of neck and arm systems is relatively complex. From therefore we charge an installation fee. This varies because it is a bit easier on a new suit than on a used one.



The Orust System is a soft and flexible modular quick-release neck seal solution! The design provides excellent comfort and can be mounted in various drysuits. The neck and locking ring are smooth, and clips are added to hold the neck seal. The seal and locking ring can be easily mounted into the PU ring by hand.

The Orust neck system can be used with silicone and latex neck cuffs. A defective cuff can be changed in a few minutes at the dive site - without tools or glue.

Silicone seals are NOT included in the delivery.
These are available in two sizes: Small and Standard.



SF2 ECCR

KEEP IT SIMPLE!
It all started with a vision that turned into a mission; now, it has become a reality. The SF2 ECCR is a unique rebreather that is simple to operate and control and is highly compact. Its development took several years and countless test dives, resulting in a rebreather with no parallel.





While it can be used for recreational diving, it was primarily designed for technical diving, focusing on redundancy and control. The SF2 ECCR provides at least one response option for every possible issue, and the diver controls the rebreather.

During its development, the diver deliberately uses optional technical equipment, knowing that less is often more in technical diving.

The essential components are of the highest quality, down to the smallest detail. The SF2 ECCR has a Scuba Force HUD, Shearwater controller, real carbon tubes, AK 4-pin cable, coax cables with gold-plated SMB connectors, and CNC precision parts made in Germany.

Apart from Shearwater and Jaksa, 95% of the parts come from Germany, where the SF2 ECCR is manufactured. This ensures that every unit meets the highest manufacturing and quality requirements.

Electronic Chamber
The electronic chamber is the main component of the SF2. It houses the O2 sensors, solenoid and battery compartment. The DiveCan board is located below the battery compartment and is fully enclosed. The O2 sensors are kept in a separate chamber to safeguard them from moisture. The board is linked to the sensors via high-quality cables and SMB angle plugs.





Counterlung The SF2 ECCR counterlung is protected by the lower carbon tube. This means that the counterlung is located inside and is not at risk of being damaged, even if the diver passes through the tightest restrictions in a cave or is inside a wreck.

The SF2 ECCR provides excellent breathing comfort. The WOB tests of the CE certification are very rigorous and demanding, but the SF2 ECCR has passed all of them with, regardless of the diver's position.
These tests were conducted in Germany by DEKRA.

The streamlined structure of the SF2 ECCR is due to the internal counterlung. The lower the water resistance, the more comfortable the diving experience is, a factor that is appreciated by all divers, not just technical divers.



Scrubber The canister has a capacity of 2.2 kg and an axial design. As with the sensors, the positioning also plays a decisive role in the canister. There is a distance of about 5 mm between the canister and the outer carbon tube, so there is no direct contact with cold water. Temperature is another decisive factor for the efficient use of lime.
The gas flow is added in as support. Warm exhalation air flows around the sorb canister and is thus heated. Small details make a big difference!

Safety and Comfort: The SF2 ECCR comes equipped with four shut-off valves, which include overpressure valves, and three Quick Disconnects.
The Quick Disconnects are a convenient addition that users will quickly come to appreciate. Hose connections can be easily loosened, but they are secured during operation, making it impossible for them to come loose unintentionally. The shut-off valves are advantageous in that each gas path can be locked separately without hampering other functions. This allows the diver to stay on the device while ensuring their safety.



Manual Add & Offboard Gas Kits The SF2 ECCR has separated the manual controls into oxygen and diluent for intuitive operation even in stressful situations. Important redundancy factor is the ability to feed external gas via the Manual Adds. When an external gas source is connected, the SF2 ECCR retains its complete functionality, with the solenoid valve and the ADV still in "automatic mode." The SF2 ECCR has two manual add-ons, which offer redundancy against each other in extreme situations. SAFETY AND COMFORT!



Head Up Display The SCUBA FORCE HUD is a compact and robust head- up display. It features 3 LED lights that display PP02 and oxygen cell status. The holder can be attached to any breathing set, and both the battery and electronics are housed in the case. The HUD has a SAFT 14500 that can be easily exchanged via an AK cable, and it can be connected to any rebreather with AK connector. The case has two fastening slots and is operated via a piezzo switch. Also available with an AK 4-Pin cable.

Features
•Type: SF2 LED HUD
•Weight: 270 gr •Dimension CASE: 8,5 x 6,0 x 3,0 cm •Length of the cable: 115 cm
•Battery: SAFT 14500
•Material: Delrin
•Connector: AK 5-Pin
•Steering: Piezzo Switch
•Accessories included: Protection bag, LED Holder, Spare O-Rings

NERD 2 (5-PIN) AS SF2 CONTROLLER


It took a while but finally it is here: The NERD 2 as a controller for the SF2. In addition to all of the fantastic features of the NERD it now controls your rebreather as well. It is a plug and play version – just plug it in and you are ready to go.
The world's first near eye remote display for scuba divers has been redesigned for enhanced flexibility and reliability. The universal mount allows divers to secure the NERD 2 within their line of sight and dive with the security of knowing their crucial dive information with a glance of the eye. From the combination of the Micro LCD display and the magnifying lens, the data on the NERD 2 appears as if you were looking at a 25 inch TV 12 feet away.
This model is a NERD 2 DiveCan Controller for SF2 rebreather which includes a universal mount.
Technical Specs: Screen Resolution: 320x240 | Display Type: QVGA | Battery Type: Internal Rechargeable Li-Ion Battery Battery Capacity (approx): 1.3 Wh | Battery Life: 18 Hours (medium brightness) | Battery Replacement: 5 years (or 500 charge cycles) | Number of Gases: 5 OC / 5 CC | Rebreather Connectivity: 5 Pin | Dive Log: 1,000 Hours | Depth Rating: 300m / 985ft CCR Mount fits 55-61mm rebreather loop



Dive Computer Dimensions
• 33mm x 85.81mm x 44mm
• Weight: 74g

Ballistic Nylon Case
• 240mm x 240mm x 60mm
• Weight: 313g

SF2 ECCR SIDEMOUNT





The Most Popular The SF2 ECCR is a well-known sidemount rebreather that is widely used by divers all around the world. It is a compact, lightweight, and robust device that is perfect for exploration dives. The SF2 Sidemount is based on the essential components of the SF2 backmount version, with the same compact electronic chamber and inner bellows. The upper and lower tubes are made of light yet durable carbon fiber, making it a reliable companion for divers on their underwater adventures.

Sidemount Loop The SF2 Sidemount Rebreather has a Golem SM mouthpiece. For sure one of the best in the market. The mouthpiece is highly compact and can be easily disassembled via quick-release fasteners.

Sidemount Frame It has a particular frame to keep the SF2 Sidemount Rebreather even slimmer. This frame is made of stainless steel and nestles close to the carbon tubes. Thus, there are no protruding parts.

Attachment The SF2 Sidemount Rebreather can be configured closer to the body using a U-bow on the head and two large Bolt snaps in the middle range, which are held in place with a hose clamp and a special D-ring.



Mid Part inkl. O2 & Diluent Buttons The centerpiece of the SF2 has been completely redesigned and can feed oxygen and diluent manually. The two buttons are marked and designed so that you can feel which button you are currently using underwater.

Sales in Europe We have upgraded the SF2 Sidemount with a brand new mouthpiece and middle part. We had assumed that the CE upgrade would also be a quick and easy process, but it is still pending.
As a result, the sale of the SF2 Sidemount is currently limited to customers outside of Europe.



Manual Control & External Gas Supply The SF2 Sidemount features a manual gas supply system for both diluent and oxygen.
Its push-buttons are conveniently incorporated into the middle section and can be distinguished by touch even while submerged underwater.
The buttons are clearly marked and designed to ensure the user can feel which button is used. Additionally, a protective case is provided to cover both buttons.
Gas feeding is easily accomplished using a One Way Valve and Quick Disconnect system.



BACKMOUNT CONVERSION KITS

TURN ONE INTO TWO! This is what the conversion kits are designed for. This allows the diver to convert a back mount into a side mount rebreather (or vice versa) quickly. A possibility that only the SF2 Rebreather offers.
ATTENTION There are two variants of conversion kits available.



Conversion Kit 2020 For the current Sidemount version The kit includes the following components: •Lower carbon tube with back mount frame •Two complete pony clamps •4 x stainless steel hose clamp with protective cover •Complete breathing loops with back mount DSV •Manual Add Kit & Off Board gas connection, incl. Hoses, and barriers •2 x Scubaflex hoses for solenoid valve and ADV middle part •Complete mid-section (incl. ADV, bellow, etc.)



Conversion Kit Classic For Sidemount devices up to 2020 The kit includes the following components: •Lower carbon tube with backmount frame •2 complete pony clamps •4 x stainless steel hose clamp with protective cover •Complete breathing loops with backmount DSV •Manual Add Kit & Off Board gas connection incl. hoses and shut-offs •Double thread connection •1 x 90 degree low pressure angle •2 x Scubaflex hoses for solenoid valve and ADV middle part

SF2 MINI & STANDARD BASE


nitially developed for the Asian market, the MINI version is becoming increasingly popular. The SF2 get a total of 7.5 cm shorter when the mini-base is used. A standard base for backmount and sidemount is available as well.



Backmount Base Mini & Standard The backmount base consists of the backmount frame, carbon canister (short or long, depending on the version), and end ring.



Sidemount Base Mini & Standard The sidemount base consists of the sidemount frame, carbon canister (short or long, depending on the variant), and end ring.



Manual Add Blocks Diver's jewelry - SF2 ManualAdds made of stainless steel. Control via inflator button. 9/16 UNF thread for external gas and 2 x 3/8 UNF thread for internal gas supply and discharge.

Team Adapter Team awareness and preparation are crucial in technical diving. The Team Adapters, made of high-quality stainless steel, enable sharing of off-board gas via regular inflator hoses. Threads: 3/8 UNF and 9/16 UNF (female).



Accessories for the Manual Add.
a. 3/8 UNF<=> 9/16 UNF – direct hose connection
b. Manual Add Button - controls the blocks
c. One-Way Valve – enable to add external gas via a Quick Disconnect



SF2 Handle The ultimate help to open the SF2. Start, press: OPEN.



Head Whipper The practical carrying aid for the SF2. Stainless steel powder-coated. Indestructible.

SF2 Hose Cover Set This is valuable extra protection for the SF2 Loop. This is a two-piece cover. It is made of robust Cordura.



Pony Clamps The Pony Clamp is a quick-release system that allows divers to easily attach and detach items to their dive bottles. It comes in two versions - Long and Short, suitable for different size items. Stainless steel clamps are not included but can be purchased separately.



EW 80 EW 80 is a concentrated cleaner that effectively cleans all diving equipment, including the SF2, while remaining cost-effective.



Stainless Steel Hose Clamps Our Scuba Force hose clamps offer high-quality and versatile clamping in various sizes. We provide matching hose bands to complement your clamps.





Sticker High-quality stickers for oxygen and diluent tanks. Light and water resistant. 24.5 x 5.8 cm. (10 x 2,5 inches)

ULTIMATE DIVE BAG

•Dimensions: 79cm x 38cm x 53cm



The Ultimate Bag is the perfect travel companion for all your adventures. It is made of a highly durable, lightweight, and water-repellent material. The bag can be carried as a tote bag or worn like a backpack using the shoulder straps. Inside the bag are two nets for organizing your equipment and a zippered compartment for additional storage. With aweight of only 2.1 kg, the bag is lightweight and won't add extra weight to your equipment. The Ultimate bag is an all-around solution for transporting your diving equipment. For a surcharge, you can also purchase our Unlimited Bag with a foam inlay. This foam inlay is specifically tailored to the SF2 ECCR and provides maximum protection for your rebreather.


SF2 Pony Clamp male/female For all SF2 divers who use more than one set of cylinders. Have. The male Pony Clamp comes with hose clamps and a protective strap the Complete Set is without accessories.



Technical specification

Diameter:	**1,8 Liter** 83 mm	**3 Liter** 100 mm
Weight:	2,7 kg	4,4 kg
Length w. valve:	46 cm	52 cm
Thread:	M18 x 1,5	M25 x 2

Steel Cylinder High-quality steel bottles from European production in sizes 1.8 and 3 liters. The 3 liters are ideal for rebreathers and come with a right or left valve. The 1.8-liter bottle is a real highlight. With a diameter of only 83mm, it offers a very high volume and can be used either as an argon bottle or for rebreather side mount diving. Bottles and valves are also available individually. The cylinders are made to European standards and are not DOT-certified, so they are unavailable in the The USA.







DIVE LIGHTS

HIGH QUALITY LIGHT SYSTEM

POWERFUL HEATING CANISTER OR EVEN BOTH.
THE MOST FLEXIBLE HEAT & LIGHT SYSTEM IN THE WORLD: THE BRIGHT

The BRIGHT system is the ideal choice for the ambitious diver. It is more flexible than any other heating and light system. In no time, a heating and light system for cave diving becomes a BRIGHT FLIGHT SET that accompanies you on all your trips. The BRIGHT series uses only the highest-quality components. From the CREE LED in the LIGHT head to the piezzo switch over which the system is dimmed. Each piece was selected according to the strictest quality guidelines and extensively tested for its performance. Of course, the BRIGHT batteries are CE and UN38.3 certified.

Depending on the canister, you can operate your heating vest, the light head, or both simultaneously – with the dual connection on the DUO canister. The best thing about the BRIGHT series is the compatibility of the individual products; all components are compatible. Thus, for example, you can buy the DUO head later for your battery BRIGHT.



DUO CANISTER
Two connections for heat & light at the same time.



BRIGHT FLIGHT SET
Small & lightweight. But a very bright light that you can take on all your flights.

BRIGHT CANISTER

The only system that you need – for all your diving activities. CAVE, TEC, REC or SIDEMOUNT? The BRIGHT CANISTER offers maximum flexibility, highest quality, and unique ideas – all for one purpose:
TO MAKE YOUR DIVES MORE COMFORTABLE; EASY & SAFE









BRIGHT FLIGHT Features
Material: Delrin
Control: Piezzo switch.
Three-level dimming
6.8 Ah (73 Wh) capacity
Battery: Lithium-ion battery, 3S7P
Burning time for Bright Flight with Light: 100% - 120 min / 75% - 160 min / 50% - 240 min
Burning time for Bright Flight with X-Heat: 100% - 60 min / 75% - 80 min / 50% - 120 min
Weight: 935g
Length: 130 mm
Size with bend protection: 185 mm
Length E/O Cord: 90 cm
Color: Black
Scope of delivery: BRIGHT FLIGHT Canister with E/O Cord, Charger, Spare O-rings, Protection bag



BRIGHT Features

Material: Delrin
Control: Piezzo switch. Three-level dimming 23.8 Ah (257 Wh) capacity;
Battery: Lithium-ion, 3S7P Burning time for Bright with Light: 100% - 400 min / 75% - 550 min / 50% - 830 min
Burning time for Bright with X-Heat: 100% - 210 min / 75% - 279 min / 50% - 419 min
Weight: 1740 gr
ength: 250 mm
Size with bend protection: 310 mm
Length E/O cord: approx. 90 cm
Color: Black
Scope of delivery:
BRIGHT Canister with E/O Cord, Charger,
Spare O-rings, Protection bag



BRIGHT DUO Features
Material: Delrin
Control: Piezzo switch
2x Three-level dimming
23.8 Ah (257 Wh) Capacity
Battery: Lithium-ion battery, 3S7P
Runtime: 210min (100%), 419min (50%)
Weight: 1870 gr
Length: 250 mm
Size with bend protection: 310 mm
Length E/O Cord 1: approx. 90 cm
Length E/O Cord 2: approx. 40 cm
Color: Black
Scope of delivery: BRIGHT DUO Canister with E/O Cord, Charger, Spare O-rings, Protection bag




BRIGHT SIDEMOUNT Features
Sidemount head with 90° outlet
Material: Delrin
Control: Piezzo switch
Three-level dimming
23.8 Ah (257 Wh) capacity
Battery: Lithium-ion, 3S7P
Runtime: 210 min (100%), 419 min (50%); Weight: 1740 gr
Length: 250 mm
Size with bend protection: 310 mm
Length E/O Cord: approx. 90 cm
Color: Black
Scope of delivery: BRIGHT Canister with E/O Cord, Charger, Spare O-rings, Protection bag


BRIGHT LIGHT HEAD

ALWAYS THE RIGHT LIGHT!

Whether crystal clear or full of floating particles: The CREE high-performance LED offers up to 4,000 lumen. Dimmable in three steps via a piezzo switch of the highest category. The material is a combination of seawater resistant anodized aluminum and high- density Delrin. Durable and long-lasting with the best performance. Specially designed Goodman Handle for the Bright lamp head, adjustable and foldable for transportation.









BRIGHT LIGHT HEAD Features LED: CREE XHP70 - 4.000 lumen Beam angle: 8° Material: Anodized aluminum and Delrin Control: Piezzo switch Three-level dimming Weight: 480 gr Length: 80 mm Size with bend protection: 140 mm Diameter: 55 mm Color: Black Scope of delivery: Lamp head, Goodman Handle, Protection bag

BRIGHT LIGHT SETS

All sets are delivered in our protection bag, including charger with US and EU connection.



BRIGHT Flight Set



BRIGHT Set



BRIGHT Duo Set



BRIGHT Sidemount Set

BRIGHT POWERLIGHT

The handhold light from the BRIGHT series. When it comes to quality and features the small the BRIGHT POWERLIGHT doesn´t have to hide behind the big ones. High performance CREE LED. Class A rated aluminum. Three level of dimming via Piezzo switch and a burn time by 180 to 240 minutes. A perfect main light for your next vacation or a reliable Back Up with an amazing burn time.





BRIGHT POWERLIGHT Features

T6061 aluminum alloy - anodized surface type III
Light source: Cree XP-L HI high-intensity LED chip
LED lifetime: 50,000 hrs
Light output: Max. 2000 lumen
Color temperature: 6000 K - 6500 K
Spot: 8°
Max. Depth: IPX8 200 m/600 ft
Piezzo switch ON/OFF
Three-level dimming: 20% - 50% - 100%
Power on/off: press/hold for 2-3 seconds
Burn time (100%): Battery type 26650 - 180 to 240 minutes
Net weight: 290 g (without battery)
Scope of delivery: Soft Handle, Charger, Spare O-rings, Protection bag

BCs

FZ24

FULLY EQUIPPED & QUALITY DOWN TO THE SMALLEST DETAIL



32 lbs Black Devil Wing

Including Hose Holder

Padded Back Pack

High-Quality Metal Inflator Made In Europe

Original YKK Fastex Buckles

Including Our Vertical Weight Pocket System

10 Metal Attachment Points





Integrated cylinder fixation

Two cambands for a perfect hold

Three sizes for a perfect fit – XS-S; M-L; XL-XXL

50mm super soft crotch strap

CTX 32

READY TO DIVE OUT OF THE BOX!

CTX 32 comes with the original 32lbs Black Devil Wing in DONUT style

CTX comes with the original BLACK DEVIL PLATE

Stainless Steel comfort clip connects the waist belt with the shoulder straps

50mm crotch strap made from a super soft webbing including 2 d-rings

Ergonomically shaped shoulder straps

Waist belt made of 50 mm hard webbing for best fit and stability

5colors (black; red; grey; blue; pink) and 3 sizes (XS-S; M-L; XL-XXL)



No cheap shit - metal inflator made in Europe



2x Metal Camband Type II – integrated cylinder fixation



Original COBRA® BUCKLES – the safest and most durable system on the market



CTX 45

READY TO DIVE OUT OF THE BOX! TEC DIVING CAN BE SO COMFORTABLE

5colors (black; red; grey; blue; pink) and 3 sizes (XS-S; M-L; XL-XXL

Waist belt made of 50 mm hard webbing for best fit and stability

Waist belt made of 50 mm hard webbing for best fit and stability



CTX 45 comes with the original 45lbs Black Devil Wing in DONUT style

CTX 45 comes with the original BLACK DEVIL PLATE

Stainless Steel comfort clip connects the waist belt with the shoulder straps

50mm crotch strap made from a super soft webbing including 2 d-rings



Black Devil wing 45 – enough capacity up to twin 12



Original COBRA® BUCKLES – the safest and most durable system on the market



No cheap shit - metal inflator made in Europe

TEC SET 45

THE PURISTIC ORIGINAL – THE CLASSIC THAT HAS IT ALL

TEC 45 comes with the original BLACK DEVIL PLATE

50mm crotch strap made from a super soft webbing including 2 d-rings

TEC 45 comes with the original 45lbs Black Devil Wing in DONUT style

Waist belt made of 50 mm hard webbing for best fit and stability

5colors (black; red; grey; blue; pink)



ULC 32

THE ULTIMATE TRAVEL COMPANION!



Discover the SCUBA FORCE Ultralight Wing System, designed for divers who demand performance without the extra weight! With all metal components crafted from high-quality aluminum, this system is ultra-lightweight, corrosion-resistant, and perfect for travel. Based on our COBRA HARNESS – the ULC is a ones size fit all wings system **•Light As A Feather** – Reduce your luggage weight without sacrificing durability. **•Built For Adventure** – Engineered for top-tier buoyancy and comfort. **•Travel-Friendly Design** – Compact, robust, and ready for any dive destination.

Take your dives to the next level with SCUBA FORCE – powerful performance, minimal weight



The new ULC 32 set offers incredible performance at the lowest weight. The ULC is based on the proven deluxe back pad and features two trim weight pockets on the back and the vertical weight system on the front. The 50mm strap provides sufficient stability and the padded shoulder pads increase comfort. All D-rings, brackets and even the belt buckle are made from high quality anodized aluminum.

The 32 wing is already used in the CTX and FZ24 sets and is available in the colors blue, red, grey, black and pink. The inflator is still our power inflator with metal buttons: we never skimp on quality! That's why the original COBRA® buckles are also used on the ULC.

Due to the diverse adjustment options, the set is only available in one size. A lightweight (2.8 kg) with fantastic performance!

BLACK DEVIL 32 WING



This double-shell Donutwing with approx. 15 liters of buoyancy (32 lbs) is made of high-quality materials and is suitable for single tanks (cylinder size up to 15 liters). The outer material is a 1000 denier ballistic cordura .

The embroidered logos are on the inside of the bladder. The two-shell construction provides maximum protection against any kind of damage. The inflator hose is positioned on the left side and is equipped with a robust power inflator with metal buttons.

The quick release of the bladder is located in the usual position at the lower left end of the bladder. So it is very easy to reach and handle. The Black Devil 32 has a integrated cylinder fixation, so no single tank adapter is needed. Comes in black, blue, grey, pink and red.

BLACK DEVIL 45 WING





BLACK DEVIL RETRACTION WING



Aclassic horseshoe wing with silicone retraction bands for multi functional use. Like all Scubaforce Wings, the Black Devil Retraction leaves nothing to be desired regarding quality and functionality. The retraction bands of high-quality silicone elastomer (bungees) offer several advantages. First, they avoid unnecessary air movements, known from unlaced wings, when changing position. The bungees support air release, but due to the chosen material, they prevent oral inflating, neither above nor underwater.

As a rule, the Wing is laced by the bungees to a smaller width than the shoulders of the diver. This reduces not only water resistance but also the risk of snagging. By omitting or adding bungees, the diver can influence both horizontal and vertical trim. Because of the bungees, the Scuba Force Black Devil Wing can be used with single and double cylinders. It is also very popular with rebreathers thanks to its compact design. Of course, the Black Devil Wing can also be dived without bungees and gives you the full benefit of a classical horseshoe wing.

BLACK DEVIL TEC HARNESS



Our TEC harness for everybody who likes the classical pure DIR style! The harness is made from a 50 mm wide and 3,60 meter long - made in Germany – webbing. It comes with all necessary metal parts (1 x stainless steel buckle, 2 x standard d-rings, 2 x bended d-rings and 8 x tri glides). The set has also to sliding tri glides or the back side, this means the harness can be adjusted by simply pulling on the webbing. Crotch strap is made from a softer material and has a d-ring in the front and the back. Finally there are 6 webbing bungees in the set. Sliding tri glides in the back makes adjustments quick & easy.

BLACK DEVIL COBRA HARNESS



Cobra Comfort – the name says it all. A durable and resilient Tec Harness that still offers the option of a quick and easy adjustment. This is made P0ssible by two original COBRA® Buckles. The buckles made of high strength polymer are not only very durable they are also secured against unintentional opening thanks to the patented safety mechanism.

The complete set includes: 2x 100 cm webbings (shoulder); 1 x 180 cm webbing (waist) 2x COBRA® buckles (adjustable); stainless steel buckle; 6 x Harness Bungees; Crotch strap with two D-rings; 2x D-Ring bent; 2x D-Ring straight; 6x Belt stoppers; 2 x Comfort clip

FZ24

THE MOST COMFORTABLE HARNESS WE EVER BUILT.

It is the ultimate harness for those who want more. The FZ24 Harness offers comfort and performance at absolute top level. It weighs so little that it is ideal for traveling. A well-shaped and padded back pad adapts perfectly to the body. The adjustment. Comfort clips made of high quality stainless steel bring the webbing into the optimal position and are easy to adjust. Crotch strap, waist strap, ergonomically shaped shoulder pads, hose holder, stainless steel belt buckle and numerous attachment points ensure that the FZ24 leaves nothing to be desired. Two standard cambands type I are included. Available in XS-S; M-L; XL-XXL



CTX

PERFECTION AND COMFORT IN EVERY DETAIL!

We have put all our experience into our new CTX Harness, and the result convinces us all along the line. The ergonomically shaped shoulder straps offer not only the highest wearing comfort but also the greatest stability. There are four D-rings on the shoulder straps, two of them are bended. The hose holder keeps the K-Power inflator and inflator hose always perfectly in position. An additional chest strap ensures an optimal fit.

Of course, the CTX comes with the proven original COBRA® buckles. These offer not only maximum durability but also a safety mechanism that prevents accidental opening. The adjustable straps are attached to the waist belt with the, also long proven, Comfort Clips. Also long proven, Comfort Clips.



LAST BUT NOT LEAST.

The assembly! It couldn't be easier. Thanks to our in house production, all parts are optimized for assembly. The COBRA® buckles are sewn in on both sides. The adjustable straps with the Comfort Clips are also preassembled. Same applies to the crotch strap. The CTX Harness can be mounted and adjusted on any standard backplate in less than 5 minutes!

The CTX Harness comes in three sizes: XS-S, M-L, XL-XXL

BLACK DEVIL BACKPLATES

SMALL DETAILS – BIG DIFFERENCE

The design of the Black Devil Plate series has been inspired by high quality trekking backpacks. Unlike conventional plates, the Black Devil Plates are slightly wider at the top than at the bottom. What sounds like a small detail becomes extraordinarily noticeable when diving. The better distribution of force leads to increased comfort. The same applies to the recesses in the area of the shoulder blades - this also increases freedom of movement. The center fold is significantly deeper than conventional plates and can accommodate larger P Weights.

BLACK DEVIL PLATE •Stainless steel •Black powder coating •Length: 41 cm •Thickness: 3 mm •Weight: 2.3 kg





BLACK DEVIL PLATE LONG
•Stainless steel •Black powder coating •Length: 48 cm
•Thickness: 3 mm •Weight: 2.9 kg

Standard Steel Backplate The SCUBA FORCE Standard Steel Backplate is made of saltwater-resistant stainless steel. The backplate is polished and passivated. A perfect combination of high quality material and elaborate workmanship. Rounded corners and all edges are deburred to reduce wear on the harness and wing.

Features Length: 40 cm Thickness: 3 mm Weight: 2.3 kg



BLACK DEVIL PLATE LONG & HEAVY
•Stainlees steel
•Black powder coating
•Length: 48 cm
•Thickness: 6 mm
•Weight: 5.6 kg



Storage Pack For standard steel and aluminum plates. The Storage Pack is not only additional padding but also offers the possibility to store a SMB. The screw set is included in the delivery.



Storage Pack Black Devil For Black Devil Plates The Storage Pack Black Devil is not only additional padding but also offers the possibility to store a SMB. The screw set is included in the delivery. The Storage Pack Black Devil is available in two different sizes: Standard and Long.



Aluminium Backplate The SCUBA FORCE aluminum backplate is a true all-rounder talent. Due to its minimal weight, it is the ideal companion for air travel. Features holes and slots are identical with those of the standard steel plate.



Features
Length 40 cm
Thickness 3 mm
Weight 0.7 kg

WP 500 The Horizontal Weight Pocket System The WP 500 system is made of robust Cordura and consists of a right and a left set. Each set consists of an outer pocket that is attached to the webbing and an inner pocket that holds the lead. The capacity is up to 5 kg per pocket, depending on the type of lead used. The lead pockets are secured by large Fastex buckles that are easy to operate, even with thick gloves. Each bag has a retractable D-ring.



WP 500V The Vertical Weight Pocket System The vertical version of the WP 500 system is finally available. For slim divers certainly the best choice, as the system takes up significantly less space on the waist belt than the classic WP 500. Made of robust Cordura with a capacity of up to 5 kg per bag. The lead system is held in position by the side D-rings of the harness.



Shoulder Pads Make your standard harness more comfortable with our padded pads. Easy to install and a good option for a clean hose routing.



Hose Holder Pairs perfectly with a 50mm harness. Simple installation using Velcro. Always keeps hoses and inflator in optimal position





New positioning for the comfort clip. It is now in the middle of weight pocket. This increases wearing comfort immensely because the load is distributed much better



Weight Pocket Small The small weight pocket offers multi functional applications. First, of course, it can be used as the primary weight pocket system because the capacity per bag is 2 kg. However, it is also ideal as a trim pocket, which can be mounted on the cambands, for a better trim.





Webbing Bungees Bring some order to your configuration. The webbing bungees keep everything in place. No matter weather hoses, back up lights or other accessories.

Line Cutter The Line Cutter made by Scuba Force is the ideal cutting tool that really gets the job done, especially in an emergency. The blades are razor sharp. The small bag can be attached almost anywhere. A replacement blade is included in the scope of delivery.





SCREW SET With longer screws. Complete set for single tank adapters



BOOKSCREW For wings; storage packs, argon strap and much more



SINGLE TANK ADAPTER SET Stable attachment of a single tank to a backplate. Made of saltwater resistant stainless steel or aluminum. Polish and passivated. Set includes 2 Cambands Type II or Type I and all the metal hardware. The adapter is 30,5 cm long and the distance between the holes is exactly 28 cm – so it fits to all standard backplates.
The adapter plates are available separate too.

CAMBAND TYPE I The lightweight alternative. Classical tank strap with durable plastic buckle. Can be easily adjusted in length and can be used for tanks from 7 – 20 liters.





CAMBAND TYPE II Guarantees perfect hold for your scuba tank. The Type II camband comes with a stainless steel buckle and a standard width of 50mm. Fits on nearly all BC´s. Can be easily adjusted in length and can be used for tanks from 7 – 20 liters.

STARNUT The comfortable alternative to attach the backplate





Slide Tri Glide So simple – but very efficient. Transfer your harness to an adjustable harness by installing two of the Tri glides to the backplate.



Corrugated Hose
Available in 340mm, 400mm and 500mm
Silicone Bungees
For retraction wings set of 12 pcs approx. Length 43 cm
Over Pressure Valve
Inflator Elbow



Equipment Hanger
Stable and wide hanger for your diving equipment



K-Power Inflator
The best power inflator in the market



K-Power Inflator Set
Inflator, 400mm Corrugated Hose - Inflator Elbow

SIDEMOUNT SYSTEM

BLADE SET COMFORT

THE COMFORT

The BLADE Comfort Harness is mounted on the BLADE Soft Pad with weight pockets on either side and mounting points for argon bottles or battery tanks. The harness uses the long-proven SCUBA FORCE Cobra Harness and comes with safety buckles made of temperature-resistant polymer. SCUBA FORCE Shoulder Pads provide added comfort, and the harness has adjustable front straps and six D-rings with two tank holders. All BLADE harnesses come pre-assembled, requiring only minor adjustments before use.

Technical Data
Weight: 3,40 kg
Lift: 30 Liter



BLADE SET TECH

ROBUST BUT COMFORTABLE

The BLADE Tech Harness is designed for technical diving with high loads. It uses robust German-made webbing and high- quality metal accessories. The harness is mounted on the Soft Pad for comfortable lead system. The set includes everything a sidemount diver needs.

Technical Data
Weight: 2,90 kg
Lift: 30 Liter



BLADE SET PURE

THE MINIMALIST

The BLADE Pure Harness is a minimalist sidemount diving system consisting of the Upper and Lower Essential Plates. The BLADE Wing can be attached to either of these plates, or the Wing Slide Tri Glide with Book Screws, depending on the diver's body size. The bladder's position can be adjusted with the Slide Tri Glide.

Technical Data Weight: 2,70 kg Lift: 30 Liter



BLADE WING

The outer shell of this product is made of ballistic Cordura material, ensuring maximum abrasion resistance and flexibility.

The inner bladder is made of nylon for added protection, while the connections for the inflator and pressure relief valves are ultrasonically welded.

The BLADE bladder has three connection points for mounting the inflator left, right, or over the shoulder. It has an upper quick-release that offers maximum ease of use for recreational diving. The blind plug is included with every system for technical diving. The BLADE also has five pair of wing bungee attachment loops for optimal positioning and a tight-fitting wing.


Technical Data
Weight: 1,10 kg
Lift: 30 Liter



BLADE Steel Backplate

We designed a sidemount plate based on the proven shape ofScuba Force Black Devil Plates. It offers maximum freedom of movement and stability, making it perfect for Sidemount CCR and non-sidemount divers seeking high comfort.

Features
Powder-coated stainless steel
Length: 56 cm
Thickness: 3 mm
Weight: 3,3 kg





BLADE Butt Pad The BLADE bladder has reinforced attachment points that are easily accessed via the zipper, where the butt pad can be mounted without damaging the inner bladder. Includes two pairs of bookscrews.

BLADE Soft Pad The BLADE Soft Pad has six weight pockets with a total capacity of 12-15 kg. The pockets, located on either side of the spine, are easily accessible and eliminate pressure points when using heavy loads. The pad also offers universal mounting points for argon bottles or battery tanks of lamps or heating systems.






BLADE Harness Comfort
Blade Soft Pad (1) | D-Ring 50/5 mm (2) | D-Ring 50/5 mm bent (2) | Tri-Glide (2) | Buckle (1) | Shoulder Pads (1) | Bungee 6 mm 110 cm (2) | Bolt Snap, L=76 mm 1/2" (2) | Bolt Snap, L=90 mm 3" (2) | Bookscrews (male ; female) (3) | Sidemount Tank Holder (2) | Blade Sliding D-Ring (2) | Bungee 4 mm 40 cm (2) | Harness Crotch Strap (1) | Webbing Bungees (3) | Adjustable Cobra Harness left (1) | Adjustable Cobra Harness right (1) | Cobra Harness Shoulder (2) | Webbing 50 mm - strong 180 cm (1) | Bungee 5 mm, 110cm (2)



Upper and Lower Essential Plate The sidemount plates enable easy configuration of simple sidemount harnesses. They have holes for attaching the sidemount wing directly using "Book Screws. » These plates are suitable for standard 50mm webbing and support a lead system.



BLADE Harness Tech
Blade Soft Pad (1) | D-Ring 50/5 mm (2) | D-Ring 50/5 mm bent (2) | Tri-Glide (2) | Buckle (1) | Comfort Clip (2) | Bolt Snap, L=76 mm 1/2" (2) | Bolt Snap, L=90 mm 3/4" (2) | Bookscrews (male ; female) (3) | Sidemount Tank Holder (2) | Blade Sliding D-Ring (2) | Harness Crotch Strap (1) | Webbing Bungees (3) | Webbing 50 mm - strong 180cm (1) | Webbing 50 mm - strong 120 (2) | Bungee 6 mm, 110cm (2) | Bungee 4 mm, 40cm (1) | Bungee 5 mm, 110cm (2)




Wing Slide Tri Glide With Bungee Mount The "Wing Slide Tri Glide" lets you adjust the sidemount wing's position by sliding it up or down. It has a hole for attaching the upper part of the wing with a "Book Screw" and is compatible with standard 50mm webbing.



BLADE Harness Pure
D-Ring 50/5 mm (4) | D-Ring 50/5 mm bent (2) | Tri-Glide (4) | Buckle (1) | Bolt Snap, L=90 mm 3/4' (2) | Bolt Snap, L=76 mm 1/2" (1) | Bookscrews (male ; female) (2) | Sidemount Tank Holder (2) | BLADE Upper Essential Plate (1) | BLADE Lower Essential Plate (1) | Blade Sliding D-Ring (2) | BLADE Wing Bungee Hook (1) | BLADE Wing Slide Tri Glide With Bungee Mount (1) | Harness Crotch Strap (1) | Webbing Bungees (6) | Tri-Glide wide (2) | Webbing 50 mm - strong / geöst 3,60 m Gurtband (1) | Bungee 4 mm, 40cm (1) | Bungee 5 mm, 110cm (2) | Bungee 5 mm, 240cm (1) | Webbing 50 mm - strong 100cm (1)



Bungee Hook The Bungee Hook is a comfortable and snug alternative to the Bolt Snap, connecting the two sides of a sidemount wing using a bungee. It has smooth edges for a clean finish.



Tri Glide With Attachment Port (Pcs.) Eyelet on Tri Glide allows bungee attachment without additional D-ring. Fits 50mm webbing.



Sliding D-Ring The 50mm stainless steel D-ring has 4 stays for the belly strap and can adjust the horizontal position of tanks with negative or positive buoyancy. It's compatible with standard and SCUBA FORCE Low Profile D-rings.

Sidemount Tri Glide Att. Port/Wide Port (Pair) Shoulder strap sliders for bungee attachment. Sold in set of 2. Suitable for 50mm webbing.






Sidemount Tri-Glide Butt / Wide with Double Port The double port separates the equipment and allows easier access without getting tangled. Suitable for 50 mm webbing.



Sidemount Tank Holder The "Tank Holder" position is at the back of the abdominal belt, where sidemount tanks and accessories can be attached. It's slightly curved to make clipping objects easier.

RIGGING KITS

Sidemount Rigging Kit
Sidemount rigging kit with high-quality stainless steel latches, stage straps, and bolt snaps for two 80 cuft bottles.





Stage Rigging Kit

Stage Rigging kit includes stainless steel tube straps, protective tape, 2 x 120 bolt snaps with an extra-large eye, and rubber stage straps. One strap has a pull loop for easier grip. Available in kits for 40cuft and 80cuft, or buy the stage straps separately.



Stage Strap Elastic

Each set includes a part with a sewn loop for improved handling with thick gloves, suitable for 40 and 80 cuft bottles.

Stage Strap Rubber This product is manufactured using high-quality rubber material to ensure durability and reliability. It comes in two parts per set which significantly enhances the handling experience especially when wearing thick gloves. This product is designed to fit 40 and 80 cuft bottles.



GREEN LINE

PROTECTING OUR PLANET AND OCEANS FOR FUTURE GENERATIONS

Waste accumulates daily at our production in Germany which is nearly impossible to prevent. In the past, such waste materials were discarded. At Scuba Force, we have adopted a program to recycle the daily accumulation of waste products in our new GREEN LINE program and products. This ensures that Green Line products include at least 60% recycled materials in the manufacturing processes.

The first in the Scuba Force Green Line series; a pocket which threads onto webbing made from TYGATEX, recycled material from our drysuit manufacturing. This front pocket is sufficient for storing accessories (22x14x4 cm), with an equipment bungee for additional security of your accessory equipment. The front pocket includes a Scuba Force Line Cutter for added value.



XBP THIGH POCKET ANOTHER FANTASTIC GREEN LINE PRODUCT

Do you miss your dry suit pockets on vacation? You do not want to change your configuration when using a wetsuit? You think diaper-like overpants look really bad? We too! Here is the alternative. It really took some time to get everything right. We have tested a dozen different versions before we had the right size, the right material for the straps, the positioning of the upper fixing strap. But finally, it was perfect. With a length of 20 cm the thigh pocket is shorter than our standard drysuit pockets. (and it has to). The width is also 20 cm. So, a mask, a spool and a smb fits easily into one pocket. On the back you have two elastic straps with five mounting ooptions for a perfect position. The upper fixing strap is made for 50 mm webbings and keeps the pocket in position. (the weight belt is for the picture only).

It doesn't just look good, it's really good and not just for the environment.



REGULATORS

Scuba Force high-performance regulators are tested under the most demanding conditions in the world. They are the first choice for those seeking reliability and comfort. In addition, the regulators offer a sophisticated design and optimal configuration options, whether sport or technical diver.

BLACK DEVIL SM

Pivoting turret – peferct hose routing

5medium pressure ports (3/8" UNF) and 2 high pressure ports (7/16" UNF) guarantees perfect configuration for TEC / SIDEMOUNT and STAGE

300 bar connection offers maximum flexibilty



DRY CHAMBER SYSTEM keeps water out of the top chamber and reduces the risk of freezing and any pollution.

Over balanced technology medium pressure inside increase faster then ambient pressure

BLACK DEVIL SM is also available in a INT version

BLACK DEVIL PRO

DRY CHAMBER SYSTEM
keeps water out of the top chamber and reduces the risk of freezing and any pollution

300 bar connection offers maximum flexibilty



Over Balanced Technology
medium pressure inside increase faster then ambient pressure

Designed for cold water below 10 degrees

No Left & Right Version Needed
both sides are the same

6medium pressure ports (3/8" UNF) and 2 high pressure ports (7/16" UNF) guarantees perfect configuration for REC & TEC



BLACK DEVIL TEC

The Black Devil 2nd NITROX is certified for the use with pure oxygen.



GREEN

Available in:
55 cm / 22 inch
62 cm / 24 inch
75 cm / 30 inch
80 cm / 32 inch
90 cm / 35 inch
100 cm / 40 inch
110 cm / 43 inch
120 cm / 47 inch
150 cm / 59 inch
210 cm / 84 inch



SCUBAFLEX hoses offer an incredible selection and are available in 16 different length and 7 different colors. But it is not only the selection that make them so popular it is also the high quality and flexibility. The connection threads are manufactured so precisely that thy can be screwed on easily. The flexibility is unique too – even with the 210 cm hose you will find no twisting or tension at all.

DRY CHAMBER SYSTEM
keeps water out of the top chamber and reduces the risk of freezing and any pollution.

300 bar connection offers maximum flexibilty




Over balanced technology – medium pressure inside increase faster then ambient pressure

4medium pressure ports (3/8" UNF) and 2 angled high pressure ports (7/16" UNF) guarantees perfect configuration for REC & TEC

Black Devil 2nd Stage

Comfort Mouthpiece

Optimized for use in cold water through a heat exchanger system.



Pneumatically balanced design for superior performance at depth.

Large exhaust valve for minimal exhalation resistance

Adjustable breathing resistance

The Scuba Force Black Devil 2nd is a pneumatically balanced 2nd stage for superior performance even on deeper dives. Diver adjustable breathing resistance and adjustable venturi valve to improve breathing comfort. Optimized for use in cold water trough a metal heat exchange system. Compact size with large bubble deflector. Comes with a comfort silicone mouthpiece. Metals parts made from marine brass main body is made from a very durable Delrin material.

SCUBAFLEX MEDIUM PRESSURE HOSES

BLACK

Available in:
10 cm / 4 inch
15 cm / 6 inch
20 cm / 8 inch
25 cm / 10 inch
30 cm / 32 inch
40 cm / 16 inch
45 cm / 18 inch
45 cm / 18 inch
50 cm / 20 inch
55 cm / 22 inch
62 cm / 24 inch
75 cm / 30 inch
80 cm / 32 inch
90 cm / 35 inch
100 cm / 40 inch
110 cm / 43 inch
120 cm / 47 inch
150 cm / 59 inch
210 cm / 84 inch





BLACK DEVIL PRO Also available in a NITROX version for 100% oxygen. Due to EU regulations is comes with a M26 thread.

BLACK DEVIL REC SET COMPLETE DIN Black Devil TEC 1st Stage DIN / 2 x Black Devil 2nd Stage / 80 cm Scubaflex Low pressure black / 100 cm Scubaflex Low pressure yellow / Slim Line SPG Bar 80 cm / Protection bag





BLACK DEVIL REC SET I DIN
- Black Devil TEC 1st Stage DIN
- 2 x Black Devil 2
- Medium Pressure Hose 80 cm Black
- Medium Pressure Hose 100 cm Yellow
- Protection Bag

(also available with rubber hoses / same price)

BLACK DEVIL REC SET COMPLETE INT Black Devil PRO 1st Stage INT / 2 x Black Devil 2nd Stage / 80 cm Scubaflex Low pressure black / 100 cm Scubaflex Low pressure yellow / Slim Line SPG PSI 80 cm / Protection bag





BLACK DEVIL REC SET II DIN
- Black Devil SM 1st Stage DIN
- 2 x Black Devil 2nd
- Medium Pressure Hose 80 cm Black
- Medium Pressure Hose 100 cm Yellow
- Protection Bag

(also available with rubber hoses / same price)



BLACK DEVIL REC SET III DIN
- Black Devil Pro 1st Stage DIN
- 2 x Black Devil 2nd
- Medium Pressure Hose 80 cm Black
- Medium Pressure Hose 100 cm Yellow
- Protection Bag

(also available with rubber hoses / same price)

BLACK DEVIL REC SET II & III AVAILABLE IN YOKE AND DIN



TWIN TEC SET I
- •2x Black Devil TEC 1st stage
- •2x Black Devil 2nd
- •Medium Pressure Hose 210 cm Black
- •Medium Pressure Hose 56 cm Black
- •SPG 300
- •High Pressure Hose 56 cm
- •2x Bolt Snaps 90 mm
- • Necklace
- •Protection Bag

(also available with rubber hoses / same price)

PRO TIP
Our TWIN TEC SETS are supplied with 300 bar SPG´s
They are certified to 240 bar. MIX GAS DIVING is almost never used with 300 bar. But we can add on request 360 bar or even PSI SPG´s to our sets.

TWIN TEC SET II
- •2x Black Devil SM 1st stage
- •2x Black Devil 2nd
- •Medium Pressure Hose 210 cm Black
- •Medium Pressure Hose 56 cm Black
- •SPG 300
- •High Pressure Hose 56 cm
- •2x Bolt Snaps 90 mm
- • Necklace
- •Protection Bag



(also available with rubber hoses / same price)

TWIN TEC SET III
- •2x Black Devil PRO 1st stage
- •2x Black Devil 2nd
- •Medium Pressure Hose 210 cm Black
- •Medium Pressure Hose 56 cm Black
- •SPG 300
- •High Pressure Hose 56 cm
- •2x Bolt Snaps 90 mm
- • Necklace
- •Protection Bag



(also available with rubber hoses / same price)



SIDEMOUNT SET
- •2 x Black Devil SM 1st stage
- •2 x Black Devil 2nd
- •Adapter 90 °
- •Medium Pressure Hose 210 cm Black
- •Medium Pressure Hose 62 cm Black
- •2 x SPG 300 Black
- •2 x High Pressure Hose 20 cm
- •2 x Inflator Hose 20 cm
- •Bolt Snap 90 mm
- • Necklace
- •Protection Bag

(also available as Rubber version / same price)

Rigging Set sold separately
Cylinders not included in the delivery

STAGE SET
- •Black Devil SM 1st stage
- •Black Devil 2nd
- •Medium Pressure Hose 100 cm Black
- •SPG 360 Oxy
- •High Pressure Hose 15 cm
- •Protection Bag



(also available as Rubber version / same price)

Rigging Set sold separately
Cylinders not included in the delivery

1.8 LITER ARGON STEEL TANK High volume / small diameter. Connect to your backplate or your twin tank. Bottles and valves are also available individually. The cylinders are made to European standards and are not DOT-certified, so they are not available in the USA.

Technical Data
Diameter: 83 mm
Weight: 2.7 kg
Lenght: 46 cm
M18x1.5 Thread



ARGON 1ST STAGE
- •2 Low Pressure Connections (3/8” - 24 UNF)
- •Over Pressure Valve
- •Scubaflex Inflator Hose 55cm
- •Corrosion Resistant Brass
- •Connection DIN 200 Bar



ARGON SET COMPLETE
The perfect ARGON set for the backplate.
The complete set includes:
- •1.8 Liter Steel Cylinder
- •Argon 1st Stage
- •Over Pressure Valve
- •Inflator Hose 55 cm
- •Argon Straps Backplate 0.85 Liters (6 cuft)





PURE SET I
•Black Devil TEC 1st stage
•Black Devil 2nd
•Medium Pressure Hose 80 cm Black
•Protection Bag



PURE SET II
•Black Devil SM 1st stage
•Black Devil 2nd
•Medium Pressure Hose 80 cm Black
•Protection Bag
(also available as INT version)



PURE SET III
•Black Devil PRO 1st stage
•Black Devil 2nd
•Medium Pressure Hose 80 cm Black
•Protection Bag
(also available as INT version)



PURE OCTOPUS
•Black Devil 2nd OCTO
•Medium Pressure Hose 100 cm yellow

Protection Case
BIGGER - BETTER - STRONGER

It was always tricky to fit Twin or Sidemount sets into our Protection Bag.
Solution: Make it bigger!
It is now 33 x 12 x 24 cm
Off course it is the same durable material.
Two way zipper and a large handle.





Service Kits Of course, there are also professional service kits for all our regulators. The kits contain all parts that need to be replaced during service. On the back there is a template with drawings of all parts at a 1:1 scale. This means that the individual parts can be assigned easily and correctly.



Mouthpiece Comfortable silicone mouthpiece with a bridge across the top palette from the two top bite tabs



Flexible Necklace Easily adjustable and flexible strap for the 2nd stage. Keeps the second stage always in the right position. Works with any standard mouthpiece



Professional Tool Set The tool sets for the Pro. A very well organized and complete set – works for almost all well-know brands. Small enough to fit into your luggage – complete enough for the service center in your shop.

2nd Stage Adjustment Tool
Medium pressure tester (1st stage) and adjustment tool (2nd stage) in one. Display in BAR (up to 15) and PSI (up to 200). A perfect tool that every pro should call his own.





Medium Pressure Tester Checking the medium pressure of your 1st stage was never so easy. Standard inflator connection. Display in BAR (up to 15) and PSI (up to 200)

O-Ring Lifting Kit Every regulator technician knows that chromeplated brass, used for many diving products, is a soft metal. Therefore, it is also essential to know that when working on life support equipment, a high-carbon steel or stainless-steel lifter should be not used, as regulators can be irreparably damaged by scratches and gauges. This set is ideal for removing O-rings without damage.





INSTRUMENTS

ROBUST, RELIABLE & BEAUTIFUL

Available for different pressure ranges, for use with oxygen and with white or black background. The pressure gauges can be put together individually. Both the SCUBAFLEX HP hoses and the rubber HP hoses fit. We also offer a rubber protective cap. The double welded Bourdon-Beryllium tube offers a high degree of measurement accuracy and reliability and remains calibrated even after use in the harshest environments. The diameter of the pressure gauge is 52mm. Viton O-rings are included as standard.



The high-quality metal pressure gauges are also available as a ready-made set with a protective cover, Swivel with Viton O-rings, and an 80 cm rubber HP hose. Fully assembled!



ALSO LOOK DAMN GOOD AS A SET

The high-quality metal pressure gauges are also available as a ready-made set with a protective cover, Swivel with Viton O-rings, and an 80 cm rubber HP hose. Fully assembled!

Slim Line pressure gauges are included in the SF2 ECCR. In this range, measurement accuracy and reliability are top priorities. Made from a single piece of nickel-plated brass and fitted with a beryllium copper tube; the pressure gauge provides a compact, low-profile design. The polycarbonate parallax lens is durable and offers excellent clarity for maximum readability. Diameter 45 mm (1.5”).
The sets are available with rubber caps and a 80 cm or 90 cm HP hose.



Compass Pro The SCUBA FORCE Compass Pro is a high-quality, liquid-filled Diving Pro Compass with bungee mounts. The exceptional tilt allows the compass to be held at an angle of up to 30° and still respond quickly and accurately.

LIQUID-FILLED AND WITH BUNGEE HOLDERS - STANDARD ALWAYS MEANS HIGH QUALITY FOR US!

Features

- Oil filled Fast-reacting
- magnets Compass
- rose floating Afterglow
-





Compass

Features

Oil filled Fast-reacting magnets Compass rose floating Afterglow

LIQUID-FILLED AND WITH BUNGEE HOLDERS - STANDARD ALWAYS MEANS HIGH QUALITY FOR US!

Cold Water Spool The cold-water spool is perfect for diving in cold waters. Its unique shape makes it easy to grip with thick gloves, and the larger openings improve functionality. It also comes with a stainless steel double-ender.



Color: White
Length: 30m (100 feet)

SPOOLS

Spool With Double Ender
The Scuba Force spools are supplied with 100 mm stainless steel double ender and a tear-resistant line of 30 or 45 meters. Ideal for cave divers and deco or marker buoys.



Colors: Orange, Yellow, White
Length: 30 or 45 m



Cookies The SCUBA FORCE Cookies have a diameter of 55 mm and are available in 4 different colors.
Colors: Yellow, White, Orange, Glow (afterglow)



Arrows The SCUBA FORCE arrows have a diameter of 65mm and are available in 4 different colors.
Colors: Yellow, White, Orange, Glow (afterglow)

X-REEL

If you are looking for quality and design that can withstand extreme conditions, the Scuba Force X-Reel with double ender is the perfect tool. It is uncomplicated, reliable and durable, making it ideal for buoys, recovery bags, and covering distances in caves and wrecks.

The reel comes in two lengths: 60 meters (200 feet; 690 grams) and 120 meters (400 feet; 870 grams).



The product offers the following features:
•Optimized grip
•Fast operation, even with gloves
•Simplified access to the spool
•Reduced risk of tangling
•Knurled screw that is easy to use even under extreme visibility conditions
•Optimized weight distribution
•Maintenance-free operation
•Made of aluminum and Delrin material
•Features a stainless steel double-ender



Deluxe Wetnotes

Features
•Size: 12 x 19.8 cm
•25 pages
•Cordura cover with viewing window for running time etc.
•Second viewing window inside
•3x Runtime Slate (can be used several times)
•Flexible bookmark
•Graphite pencil with a rubber band


SMB'S



TEC SMB Deluxe We have redesigned our TEC SMB DELUXE and the result is fantastic. The new all in one valve (combination of OVP and INFLATION) makes everything easier. EASIER to use and EASIER to store. The valve can be rotated 360°. Inflation can be done by standard inflator (does not lock), oral or with a 2nd stage. The integrated storage bag offers optimal space to store the buoy. Dimension is around 146 x 12 cm. Metal Ding for attachment. Available in orange. .

Features
•Dimensions 146 x 12 cm
•Buoyancy approx. 4,8 kg
•Quick release with integrated pressure relief valve
•Metal D-ring for attachment
•Non-locking inflator connection
•Beak valve
•Storage bag
•Color: orange
•Inflation by standard inflator or oral

TEC SMB OUR NEW & IMPROVED TEC SMB with All-in-One Valve!



We have redesigned one of our best selling products and the result is fantastic.



The new all in one valve (combination of OVP and INFLATION) makes everything easier. EASIER to use and EASIER to store. The valve can be rotated 360°. Inflation can be done by standard inflator (does not lock) or oral. Dimension is around 120 x 9 cm and the lift capacity is 4.3 liter. Due to the all in one valve the storage volume is very low. Metal D-ring for attachment. Available in orange & Yellow

Features
•Dimensions 120 x 12 cm
•Buoyancy approx. 4,3 kg
•Quick release with integrated pressure relief valve
•Metal D-ring for attachment
•Non-locking inflator connection
•Colors: orange or yellow
•Inflation by standart inflator or oral

ADAPTERS



1st Stage Shut Off Deluxe Use the 1st Stage Shut Off Deluxe adapter to stop gas flow at the 1st stage. Move the valve to the OFF position. Remember to equip the first stage with pressure relief valves when using Shut Off valves for safety. **The product is intended exclusively for use in the rebreather and certified for the SF2 ECCR.**



Rebreather Team Adapter Abuddy adapter for rebreather diving helps share external gas in mixed teams. It features a 9/16" female thread compatible with Swagelok QC6 or Quick Disconnect systems and a standard inflator nipple on the other side.



Adapter One Way Male adapter 9/16 for Quick Disconnect couplings, with gas flow in one direction only. If the adapter is not coupled, no gas flows, sealed.



1to 2 Adapater This adapter splits one low-pressure hose into two. It has 1 x 9/16 male to 2 x 3/8 female threads. You can remove the 9/16 connector and get 3 x 3/8 female threads. It's perfect for connecting multiple devices to a single hose.

2nd Stage Shut Off Deluxe Deluxe 2nd Stage Shut Off Adapter allows for gas flow shut off at second stage. To turn off, move valve to OFF position. Use pressure relief valves with Shut Off valves on first stages. **The product is intended exclusively for use in the rebreather and certified for the SF2 ECCR.**



SF2_eCCR Team Adapter The mixed team adapter for SF2 divers directly uses female Quick Disconnect clutch for the off-board gas kits.







9/16" M to 3/8" F This adapter is screwed to a standard low pressure hose and turns the male 9/16 UNF thread into a female 3/8 UNF thread or the female 3/8 UNF into a male 9/16 UNF.




Adapter 3/8" M to 3 x 3/8" F Adapter for the first stage. Screwed on a standard low-pressure hose(3/8) and then has three female 3/8 ports. Two on the sides, one on the top.

Adapter 1/2" to 3/8" For first stages that have a 1/2" thread as the main regulator port (for example, certain Apeks or Mares regulators). When using this adapter, standard low- pressure hoses with 3/8 UNF threads can be used.





Adapter 3/8" M to 9/16" M This adapter enables connecting a low-pressure hose directly to a female 3/8 UNF thread.



Over Pressure Valve Overpressure valve for assembly at 1st stage. Use with shut-off valves. Response pressure: 14 bar. Screwed in 3/8 UNF low-pressure port. Compact, flat profile. Stainless steel inner spring.



Quick Disconnect Set Quick coupling for the second stage. The female side is tight when the set is not connected. High gas flow rate. Equipped with a locking ring that prevents accidental disconnection. Available as a set and also individually.



Quick Disconnect Male or Female Individual male and female Quick Disconnect Set parts are available in 3/8" (1st stage) or 9/16" (2nd stage) threads to accommodate different applications.



ADAPTER 110° Low Pressure Adapter for the first stage. 3/8 male to 3/8 female. Improves the hose guide and prevents the low-pressure hose from buckling. 360° rotatable.


360° Regulator Swivel This adapter is screwed between the low-pressure hose and second stage. The adapter can be rotated in all directions, therefore increasing comfort, as the second stage is always in an optimal position.





90° or 110° Adapter These adapters are screwed between the hose and the second stage and ensure optimum hose guidance and improved wearing comfort. When diving side mount, these are an absolute necessity. 9/16 Male to 9/16 female.

HARDWARE



Bolt Snaps
Premium quality Bolt Snaps are designed with attention to detail, as even the smallest details can make a big difference. The body and spring are constructed from salt water-resistant stainless steel, ensuring durability and longevity. The slider moves smoothly without any resistance, and there are no sharp edges, making it a safe and reliable tool for various applications.



Double Ender Our Double Enders are designed to match the high-quality standards of our Bolt Snaps. They feature sliders that move smoothly without any sharp edges that could pose a risk. Both the body and spring are made of stainless steel that is resistant to salt water and corrosion.



Quick Link
(Lockable) 4.1 cm – 1.61” 5.0 cm – 1.96” 6.0 cm – 2.36”



Carabiner Hook
5.0 cm – 1.96”
6.9 cm – 2.71”



Buckle

Tri Glides

With teeth or smooth for 50 mm (2”) webbing





Comfort Clip The Comfort Clip is a device used to attach adjustable shoulder straps to the abdominal strap. It has three slots through which the belt can be threaded in a way that it blocks itself and doesn’t slip. This clip is specifically designed for 50 mm (2”) webbing and ensures a secure and comfortable fit.



Billy Rings

Billy Ring small and large, for 50 mm webbing.


D-Ring Straight / Bent

Low Profile 50mm (2“) wide; 5 mm (.19”) thick; 35 mm (1.37”) deep

Bent 50mm (2“) wide; 5 mm (.19“) thick; 50 mm (1.69“) deep

D-Ring 50mm (2“) wide; 5 mm (.19“) thick; 50 mm (1.96”) deep





Sliding D- Ring The 50mm stainless steel D-ring has 4 stays for the belly strap and can adjust the horizontal position of tanks with negative or positive buoyancy. It’s compatible with standard and SCUBA FORCE Low Profile D-rings.



D-Ring Clip and 25 mm D-Ring The D-Ring clip and 25mm D-Ring can be used together to create an attachment point. The clip can hold a hose clamp up to 15mm, while the D-Ring can be attached to a bottle, double device, or stage and folds away when not in use.

Bookscrews Book Screws made of marine-grade chrome-plated brass are utilized to fasten the Blade Wing onto the Harness. Two complete sets of these screws come in each kit.




Sidemount Tankholder The “Tank Holder” position is at the back of the abdominal belt, where sidemount tanks and accessories can be attached. It’s slightly curved to make clipping objects easier.



Sidemount Tri-Glide Butt With Double Port The double port separates the equipment and allows easier access without getting tangled. Suitable for 50 mm webbing





Sidemount Tri Glide Att. Port/Wide Port (Pair) Shoulder strap sliders for bungee attachment. Sold in set of 2. Suitable for 50mm webbing.



Sidemount Tri Glide With Att. Port (Pcs.) Eyelet on Tri Glide allows bungee attachment without additional D-ring. Fits 50mm webbing.

UL METAL SERIES

OUR NEW UL METAL SERIES – EVERY GRAM MATTERS



UL Tri Glide



UL Buckle



UL Cofmort Clip



UL D-Ring



Ul D-Ring Bent



UL – Single Tank Adapter Plate

All our wing accessories are now available in an ultra-light versions as well. Gives you the opportunity to save some extra weight on your next journey. Size wise it is the same like our standard steel accessories, but made from aluminum with a black coating.

FIN, MASK, SNORKEL

DYNAMIC ONE It´s not just its dynamic design that makes the DYNAMIC ONE so unique. The frameless design and the silicone body offers a perfect fit and a wide vision with a low volume. The ultra-clear lens, the silicone mask strap, the deluxe mask box. The DYNAMIC ONE is in a class of its own.








DYNAMIC TWO For everyone who likes it a little bigger. The DYNAMIC TWO offers an extremely wide field of vision. It is actually a single lens mask,, but it is so large that it has an additional bridge for better stability. Super soft black silicone; neoprene mask-strap; large nose pocket; delivered in a mask box.

DYNAMIC SNORKEL Designed to be the perfect companion to all Scuba Force masks. The large volume tube allows plenty of airflow, and its top design avoids water to get into the snorkel. An efficient purge valve expels any water that might make its way into the airway. The Dynamic Snorkel has an easy to use attachemt clip and a very comfortable silicone mouthpiece.



Since years the VISION is our best-selling mask. And there are many reasons for this. The ultra-soft silicone not only ensures high wearing comfort it also guarantees a perfect fit. The VISION fits almost all faces. Like all Scubaforce masks, the VISION comes with an adjustable neoprene strap and a deluxe mask box. The safety glasses are extra hardened and offers a wide field of view with



Available in Clear Silicone

The ONE is a very lightweight frameless mask with a single lens design. The mask has a very low volume which makes it comfortable to wear and easy to clear. It is the same soft silicone that we are using for all SCUBA FORCE masks, so the ONE offers a perfect fit and a high level of comfort. Thanks to its small volume and continuous glass, the ONE offers an extremely large field of vision.

The ONE is available in a black and clear version. Of course, the one also comes with a high-quality neoprene mask strap and in a deluxe mask box.



•The new SCUBA FORCE DYNAMIC FIN, offers you unprecedented performance. •Efficient and comfortable, and in every situation the power that you need. •Leisurely swimming on the reef: The DYNAMIC takes you forward with minimal effort. •When you need more power, the fins stiffens •And pushes you forward powerfully. •This is possible by combining different high-tech materials and using the latest welding technologies. •The DYNAMIC is a very lightweight, with only 850 grams per fin (reference size M-L) •The new SCUBA FORCE fin is also an ideal holiday companion.

The DYNAMIC enables all know finning techniques, such as flutter, frog and back kick and a helicopter turn can also be carried out without any problems.

The fin comes with a classical spring strap and standard spring straps. The classical strap has as rubber protection with a lift loop that makes it easy to get it on and off.

The packaging is not only environmentally friendly but also multifunctional. You can use it as a standard bag for your boat trip, but also as a underwater collection bag for trash.

Available in sizes:
S-M; M-L; L-XL

Overall length:
•S-M 26 cm
•M-L 28 cm
•L-XL 30 cm

Weight per fin approx 850 gr.



SCUBA HOSES

SCUBAFLEX MEDIUM PRESSURE HOSES

SCUBAFLEX hoses offer an incredible selection and are available in 16 different length and 7 different colors. But it is not only the selection that make them so popular it is also the high quality and flexibility. The connection threads are manufactured so precisely
that thy can be screwed on easily. The flexibility is unique too – even with the 210 cm hose you will find no twisting or tension at all.




PINK / YELLOW
WHITE / BLUE
RED / GREEN
Available in:
55 cm / 22 inch
62 cm / 24 inch
75 cm / 30 inch
80 cm / 32 inch
90 cm / 35 inch
100 cm / 40 inch
110 cm / 43 inch
120 cm / 47 inch
150 cm / 59 inch
210 cm / 84 inch



BLACK
Available in:
10 cm / 4 inch
15 cm / 6 inch
20 cm / 8 inch
25 cm / 10 inch
30 cm / 32 inch
40 cm / 16 inch
45 cm / 18 inch
50 cm / 20 inch
55 cm / 22 inch
62 cm / 24 inch
75 cm / 30 inch
80 cm / 32 inch
90 cm / 35 inch
100 cm / 40 inch
110 cm / 43 inch
120 cm / 47 inch
150 cm / 59 inch
210 cm / 84 inch

HIGH PRESSURE HOSES FLEX & RUBBER

The right choice of material and precise manufacturing is critical in the sensitive high-pressure range. The SCUBAFLEX high-pressure & standard rubber hoses offer both. The SCUBAFLEX high pressure hoses are very thin and stable but provide enough flexibility to configure them neatly.



SCUBAFLEX
Available in:
15 cm / 6 inch
20 cm / 8 inch
56 cm / 22 inch
60 cm / 24 inch
65 cm / 26 inch
80 cm / 32 inch
90 cm / 35 inch


RUBBER
Available in:
15 cm / 6 inch
20 cm / 8 inch
56 cm / 22 inch
62 cm / 24 inch
80 cm / 32 inch
90 cm / 35 inch

SCUBAFLEX INFLATOR HOSES

Your inflator hose must of course match the color of your other hoses. SCUBAFLEX inflator hoses are available in the same colors as the medium pressure hoses. The quality is of course just as impressive. The coupling fits perfect on any standard inflator (SCUBAPRO; MARES; AQULUNG etc.)



PINK / YELLOW
WHITE / BLUE
RED / GREEN
Available in:
55 cm / 22 inch
61 cm / 24 inch
65 cm / 26 inch
75 cm / 30 inch
90 cm / 35 inch



BLACK
Available in:
15 cm / 6 inch
20 cm / 8 inch
25 cm / 10 inch
30 cm / 32 inch
40 cm / 16 inch
45 cm / 18 inch
50 cm / 20 inch
55 cm / 22 inch
61 cm / 24 inch
65 cm / 26 inch
75 cm / 30 inch
90 cm / 35 inch



EASY GRIP CONNECTOR
For easier handling with thick gloves in cold water.

CLASSIC RUBBER HOSES

MEDIUM PRESSURE & INFLATOR

The classic in all lengths and for all purposes. Rubber hoses continue to enjoy enormous popularity, especially in technical diving. Our rubber hoses are manufactured with the same care and precision as all our SCUBAFLEX hoses. We also make no compromises when it comes to material selection.



MEDIUM PRESSURE
Available in:
55 cm / 22 inch 62 cm / 24 inch 75 cm / 30 inch 100 cm / 40 inch 150 cm / 59 inch 210 cm / 84 inch
YELLOW 100 cm / 40 inch 210 cm / 84 inch

INFLATOR
Available in:
15 cm / 6 inch
20 cm / 8 inch
25 cm / 10 inch
56 cm / 22 inch
65 cm / 26 inch
75 cm / 30 inch
90 cm / 35 inch

About GULL

Celebrating 70 years with all who love the ocean.

SAFE RELIABLE AUTHENTIC

Equipment born in Tokyo with a commitment to safety, reliability, and authenticity.

We owe much to the ocean and its resources. Diving lets us experience the incredible natural beauty of our planet, but it's about more than just enjoying those moments. It's a chance to appreciate the ocean, think about environmental conservation, and consider what actions we can take to protect its future. Solving these challenges starts with each of us taking responsibility and taking action.

Since 1955, Kinugawa Group has been committed to producing high-quality diving equipment that prioritizes safety and usability for all divers. Our brands, GULL and AQA, are proudly manufactured in our Tokyo factory, ensuring consistent quality and performance.
Our core values—Safe, Reliable, Authentic—have guided us throughout our history, driving decades of product development and innovation. With this expertise, we create Made in Tokyo gear that divers trust, delivering a safe and enjoyable connection to the ocean.





As we celebrate our 70th anniversary, we remain focused on sustainability. We are committed to producing environmentally responsible products that conserve resources and provide lasting value to our customers. With respect for the legacy we've inherited, we continue to innovate for divers and the future of the ocean.

70th KINUGAWA

GTD DIVING

Official GULL

Distributor in the Middle East

GTD DIVING

Two Decades of Diving Excellence "Gear, Service & Training"



MASK

LU VO S

Designed entirely from the ground up, this mask and degree of lens reflection are meticulously engineered with the concept of" bright and expansive vision". Experience exceptional brightness and clarity—a true spectacle.




UV380 CUT AR IR Lens

UVARIR

The lens features an anti-reflective UV380 coating for enhanced transparency compared to UV420 lenses. With anti-reflective (AR) processing on both sides, it ensures clear underwater vision. An added infrared (IR) protective coating helps minimize skin aging around the eyes.

Volume：170cc
Weigh：t266g



Open View

LUVOS boasts the largest vertical view at 105°amongst Gull masks, and the widest horizontal view at 118° amongst single-lens masks, making it Gull's largest view single- lens mask ever. Rivaling the field of view found in frameless masks.



Aquadynamic Frame

The aquadynamic frame directs water flow through the frame, minimizing resistance and providing a smoother swimming experience with reduced drag.

GM-1249
LUVOS
Black Silicone
UV380CUT
AR IR Clear



NEW
GM-1251
LUVOS
White Silicone
UV380CUT
AR IR Clear



GM-1250
LUVOS
Clear Silicone
UV380CUT
AR IR Clear

Comfort-Fit Technology（PATENTED）



Reinforced Damper

Facial movements may compromise a mask's seal causing flooding around the lips. Reinforced dampers keep the skirt's edges securely in place preventing flooding even with substantial facial movements.



3D Leak Guard

Faces tend to crease around nose and mouth (laugh lines), and do even more so when clenching a snorkel or regulator. The skirt's inner three- dimensional surface is specifically engineered to maintain a locked seal at the laugh lines.



Easy-Pinch Nose Pocket

Construction of the nose pocket and surrounding area is altered making it much easier to pinch the nose for improved equalization. Gaps between nose and frame are widened allowing for an easy pinch even when wearing thicker gloves.

LUVOS

MANTIS LV

This twin-lens mask delivers high performance and sleek design. Gull's top-of-the-line model with wide view and excellent fit.



UV420CUT AR LENS

UV420AR

Protects eyes from UV rays (up to 400nm), and HEV light (400-420nm), that contribute to oxidative stress and deterioration of lutein*. AR (Anti-Reflective) feature improves light transmittance for better visibility.

2 Types of High-Performance Lens

- UV420CUT AR Amber Lens
- Super Clear lens

Skirt with Curled Lip and Integrated Strap Clip

Soft Damper


Drain Skirt

DX Spec Mask Buckle

Low Volume

Volume：110cc※2 Weigh：t220g Inherits the form of the Mantis, but with reduced mask volume and even wider up–down and L–R arcs of vision. Wherever you dive, see across a wider field of view.

※2 Measured using Gull standard procedures.



Inclination 10°

The inclination angle and shape of the lens work together to extend the downward field of vision. You can see better through the arc down to chest level, which is where most diving tasks are carried out.



L-R arc 117°

(about 5% more than previous model)

GM-1290C
Mantis LV
Black Silicone
UV420CUT
AR Amber



GM-1291C
Mantis LV
White Silicone
UV420CUT
AR Amber



GM-1245C
Mantis LV
Silicone
Super Cliar



MANTIS LV

Even though they have an amber (light yellow) tint, a reflective coating makes the lenses in the photographs appear blue.

MANTIS LVR

Derived from Mantis LV's shape with an overall reduced form factor and loaded with new skirt features, the mask feels soft to wear, yet offers a secure uncompromising seal for an ultimate fit.



UV420CUT AR LENS

UV420AR

Protects eyes from UV rays (up to 400nm), and HEV light (400-420nm), that contribute to oxidative stress and deterioration of lutein*. AR (Anti-Reflective) feature improves light transmittance for better visibility.

Lens Function ▶ P14


Optical Lens ▶ P24～25

Low Volume

Volume：110cc※2 Weigh：t215g

Integrating a lighter weight while also maintaining Mantis LV's wide Field of view and low volume design.

※2 Measured using Gull standard procedure.



Inclination 9.5°

The inclination angle and shape of the lens work together to extend the downward field of vision. You can see better through the arc down to chest level, which is where most diving tasks are carried out.



L-R arc117°

(about 5% more than previous model)

GM-1246A
Mantis LVR
Black Silicone
UV420CUT AR Amber

Amber



GM-1247A
Mantis LVR
White Silicone
UV420CUT AR Amber

Amber



MANTIS LVR

Comfort-Fit Technology (PATENTED)



Reinforced Damper

Facial movements may compromise a mask's seal causing flooding around the lips. Reinforced dampers keep the skirt' s edges securely in place preventing flooding even with substantial facial movements.




3D Leak Guard

Faces tend to crease around nose and mouth (laugh lines), and do even more so when clenching a snorkel or regulator. The skirt's inner three-dimensional surface is specifically engineered to maintain a locked seal at the laugh lines.



Temple Line

The skirt's trim is augmented to avoid the hairline near the temples to further prevent chances of flooding.



Easy-Pinch Nose Pocket

Construction of the nose pocket and surrounding area is altered making it much easier to pinch the nose for improved equalization. Gaps between nose and frame are widened allowing for an easy pinch even when wearing thicker gloves.

VADER

Supremely and beautifully functional, the mask body is designed entirely with curves.Try on a mask to experience the unimpeded vision and superb fit of this top-of-the-line single-lens mask.





UV420CUT ARレンズ

UV420AR

Protects eyes from UV rays (up to 400nm), and HEV light (400-420nm), that contribute to oxidative stress and deterioration of lutein*. AR (Anti-Reflective) feature improves light transmittance for better visibility.

2 Types of High-Performance Lens

- UV420CUT AR Amber Lens
- Super Clear lens

Lens Function ▶ P14
Optical Lens ▶ P24～25

- Skirt with Curled Lip and Integrated Strap Clip
- Soft Damper
- Drain Skirt
- DX Spec Mask Buckle


Low Volume


Volume：140cc※2 Weigh：t246g Low volume further improves the excellent arc of vision you get with the single-lens design. Enjoy a wide view that's great for any form of diving.

※2 Measured using Gull standard procedures.

No Center Frame

The benefit of a lens undivided by a center frame is the overlapping of the arcs of vision of the right and left eyes. You get a bright, broad field of view and less feeling of restriction. Made for high performance in diving situations where field of view is crucial.





GM-1293C
Vader Black Silicone
UV420CUT AR Amber







GM-1294C
Vader White Silicone
UV420CUT AR Amber



GM-1255C
Vader Silicone
Super Clear




※Even though they have an amber (light yellow) tint, a reflective coating makes the lenses in the photographs appear blue.

VADER

VADER fanette

Designed with feminine sensibility based on the original VADER mask. VADER fanette exhibits a smaller form in a beautifully contoured body design.





UV420CUT AR LENS

UV420AR

Protects eyes from UV rays (up to 400nm), and HEV light (400-420nm), that contribute to oxidative stress and deterioration of lutein*. AR (Anti-Reflective) feature improves light transmittance for better visibility.

2 Types of High-Performance Lens

- UV420CUT AR Amber Lens TYPE
- Super Clear lens

Leakless System

Water is most likely to flood the nose and mouth area when gaps open in the seal between mask and skin. This may happen, for example, if the mask rides up on the face, and if leaking occurs at the cheeks when you are adding a mouthpiece or at the corners of the mouth when you grin underwater. Here, to avoid compromising the seal when your facial muscles move, the mask form is optimized to maintain fit and feel.


Smaller Size


When wearing the VADER, some women said the mask felt a little too big. Designed to fit a female face, to be neither too big nor too small when worn by a woman, the new form reflects this sensitivity.

Low Volume

Volume：125cc※2 Weight：223g Even while inheriting the form of the VADER, the low-volume design makes it easier to exhale into the mask for equalization and mask clearing.

※2 Measured using Gull standard procedures.





GM-1296C
Vader Fanette Black Silicone
UV420CUT AR Amber



GM-1297C
Vader Fanette White Silicone
UV420CUT AR Amber





※Even though they have an amber (light yellow) tint, a reflective coating makes the lenses in the photographs appear blue.

GM-1265C
Vader Fanette Silicone
Super Clear




VADER fanette

MANTIS 5

Since 1955, many divers have placed great trust in Kinugawa Rubber technology and quality. What's more, to meet the needs of divers who put quality first, our products are Made in Japan.




L-R arc of View



Low Volume
Ⓐ Mantis 5：177cc
Inner volume reduced to 12% less than Mantis
Achieving lower volume enabled wider field of view
Ⓑ Mantis：202cc
Weight Mantis5：225g Mantis：233g

Up-Down Arc of View




MANTIS 5

Mantis5 Silicone



Coral　Turquoise　Moon Yellow



Marine Blue　Paradiso Red

Mantis5 Black Silicone



Blast Black　Blast Midnight Blue　Blast Safe Orange

Mantis5 Black Silicone



Metallic Silver

Mantis5 White Silicone




Super White

LANZE

Lanze

An interlock frame system provides two levels of safety. Lanze is a next-generation standard mask that even novice divers will use with a peace of mind.



Pearl Turquoise×
Clear Turquoise

Inclination 9.5°



L-R arc 126°



Volume：115cc※
Weigh：t 215g
※Measured using Gull standard procedures

GM-1272C
L a nze
Silicone



Pearl Turquoise ×
Clear Turquoise

White × White

GM-1273C L a nze Black Silicone



Midnight Blue ×
Black

GM-1274C
L a nze
White Silicone



Marble Shell Blue ×
Clear Shell Blue

Marble Purple ×
Clear Shell Blue

COCO

COCO

This single-lens, UV protected mask incorporates a leakless skirt system that ensures a proper fit with outstanding look and feel.



Marble Purple

9.5 °
86 °
90 °
128 mm
165 mm

Volume：140cc※
Weigh：t 218g
※Measured using Gull standard procedures

GM-1270C
Coco Silicone



Pearl Turquoise　White

GM-1277C
Coco White Silicone



Mable Shell Blue　Mable Purple　Pearl Coral

GM-1278C
Coco Black Silicone



Mable Shell Blue　Pearl Coral

ABEAM

Used by a wide variety of divers, this basic single lens mask has long been a popular choice.



Super White

99 °
110 °
130 mm
165 mm

Volume：226cc※
Weigh：t 260g
※Measured using Gull standard procedures

GM-1431C
Abeam Silicone



Midnight Blue

GM-1432C
Abeam Black Silicone



Super White　Black

ANELIA

1This unisex mask boasts an ultra-small volume of 100 cc and is designed for small-faced wearers. It accommodates use from skin diving to scuba diving.



Anelia Black Silicone
○ Skirt size：120×106mm
○ volume：100cc（Measured using Gull standard procedures）

MANTIS FULLFACE


Able to withstand the rigors of diving in harsh conditions, these professional models are also a safe choice for leisure diving.
※Depending on the model of regulator, usage might not be possible.


Black
Mantis Full Face Black Silicone


Clear
Mantis Full Face Clear Silicone


Air Valve for Mantis Full Face Mask
After taking out the right or left cap on the mask, this breathing valve can be fitted on either side. Once the valve is fitted, without removing the mask, you can breathe outside air when you reach the surface or come ashore.

ANTI-FOG FILM




GA-5090A Anti-fog film for Lanzos
(single sheet)
○ For single lens


GA-5084A Anti-fog film for Mantis LV・LVR
(set of 2 : L and R)
○ For twin lens


GA-5085A Anti-fog film for Vader
(single sheet)
○ For single lens


GA-5086A Anti-fog film for Vader fanette
(single sheet)
○ For single lens


GA-5087A Anti-fog film for Lanze
(set of 2 : L and R)
○ For twin lens
○ Also fits Naida


GA-5088A Anti-fog film for Mantis
(set of 2 : L and R)
○ For twin lens
○ Also fits Mantis 5


GA-5089A Anti-fog film for Coco
(single sheet)
○ For single lens

Mask Bandcover Wide

○ 2mmOpelon®Jersey ○ Length：20cm×(Max.)11cm（Min. W7cm） ○ Reversible



Turquoise × Coral
Iris Purple × Sky Blue
Black × White



Midnight Blue × Sea Blue


Velcro®a t the bottom opens, allowing for insertion of the mask band for easy attachment.

MASK CASE

NEW

A mask case designed to store and carry all Gull masks. The mesh fabric on the lid helps secure the mask, preventing it from shifting during transport and ensuring safe handling.



GULL Mask Case
○ W20×D14.5×H9.7cm

MASK OPTIONAL PARTS

Choice of optional parts lets you enjoy having things how you want them.


Mantis Frame
Color options from the 2025 catalogue are available. Please inquire about other colors.


NEW
Mask Buckle DX Set For Gseries
○ Set : 1 buckle, 1 retainer ○ Individual L&R correction Black／Clear


Mask Buckle DX Set
○ Set : 1 buckle, 1 retainer Black／Clear

Mask Band Rubber
○ For Mantis 5 Rubber length：560㎜ Black

Pro Band Silicone Strap
○ For Abyss／Aqua pro length：557㎜ Black


Mask Band Silicone Strap
○ For Abeam length：520㎜ Black／Clear

Retainer S
○ For Abeam Black／Clear


Mask Band Silicone Strap DX
○ For Mask Buckle DX length：550㎜ Black／Clear／White

FULLFACE OPTION


Shading Plate for Mantis Full Face Mask
Flip up and down


Silicon Band for Mantis Full Face Mask
Black Silicone／Clear Silicone


One Touch Buckle F
One set : 2 parts Gray／Black


Retainer F
One set : 5 items Gray／Black


Mask Band Stopper F
One set : 5 items Gray／Black


Band Cover fo
Mantis Full Face Mask
Max width 250 mm x height 223 mm



SNORKEL

Super Bullet

Able to withstand harsh conditions: tough with refined performance Gull's high-spec, top-of-the-line snorkel.

Length: 405mm
Volume: 180cc
Weight: 186g
Inside Diameter: 21φ



Mirror Turquoise

21-mm Dia. Large-Bore Pipe

The large bore pipe enables high-volume airflow and the smoothest air intake of all the Gull snorkels.



Stabilizer Pipe

Sleek, streamlined pipe has less drag. Less drag means less tube shudder and less discomfort from tube shift.



Movable Mouthpiece

Move the angle to easily find the most natural, comfortable position for you.



Twin Purge Valves

With double the usual number of purge valves you can clear water more quickly from the snorkel. After expulsion, by channeling any water that remains into the purge chambers, the design diverts water away from your mouth. Clearing the snorkel is really easy.



One-Touch Holder

To easily detach from mask strap, simply squeeze the sides of the clip.



GS-3180C Super Bullet Black Silicone




GS-3180C
Super Bullet




Super Bullet Mini

This high-spec snorkel design, which is highly regarded for its excellent air intake and exhaust comes with mini-size mouthpiece to fit women. Now women can snorkel in comfort.


Length: 405mm
Volume: 180cc
Weight: 184g
Inside Diameter: 21φ



Twin Purge Valves




GS-3179C
Super Bullet Mini White Silicone



GS-3179C
Super Bullet Mini
Black Silicone

MEN'S CANAL STABLE

To enable stress-free expulsion, design is optimized for water clearance. All-around model for use in different conditions.



Volume：158cc
Weight：125g
Inside Diamete：r18φ
Mouthpiece size：56mm

※Total snorkel length is measured during usage conditions (with the bellows bent).

CANAL STABLE

Canal Stable (NEW COLOR)



Canal Stable Black Silicone




Canal Stable White Silicone



WOMEN'S LEILA STABLE





Volume：158cc
Weight：125g
Inside Diamete：r18φ
Mouthpiece size：47mm

※Total snorkel length is measured during usage conditions (with the bellows bent).

LEILA STABLE

Leila Stable (NEW COLOR)



Leila Stable Black Silicone




Leila Stable White Silicone (NEW COLOR)



MEN'S CANAL DRY SP

Simple form and function make this a popular standard choice for different diving styles.





Volume：137cc
Weight：135g
Inside Diameter：18φ
Mouthpiece size：47mm

※Total snorkel length is measured during usage conditions (with the bellows bent).

CANAL DRY SP

Canal Dry SP (NEW COLOR)




Canal Dry SP Black Silicone



WOMEN'S LEILA DRY SP





Volume：125cc
Weight：130g
Inside Diameter：18φ
Mouthpiece size：44mm

※Total snorkel length is measured during usage conditions (with the bellows bent).

LEILA DRY SP

Leila Dry SP (NEW COLOR)



Leila Dry SP Black Silicone



PRO SNORKEL

SAMURAI EXTREME

Trimmed-down technical snorkel that pushes the limits of performance and design.

Samurai Extreme
- ○ Weight 162g
- ○ Internal vol.150cc
- ○ Tube bore 20mm
- ○ Total length 355mm





M ova ble mouthpiece

Aegean Rubber
- ○ Black
- ○ Weight 138g
- ○ Internal vol.120cc
- ○ Tube bore 18.5mm
- ○ Total length 364.7mm



Canal 2 Rubber
- ○ Black
- ○ Weight 160g
- ○ Internal vol.160cc
- ○ Tube bore 20.5mm
- ○ Total length 368mm



CANAL FLEX SP
Featuring a classic J-style body design. Canal Flex SP's mouthpiece is positioned comfortably and can be kept in the same position at all times. A sensible choice for any skin diver.



Canal Flex SP
- ○ weight：135g
- ○ volume：134cc

SNORKEL OPTIONAL PARTS

Replaceable parts and storage items especially for Gull snorkels.

Orange color offering excellent visibility both on the surface and underwater is also available for selection.

Dry-Upper piece
○ For Canal & Leila Stable／Canal & Leika Dry SP Black／Clear／Orange



One Touch Holder
○ For Canal & Leila Stable／Canal & Leika Dry SP Black／Clear



One Touch Holder for Bullet
Black／Clear

Mouthpiece, Regular or Mini
○ Regular (Canal Stable) ○ Mini (Leila Stable) Black silicone／Clear
※Can also be used with regulators; depending on the model, some regulators may not fit.



Mouthpiece Cover
Clear



Snorkel Pipe Fixing Loop
M／L／XL Clear silicone



Snorkel Pipe Fixing Loop
L／XL Black Rubber

※XL (bore 22.5 mm) for Samurai Extreme and Canal Series,L (bore 21.5 mm) for Canal Series, M (bore 19 mm) for Leila Series.

GTD DIVING


Two Decades of Diving Excellence "Gear, Service & Training"



GT

Powerful semi-long wide rubber jet fins combining power with precision.

JET



Weight (per pair)
M: 1,390g
L: 1,530g
XL: 1,660g

	a	b	c	d
M:	600	240	102	95mm
L:	620	240	102	95mm
XL:	635	240	116	99mm

Blade Length
M: 330mm
L: 330mm
XL: 330mm

One-Hand Easy Grip Strap

Spring strap is fixed with a finger handle minimizing the hassle of donning and doffing, even when wearing thick gloves.


※Gloves removed in photo to better demonstrate gripping of finger handle.



Adjustable Spring for Precise Power

Adjustability of up to 4cm for better fitment and ultimately more reliable powerful propulsion.





Dry Suit Compatible Foot Pocket

GT ' s dry suit compatible foot pockets are outfitted with large openings allowing for easy wear and removal for almost any drysuit boot to fully be inserted. Grooves on the inside of the pockets help slide your boot in place for a smoother insert.

Instant Power

GT offers instantaneous extra torque power when you most need it. Great for diving with a heavy load, battling tough currents, performing quick getaways, and aiding incapable divers get to shore safely.

Semi-Long, Wide Blade Stability

The use of our exclusive 100% made in Japan Kinugawa rubber offers flexibility that effectively transmits the power of your kick to the blade. Compared with other jet style fins, GT ' s bending point occurs closer to the foot
pocket displacing enormous volumes of water with every kick. GT promises monstrous power, all while the jet holes actively work to stabilize the blade.










Jet Hole Stabilizers

As pressurized water exits conventional jet holes, it immediately disperses into the surrounding water. Our patent pending jet hole stabilizers act as a water flow guide, delaying the dispersal of water. This leaves an area of negative water pressure behind the fin allowing your kick to pull out more efficiently.

GT





Product No.	Size	Color			
GF-2443C	M	Black	White	Moon Yellow	Paradiso Red
GF-2442C	L	Black	White	Moon Yellow	Paradiso Red
GF-2441C	XL	Black	White	Moon Yellow	Paradiso Red

GT Dry Boot Sizing Reference Table

Size	GS Boots	Dry boots by other maker
M	25～26cm	23～25cm
L	26～27cm	25～26cm
XL	28～30cm	27～28cm

Barracuda

The ultimate rubber fins for experts. We want you to experience for yourself the world's longest model.



Weight
S: 1,260g
M: 1,280g
L: 1,385g
XL: 1,410g

	a	b	c
S:	745	210	85mm
M:	765	210	87mm
L:	780	210	95mm
XL:	795	210	95mm

3mm Mew Boots Size
S: 23cm
M: 24cm
L: 26cm
XL: 27cm

Blade Length
S: 480mm
M: 480mm
L: 480mm
XL: 480mm

3D Pocket

Firmly hugging the Achilles tendon, the 3D pocket opening has been designed to reduce looseness and to hold your foot. Naturally control fins which, like sports shoes, feel like extensions of your legs.



Anti-Slip Grip

As well as the usual central tread, grip extends to the rib section. Wraparound tread gives surer footing on slippery boat decks and rocky shores.



Special Rib Form

The raised blade ribs eliminate side planing and blade twist, which would otherwise occur with long fins. Fin work is smooth. The ribs maximize rubber rebound to enable you to enjoy confident, powerful propulsion.



Comes with Custom Carry Bag
Size: 815×245×105mm
※Will fit in Square Mesh Bag.

Long Blade

To enjoy that famous Barracuda® propulsive force, use the rubber fins with longest blades in the world.

Limited Quantity
Barracuda (Professional) Carrying Case Included

Utilizing the highest quality KINUGAWA Super-X Rubber maximizes Barracuda's quick rebounding action for both up and down kicks. Offering instantaneous power and speed to battle even the toughest currents.

Paradiso Red NEW COLOR
Shell Blue NEW COLOR



White
Black



Standard Size		Color			
GF-2395C	S	Black	White	Paradiso	RedShell Blue
GF-2393C	M	Black	White	Paradiso	RedShell Blue
GF-2392C	L	Black	White	Paradiso	RedShell Blue
GF-2391C	XL	Black	White	Paradiso	RedShell Blue

SUPER MEW XX

SUPERMEW XX


These top-spec strap fins achieve the same feel as their full-foot counterparts.

Based on Super Mew, these have been given a strap-fin design. An architecture that boldly shortens the blade makes for greater dynamic performance and ease of movement, enabling comfortable use by all divers. Available for use with wetsuits (23-30cm) and dry-suits (22-28cm).

Super Mew XX



Fin Bottoms Made for Ease of Use and Safety



Supergrip System

Complementing the all-over thickening of the sole, grip has been improved with a new tread pattern.

Hyperdimple System

Suppressing turbulence, dimples send more kick power into propulsion.

Water-Flow Smoother System

For more efficient propulsion, water is effectively channeled rearwards rather than to the sides.


Newly Designed Blade

While inheriting the width if the Super Mew, these fins are shorter. You get the same easy maneuverability, and even the same feel, as Super Mew. Naturally, the Gull line is made for horizontal movement but, for times when you need to go straight up, these fins are designed to catch the water.

Sole Designed to Transmit Power to the Blade Tip

The slightly thicker-than-usual design ensures obedience to your will. Even when you are kicking powerfully, force is efficiently transmitted to the blade tip.

Size	GS Boots	Felt Sole Boot	Dry Boot by Other Makers
S	23～24.5cm	—	22～23cm
M	25～26cm	22～24cm	23～25cm
L	26～27cm	25～26cm	25～26cm
XL	28～30cm	27～28cm	27～28cm



Weigh (One of)
S: 1,015g
M: 1,127g
L: 1,245g
XL: 1,300g



	a	b	c	d
S:	540	196	90	85 mm
M:	560	200	100	90 mm
L:	580	214	102	95 mm
XL:	600	214	116	99 mm

NEW COLOR

Turquoise	Shell Blue	Red Clay	Coral	Moon Yellow	Iris Purple	Marine Blue	Midnight Blue	Paradiso Red	Black	White
S M L XL	S M	M L XL	S M	S M L XL	S M	S M L XL	S M L XL	S M L XL	S M L XL	S M L XL

SUPER MEW XX DRY

he slightly thicker-than-usual design ensures obedience to your will. Even when you are kicking powerfully, force is efficiently transmitted to the blade tip.

Super Mew XX Dry is made with a higher density rubber adding 250g compared with the standard Super Mew XX. The fin's center of gravity is placed at the ankles relieving the need to wear ankle weights for a more balanced and liberating dry suit diving experience. The tip's unique shape helps water flow off of the blade for a lighter kick. Recommended for users that find Mantis Dry Fin slightly heavy and hard to kick.



Super Mew XX Dry / Spring Strap


SUPER MEW XX DRY Boot size fitting table

Size	Dry boot by other makers (World Dive／Mobby Dick)
M	23～25cm
L	25～26cm
XL	27～28cm



One-Hand Fit / Release Spring Strap

Spring Strap II DX comes included as a set, facilitating hassle free attachment and removal of the fins even when wearing a dry suit. The pull tab is outfitted with a large opening making it easy to pull with your fingers for swift fit and release action.
※Gloves are removed for viewing purposes. Fingers can easily be inserted into the tab even when wearing gloves.



Weighted Rubber

Super Mew XX Dry is made with a higher density rubber adding 250g compared with the standard Super Mew XX. The fin' s center of gravity is placed at the ankles relieving the need to wear ankle weights for a more balanced and liberating drysuit diving experience. Especially recommended

	a	b	c	d	Weigh (One of)
M：	560	200	100	90 mm	1,455g
L：	580	214	102	95 mm	1,579g
XL：	600	214	116	99 mm	1,634g

dry suit divers that find Mantis Dry Fins slightly too heavy and/or do not fit their sizing.



MEW CYPHER

MEW CYPHER

The exhilaration of free-moving gliding through water that you can feel with every kick of your fins.

An open-heel arrangement of Mew fins enabling even first-time divers great kicking ability. Mew Cypher is designed with a shorter, slightly softer blade allowing for easier kicking. Great for slow, leisurely diving. Stiffer variant of Mew Cypher. Recommended for those wanting stronger propulsion.







A Lightweight and Compact Design for Ease of Use Both Underwater and on Entry and Exit

With a blade length shorter than ordinary fins, these are designed for ease of use and lighter weight. Under water, the compact design offers agility and less chance of damaging coral or other marine life. These are also easy to get on and off and tote, even when donning gear on land or on a cramped boat, achieving comfortable entry and exit.



Boot Pockets that Achieve Both the Outstanding Fit of a Full-Foot Design and Ease in Getting on and Off

These feature a boot-pocket design boasting a long sole and high instep that snugly envelops the entire foot. This achieves a fit of outstanding comfort, along with conveying leg power with the same ease as full-foot fins for unflagging propulsion.




MEW CYPHER Boot Size Fitting Table

Size	GS Boots 2
S M	2～24cm
L	24.5～26cm
	26.5～28cm

A Middle-Range Blade Design for Maximum Enhancement of Exhilarating Fin Work and Efficiency

Designed with a blade length shorter than ordinary fins, these also shorten the time for which the rubber material flexes to help accomplish nimble and efficient fin work. Moreover, to achieve maximum performance in these middle-range fins of the sense of pliant grip obtained when using rubber fins, the height of the keel at the rear has been slightly lowered, for a design that yields greater comfort.



	a	b	c	d
S：	507	200	86	82mm
M：	520	214	96	86mm
L：	540	214	100	92mm

MANTIS DRY FIN

Weight • Balance • Propulsion Fins made for use with dry suits.


JET

Mantis Dry Fin
Mantis Dry Fin / Spring Strap





Dry Fin Mantis Fin



Upper： Dry Fin Lower： Mantis Fin

Comparison with Mantis Fin

With a bigger boot pocket they are easier to get on and off. Ankle weights are not needed because the fins themselves have sufficient mass. If you are confident in your leg strength and want fins that provide more dynamic propulsion, these fins are made for you.

Mantis Dry Fin Boot Size Fitting Table

Size	World Dive® dry	Mobby Dick® dry
S	boot 24～26cm 26	boot 24～26cm 26～
M	～28cm	28cm



Fin Weight Comparison



The greater mass of the thick soles of Dry Fins shifts the center of gravity further down the leg than ankle weights. This makes it easier to keep your trim stable.
※Assuming 500 g ankle weights are worn.



Weight（One of）
S：1,550g
M：1,690g

	a	b	c	d
S：	525	187	115	80 mm
M：	565	195	115	90 mm


SUPER MEW

This hybrid design delivers speed and instantaneous response to divers who seek power, immediate propulsion, and more feeling.

Super Mew



	a	b	c
XS	565	200	80 mm
S	580	200	83 mm
M	600	210	87 mm
L	615	210	87 mm
XL	650	210	93 mm



SUPER MEW Boot Size Fitting Table

Size	Mew Boots	Short Mew Boot	5mm Mew Boot	Skin Hot Boot
XS	22cm	22cm	22cm	22cm
S	23～24cm	23～24cm	23～24cm	23～24cm
M	24～25cm	24～25cm	24～25cm	24～25cm
L	25～26cm	25～26cm	25～26cm	25～26cm
XL	26～27cm	26～27cm		

※This size table is only a guide; fit also depends on the individual form of your feet. For some people the sizes shown may be too large or too small. To ensure a proper fit, please confirm which size suits you at an actual trial fitting.

Weight（One of）

XS：910g
S：930g
M：1,045g
L：1,060g
XL：1,200g



MEW

MEW

Standard full-foot fins offering ease of use and excellent propulsion for any diver. Featuring a line-up that lets you choose the propulsion you want and the rubber stiffness you prefer.





Rib Shape

The ribs on the Mew are designed with the down kick in mind. At this time when power is most easily converted to propulsion, Mew Fins firmly catch the water. Providing pleasing response to strong or subtle kicks, they suit a variety of conditions and are loved by both power divers and occasional divers, who have different leg strengths.



Safe Mew
S
MS
M
L
XL




Hard Mew
S
MS
M
L
XL



MEW Boot Size Fitting Table

Size	Barefoot	Mew Boot	Short Mew	5mm Mew	Skin Hot Boot
XS	22～23cm	22～23cm	Boot 22～	Boot 22～	- - 22～
S	23～24cm	23～24cm	23cm 23	23cm 23	23cm 23
MS	24～25cm	24～25cm	～24cm 2	～24cm 2	～24cm 2
M L	25～26cm	25～26cm	4～25cm	4 ～ 25cm	4 ～ 25cm
XL	27～28cm	27～28cm	25～26cm	25～26cm	25～26cm
	28～29cm		27～28cm		

※This size table is only a guide; fit also depends on the individual form of your feet. For some people the sizes shown may be too large or too small. To ensure a proper fit, please confirm which size suits you at an actual trial fitting.



Weight（One of）

XS：690g
S：705g
MS：740g
M：750g
L：850g
XL：1,025g

	a	b	c
XS	515	190	70 mm
S	520	190	75 mm
MS	540	190	78 mm
M	550	200	81 mm
L	580	210	84 mm
XL	620	220	87 mm

EMDEN

EMDEN

Basic short blade rubber fins offering easy mobility with a natural kick everytime. Perfect for snorkeling and novice scuba divers.

EMDEN COLOR








Foot Pocket Designed to Easily Expel Water

The foot pocket is formed using a thin and pliant rubber material. This makes the fins easy to put on and take off.

Short Blade

These simple rubber fins feature a short blade that provides excellent mobility and provide easy maneuverability both on the surface and underwater, allowing use by a wide range of divers.



Weigh（One of）

XS：312g
S：507g
MS：594g
M：640g
L：758g
XL：825g

	a	b	c
XS	415	184	66 mm
S	445	194	72 mm
MS	470	200	79 mm
M	480	200	81 mm
L	510	208	88 mm
XL	548	210	91 mm



GT Spring Fin Strap

○ Spring material：SUS304（excellent corrosion resistanc)
○ Black ○ For GT Msize／Lsize／XLsize ○ pair

GT-Exclusive Adjustable Spring Strap with Easy Grip

・Length is adjustable up to 4cm to find the perfect size, improving force transmittance and ultimately performance.

・The soft handle is easy to grasp even when wearing thick gloves making wear and removal effortless.



GT Spring Strap Sizing Guidea



Stopper's position is adjustable by 2cm on each side (1cm to elongate, 1cm to shorten) for a total lengthening and shortening of 2cm respectively.
※Adjustment does not have to be symmetrical as back pad can swivel to recenter.

	GS boot	Dry boot by other makers (World Dive ／Mobby Dick)
M size	25～26cm	23～25cm
L size	26～27cm	25～26cm
XL size	28～30cm	27～28cm

※This size-match table is only a guide; fit also depends on which dry suit and marine boots you wear. Since actual fit may not correspond with the table, before purchase, please check with your Gull stockist to reliably confirm which size and type you need.





Internal part for buckle : color of bushing depends on size. Black:
XXS（14cm）
S（18cm）
L（22cm）
Gray:
XS（16cm）
M（20cm）



Spring Fin Strap Ⅱ DX

○ Spring material：SUS304（excellent corrosion resistanc)
○ Black ○ XS（16cm）／S（18cm）／M（20cm）／L（22cm）
○ Comes standard with DX fin buckle set ○ pair

Easy to Put on and Take Off, Fits Diver Movement

・The functional part of the strap itself is a metal spring, which makes it quick and easy to put on and take off the fins even when wearing boots. This simplifies fin management when the entry or exit footing is bad, such as when boat diving.

・Use of a spring strap gives you an elastic, self-regulating attachment that compensates for loosening caused by things such as changes in water pressure and contraction of boot and other materials.



Fins Support（M～XL）

○ SAX／M・L・XL
○ BLACK／M・L・XL

Fin Support Size for Different Fins

	Mew	Emden
M	MS	XS・S
L	M・L	MS・M
XL	XL	L・XL



Fin Strap Type D, per Piece

○ Total Length 370mm
○ Sunred／Rosepink／Seablue／S Yellow／Sunbeam／MN Blue／Black／White
○ For Super Mew XX, Mantis, Mantis Dry, and Coco Fins.



Fin Strap Type III, per Piece

○ Total Length 370mm
○ Black／Pink／Sax



Fin Strap Long, per piece

○ Total length 435mm
○ Black



Fin Strap Type Ⅰ, per Piece

○ Total Length 348mm
○ Black
○ For Use with Metal Buckl



Fin Buckle Set DX, for One Side of a Single Fin

○ 105mm×34mm
○ Black／White

GTD DIVING

Two Decades of Diving Excellence "Gear, Service & Training"



EXPOSURE PROTECTION

GULL READY-MADE 5mm WET SUITS

FIR (far infrared nap) used both for heat retention and, because it eases friction with skin, to provide superb feeling of fit comfort.High mobility from stretchy fabric that allows unhindered body movement.

- ○ Skin neck specification
- ○ Seam taping
- ○ Urethane pads
- ○ Inospan jersey

MEN'S



GULL 5mm Ready Made Wetsuit M e n's

Black × Moon Yellow

WOMEN'S



GULL 5mm Ready Made Wetsuit Women's

Black × Sky Blue

Comfort neck system

Extended Velcro® fastener reaches right to the bottom of the throat. If you have a large or a slim neck, you can adjust a comfortably snug fit that properly keeps out water.



Excellent Ease of Putting on and Taking Off

To achieve both ease in getting in and out of the suit smoothly as well as dynamic mobility, fasteners offering enhanced stretchability are used at the wrists and ankles.



Far Infrared Ray(FIR) Fleece Material Lined with a highly insulating' Far Infrared Ray (FIR) fleece material on the inside. FIR material absorbs heat generated by the body and releases it in the form of infrared rays, providing excellent warmth.

FIR FAR INFRARED RAYS

Men's Size Table

Size	M	M L	ML W	L	LW	XL
Heigh（tcm）	160～165	165～170	165～170	170～175	170～175	175～180
Ches（t cm）	87～92	90～95	93～98	93～98	96～101	96～101
Wais（t cm）	70～75	73～78	76～81	76～81	79～84	79～84
Hip（s cm）	83～88	87～92	91～96	91～96	95～100	95～100
Inseam（cm）	66～68	68～70	68～70	70～72	70～72	70～72
Sleeve（cm）	70～73	72～75	72～75	74～77	74～77	76～79
Thigh（cm）	50～53	52～55	54～57	54～57	56～59	56～59
Nec（k cm）	33～35	35～37	37～39	37～39	39～41	39～41
Weigh（t kg）	54～59	59～64	61～66	64～69	67～72	69～76


Women's Size Table

Size	MS	M	M W	M L	ML W	L
Heigh（tcm）	153～157	156～160	156～160	159～163	159～163	162～166
Bus（t cm）	78～82	80～84	82～86	82～86	84～88	84～88
Wais（t cm）	59～63	61～65	63～67	63～67	65～69	65～69
Hip（s cm）	86～90	88～92	90～94	90～94	92～96	92～96
Inseam（cm）	61～63	63～65	63～65	65～67	65～67	67～69
Sleeve（cm）	65～68	67～70	67～70	69～72	69～72	71～74
Thigh（cm）	50～52	51～53	52～54	52～54	53～55	53～55
Nec（k cm）	28～30	29～31	31～33	31～33	32～34	32～34
Weigh（t kg）	44～48	48～52	51～55	52～56	55～59	56～60

BIO-MERGE SYSTEMS

Fabric Specification Key Points

Entire Suit



① FIR

Besides heat retention, the nap minimizes friction with skin and provides superb fit comfort. Has mesh skin outside layer.

② Stretch jersey

Superbly stretchy jersey allows unhindered body motion.

③ Neoprene

uperbly strechy and heat retaining materials used in 3-layer core fabric.

The SKIN series is made with soft and highly stretchable material (skin). The suits are designed to be easy to get into and out of. They also insulate against wind chill and have heat-generating far-infrared linings. Whether underwater or on land, you enjoy dependable insulation and heat retention.



3mm SKIN LONG JOHN

Can be used on its own, or in combination with Gull Skin Jackets to further enhance heat retention without impairing mobility.

MEN'S



Men's 3mm Skin Long john
○ M／ML／L／XL
○ 3mm neoprene
○ Outer, soft skin × Inospan
jersey : Inner, FIR nap (Far-InfraRed Lining)

2.5mm JERSEY JACKET

Made with easy to move flexible fabric with a stylish color accent.

MEN'S



Men's 2.5mm Jersey Jacket
○ M／ML／L／XL
○ 2.5mm neoprene
○ Outer, Jersey × Inospan
jersey : Inner, Jersey

Ideal for resort diving, snorkeling, and skin diving, these models offer excellent mobility.

WOMEN'S



Women's 2.5mm Jersey Jacket
○ MS／M／ML／L
○ 2.5mm neoprene
○ Outer, Jersey × Inospan
jersey : Inner, Jersey

3mm SKIN JACKET

The fabric is precisely shaped to offer improved mobility around the underarms and shoulders to ease movements when diving, as well as help with wear and removal. Great for both skin and scuba diving.

MEN'S



NEW Men's 3mm Skin Jacket
○ M／ML／L／XL
○ 3mm neoprene
○ Outer, soft skin × Inospan
jersey : Inner, FIR nap (Far-InfraRed Lining)

WOMEN'S



NEW Women's 3mm Skin Jacket
○ MS／M／ML／L
○ 3mm neoprene
○ Outer, soft skin × Inospan
jersey : Inner, FIR nap (Far-InfraRed Lining)

Men's 3mm Skin Jacket／Long John／Long Pants Size Table Men's 2.5mm JERSEY Jacket／Long Pants size table

Size	M	ML	L	XL
Heigh (tcm)	160～165	165～170	170～175	175～180
Ches (tcm)	87～92	90～95	93～98	96～101
Wais (tcm)	70～75	73～78	76～81	79～84
Hips (cm)	83～88	87～92	91～96	95～100
Inseam (cm)	66～68	68～70	70～72	72～74
Sleeve (cm)	70～73	72～75	74～77	76～79
Thigh (cm)	50～53	52～55	54～57	56～59
Neck (cm)	33～35	35～37	37～39	39～41
Weigh (tkg)	54～59	59～64	64～69	69～76

Women's 3mm Skin Jacket／Long Pants Size Table Women's 2.5mm JERSEY Jacket／Long Pants size table

Size	S	M	ML	L
Heigh (tcm)	153～157	156～160	159～163	162～166
Bus (tcm)	78～82	80～84	82～86	84～88
Wais (tcm)	59～63	61～65	63～67	65～69
Hips (cm)	86～90	88～92	90～94	92～96
Inseam (cm)	61～63	63～65	65～67	67～69
Sleeve (cm)	65～68	67～70	69～72	71～74
Thigh (cm)	50～52	51～53	52～54	53～55
Neck (cm)	28～30	29～31	31～33	32～34
Weigh (tkg)	44～48	48～52	52～56	56～60

3mm SKIN LONG PANTS

High-waist long pants made with far-infrared lined material for heat retention. Inheriting a new outline that further improves on mobility. Great for both skin and scuba diving.



The outer side of the both leg bears the Gull logo.

MEN'S



WOMEN'S



Men's 3mm Skin Long Pants
○ M／ML／L／XL
○ 3mm neoprene
○ Outer, soft skin × Inospan
jersey : Inner, FIR nap (Far-InfraRed Lining)

Women's 3mm Skin Long Pants
○ MS／M／ML／L
○ 3mm neoprene
○ Outer, soft skin × Inospan
jersey :a Inner, FIR nap (Far-InfraRed Lining)

Far Infrared Ray(FIR) Fleece Material

Lined with a highly insulating' Far Infrared Ray (FIR) fleece material on the inside. FIR material absorbs heat generated by the body and releases it in the form of infrared rays, providing excellent warmth.



❶ NEW COLOR ❷ LIMITED EDITION

Soft Skin Hard Jersey
Inospan Jersey

Good at shedding water and keeping the wind out, on land and underwater, this snug material achieves outstanding high heat retention. It is also very stretchy and easy to get into and out of.

2.5mm JERSEYLONG PANTS

High-waist long pants made with far-infrared lined material for heat retention. New outline enhances ease of movement.

MEN'S WOMEN'S



Men's 2.5mm Jersey Long Pants
○ M／ML／L／XL
○ 2.5mm neoprene
○ Outer, Jersey × Inospan
jersey : Inner, Jersey

Women's 2.5mm Jersey Long Pants
○ MS／M／ML／L
○ 2.5mm neoprene
○ Outer, Jersey × Inospan
jersey : Inner, Jersey





The outer side of the leg bears the Gull logo.

❶ NEW COLOR ❷ LIMITED EDITION

Normal Jersey
Inospan Jersey

Fit and mobility improved by utilizing a highly elastic i nospan jersey fabric.

APNEAHOOD JACKET & LONG PANTS


These hybrid suits have excellent stretchability that allow for unrestricted movement for maximum performance in free diving and skin diving.





Velcro® area is wide and smooth allowing for easy adjustment.






Jersey material is used in critical areas for stress-free movement and posture when freediving.





Men's 3mm APNEA Hood jacket＆Long pants
○ M／ML／L／XL
○ 3mm neoprene
○ Outer, soft skin × Inner, Inospan jersey

Women's 3mm APNEA Hood jacket＆Long pants
○ MS／M／ML／L
○ 3mm neoprene
○ Outer, soft skin × Inner, Inospan jersey



Soft Skin
Inospan Jersey

Good at shedding water and keeping the wind out, on land and underwater, this snug material achieves outstanding high heat retention. It is also very stretchy and easy to get into and out of.



"GULL SKIN" logo printed on the outer side of the right leg.

FIR INNER SUITS Series

Gull achieves optimal heat retention by lining the neoprene material with FIR nap, which has excellent far infrared heat-generation and heat-retention properties.

MEN'S



Men's 2mm×3mm FIR Hood Vest
○ M／L／LL

Men's FIR Hood vest

Size	M	L	LL
Heigh（cm）	165～175	175～185	175～185
Chest（cm）	88～96	96～104	104～112

WOMEN'S



Women's 2mm×3mm FIR Hood Vest
○ S／M／L

Women's FIR Hood vest

Size	S	M	L
Heigh（cm）	154～162	154～162	154～162
Bust（cm）	72～80	79～87	86～94

UNISEX



3mm FIR Hood
○ S／M／L

FIR Hood

Size	S	M	L
Head（cm）	52～	54～	57～

Far Infrared Ray (FIR) Fleece Material

Lined with a highly insulating' Far Infrared Ray (FIR) fleece material on the inside. FIR material absorbs heat generated by the body and releases it in the form of infrared rays, providing excellent warmth.

Inospan jersey（outer）

On the outside, the surface is covered with Inospan jersey, which has superb durability and more than five times the stretchability of normal jersey.

SCS INNER SUITS Series

In the Gull inner series, Super Composite Skin is the material that provides greatest heat retention.

MEN'S

LIMITED EDITION



Black

Men's 1mm SCS Long Sleeve
○ M／L／LL



SCS Material(Inner Lining)

To achieve outstanding heat retention, Super Composite Skin has a special surface coating that suppresses outward radiation and conduction of heat. To minimize constriction, the top is tailored to fit comfortably at the chest, enabling you to relax and breathe.

Inospan Jersey (Outer) & Flist Jersey (Inner Lining)

Outer surfaces are covered with Inospan jersey, which has superb durability and more than five times the elasticity of normal jersey. To enhance mobility, the lining is made from Flist jersey, another extra-stretchy material.

Men's SCS Long Sleeve

Size	L	LL
Height（cm）	165～175	175～185	175～185
Chest（cm）	88～96	96～104	104～112
Waist（cm）	76～84	84～94	94～104

Suitable for skin diving or inner layering, these 1-mm-thick garments have a charcoal SCS lining that conserves body warmth.

REGULAR USE TYPE

Made from 1-mm-thick charcoal-colored SCS and with two types of high-stretch material at chest, armpits, and sleeves, this must-have inner is also cut to make it easy for you to relax and breathe. It provides year-long service.

WarmdArt® Series

High performance innerwear utilizing heat-storing fabric. Converts near-infrared energy emitted from the sun into heat and stores it, maximizing the insulation effect.

UNISEX



WarmdArt Inner Long
○ Black
○ Includes Fitting Loop
○ XS／S／M／L／LL
○ WarmdArt® Heat generating by sunlight absorption/ heat retaining fabric

WarmdArt Inner Pants Long
○ Black ○ XS／S／M／L／LL
○ WarmdArt® Heat generating by sunlight absorption/ heat retaining fabric

WarmdArt®

Sunlight absorbing heat generation

Generates heat and creates warmth by absorbing near-infrared light from the sun.

Heat Storing Fabric Slightly brushed heat retaining fabric (Adds 5℃-10℃)

Increases temperature by absorbing light energy and converting it into heat compared with conventional fabric.

WarmdArt Inner Long／Pants

Size	XS	S	M	L	LL
Height（cm）	145～150	150～155	155～165	165～175	175～185
Waist（cm）	60～65	65～72	73～84	84～94	94～104

Trubeaute® Series

Absorbs/cuts out near-infrared rays contained in sunlight and blocks more than 99% of UV rays, preventing damage to the skin. Also suppresses temperature rise, providing a cool and comfortable feel.

UNISEX RASH GUARD



GULL Rash Guard Long
○ Trubeaute Anti Photoaging
○ XS／S／M／L／LL

GULL Rash Guard Trenka
○ Watar repellent
○ Trubeaute® Anti-Photoaging
○ XS／S／M／L／LL

GULL Rash Guard Short
○ Trubeaute Anti-Photoaging
○ M／L／LL

GULL Rash Guard Long／Rash Guard Trenka

Size	XS	S	M	L	LL
Height（cm）	145～150	150～155	155～165	165～175	175～185
Waist（cm）	60～65	65～72	73～84	84～94	94～104

Trubeaute™

Trubeaute® Anti-Photoaging

Absorbing/blocking near-infrared rays helps reduce adverse effects on the skin and cannot be achieved with UV protection alone.

What is the impact of near-infrared rays on the skin?

Near-infrared rays have a longer wavelength than ultraviolet rays, allowing them to penetrate deeper into the skin. The major cause of wrinkles and sagging is believed to be sunlight. UV-B rays penetrate the skin's protective barrier (stratum corneum) into the superficial epidermis, causing blemishes and freckles. UV-A rays reach the dermis, where collagen and elastin support skin cells, causing not only blemishes but also wrinkles. Recent research suggests that near-infrared rays, penetrate deep into the fascia and muscle layers in the dermis and subcutaneous tissues, becoming a cause of wrinkles and sagging.

Composition of UV & Near-Infrared Rays

UV rays roughly make up 6& of sunlight, with near-infrared rays accounting for 42%. It is important to shield against near-infrared rays to prevent aging of the skin.

Gull boots are designed to match the characteristics of Gull rubber fins and the movements made during fin work. Choose the ones that fit your diving scene.

GS BOOTS Series

MEN'S

Available in sizes with 0.5 cm increments, GS Boots have excellent grip.



GS Boots Men's

- 3mm neoprene / Opelon® jersey
- With fastener
- Designed to fit average Japanese male foot anatomy.

WOMEN'S



The upper properly designed to accommodate people with high insteps or wide feet. Wraparound ankle U-cut to reduces loading on the ankle. Sizes start at 23 cm and go up in 0.5 cm increments. Recommended for children and people with small feet.



Sewn on both sides (dotted lines) to prevent rubbing and blisters.



Anti-slip deck sole: helps to prevent falls and injury on boats.





The stabilizer rubber over the instep has Gull's exclusive cut. It firmly holds the foot and is designed to prevent lateral movement inside the boot.

GS Boots Women's

- 3mm neoprene / Opelon® jersey
- With fastener
- Gently wraps the whole foot.Ankle and calf fitting designed to fit average Japanese females. Right to the height of the boot, designed especially for women.

Super Mew XX／ Boot Matching Table Mew Cypher／ Boot Matching Table

Size (cm)	20	21	22	23	23.5	24	24.5
Navy				●		●	
Black	●	●	●	●	●	●	●

Size (cm)	25	25.5	26	26.5	27	28	29	30
Charcoal	●	●	●	●	●	●		
Navy	●		●		●	●		
Black	●	●	●	●	●	●	●	●

FELT SOLE BOOTS


UNISEX



Felt Thickness 12mm

Ideal for entries from beaches and rocky shores. Model with grip enough to support working divers.

Felt Sole Boots
- 3 mm Opelon® jersey
- With fastener





Felt soles to give you surer grip On rocks, felt gives a better grip.
※Felt is prone to slip on FRP (fiber reinforced plastic):do notwear on FRP boat decks.

Size (cm)	22	23	24	25	26	27	28
Black	●	●	●	●	●	●	●

Far Infrared Ray (FIR) Fleece Material

Lined with a highly insulating 'Far Infrared Ray (FIR) fleece material on the inside. FIR material absorbs heat generated by the body and releases it in the form of infrared rays, providing excellent warmth.



Sewn on both sides (dotted lines) to Mew Cypher/prevent rubbing and blisters.

SKIN HOT BOOTS

UNISEX



9mm Sole

Deodorization system

(anti-odor, antibacterial treatment)

Reduces unpleasant smells by inhibiting the growth of bacteria and moulds.Enjoy a comfortable refreshing feel during use.
Note : The antibacterial anti-odor treatment is not permanent.

FIR FAR INFRARED RAYS

Using FIR (far infrared nap), this model has the best heat retention of the Gull boots range.

Skin Hot Boots

- 5 mm mesh skin + FIR (far infrared nap)

Size (cm)	22	23	24	25	26	27	28	29
Black	●	●	●	●	●	●	●	●

MEW BOOTS Series

UNISEX

Multi-function model with three-fold benefit : antibacterial, heat retention, and non-slip.

The winter model combines multifunctionality with great thermal properties.

5mm Mew Boots

- 5mm neoprene／stretch jersey
- SCS seal used at the ankle



8mm Sole



Non-Skid Grip system (Tenacious Sole)

From heel to toe, the sole has an extensive gripping area. The wavy tread pattern is able to reduce slippage on many types of surface.

Because the front foot is stretch jersey, the boot is much easier to get on and off and mobility is radically improved.

Mew Boots (Socks type)

- 3mm neoprene／stretch jersey
- SCS seal used at the ankle



5mm Sole

Size (cm)	22	23	24	25	26	27	28	29
Black	●	●	●	●	●	●	●	●



To increase overall grip, sole wraps up beyond the heel. This prevents fins from slipping off. Grip also stops rubbing and increases comfort.



Water Blocked Ring system

With SCS material sealing at the ankle preventing water ngress and extrusion, these boots have excellent thermal performance.


These low-cut Mew Boots have the feel of ordinary shoes, and also drain well when exiting the water.



5mm Sole

Short Mew Boots

- 3mm Airprene／standard jersey



In the front panel, the superb breathability of Airprene enhances quick- dry performance.



At the heel, use of a different material ensures a snug fit and makes sure the boot stays on.



Non-Skid Grip system (tenacious sole)

From heel to toe, the sole has an extensive gripping area. The wavy tread pattern is able to reduce slippage on many types of surface.

Size (cm)	22	23	24	25	26	27	28	29
Black	●	●	●	●	●	●	●	●

[Short type]

SP GLOVES SHORT

All-round type that can be used through three seasons. This model uses a quick-mount system offering new functionality, making wearing and removal extremely easy.

MEN'S



SP Gloves Short Men's

○ Size: M／L／XL ○ Material: Amara (synthetic leather) ／ 2mmOpelon®jersey ○ Measure around hand, below knuckles ○ Quick-mount System



WOMEN'S



SP Gloves Short Women's

○ Size: S／M／L ○ Material: Amara (synthetic leather) ／ 2mmOpelon®jersey ○ Measure around hand, below knuckles ○ Quick-mount System



[Regular type]

SP GLOVES

All-round type that can be used through three seasons. Designed for durability and styled to properly fit male or female hands. Easy to get on and off.

MEN'S



SP Gloves Men's

○ Size: M／L／XL
○ Material: Amara (synthetic leather) ／ 2mmOpelon®jersey
○ Measure around hand, below knuckles

WOMEN'S



SP Gloves Women's

○ Size: S／M／L
○ Material: Amara (synthetic leather) ／ 2mmOpelon®jersey
○ Measure around hand, below knuckles

Glove size comparison



Quick-Mount System

Use of stretchy fabric at the glove's opening vastly improves ease of putting on and taking off.



SUMMER GLOVES

Russell mesh provides excellent air transmission and quick drying. Even easier hand mobility, suitable for fine fingertip manipulation.



Summer Gloves Women's

○ Size: S／M／L
○ Material: 2 mm polyester mesh (Russell mesh)／amara (synthetic leather)
○ Measure around hand, below knuckles

Men's Hand (cm)	M	L	XL
	23	25	27

Women's Hand (cm)	S	M	L
	17	19	21

MEN'S



Summer Gloves Men's

○ Size: M／L／XL
○ Material: 2 mm polyester mesh (Russell mesh)／amara (synthetic leather)
○ Measure around hand, below knuckles

[For Thermal Insulation]

5mm WINTER GLOVES

FIR (Far Infrared Radiation) fabric lining is used on the inside of its the 5mm construction. The wrists feature a double layer seal to prevent water entry and enhance the heat retention effects.



(Far Infrared Radiation) brushed fabric Dual Layer Wrist: 2.5mm Jersey + Opelon Jersey (Exterior) 2.5mm SKIN + Opelon Jersey (Interior)

○ Non-slip palms allow for excellent grip when holding onto ropes or ladders.

GA-5583 5mm Winter Gloves

○ Black: S／M／L／XL ○ Material: Palm: 5mm Opelon Jersey + FIR

WATER BLOCKED RING (Wrists)

Two-layer construction prevents water entry at the wrists. Both inner and outer layers consist of 2.5mm thick fabric.



WINTER GLOVES


Designed with Emphasis on Thermal Retentionand Ease of Putting on and Taking Off

These gloves are made of 3mm fabric that offers good thermal-retention performance, and use a fastener at the wrist to ensure ease of putting on and taking off. These gloves achieve both excellent heat retention and ease in getting them on and taking them off.



Winter Gloves

○ Black: S／M／L／XL
○ Material: 3mm operon jersey + FIR (far-infrared nap)
○ The fastener at the wrist area makes it easy to get the gloves on and off, even for novices unused to thick gloves. These gloves are ideal for use with dry suits.



SKIN HOT GLOVES

[Thermal＋Easy Hand Mobility]

Heat retention and hand mobility with 2 mm fabric.




Skin Hot Gloves

○ Black: S／M／L／XL
○ Material: 2mm mesh skin＋FIR (far infrared nap)
○ Gives you a comfortable fit by minimizing friction with skin while ensuring little play during wear. Has mesh skin outside layer. Slip-free fingertip fit enables confident fine control for cameras and dry-suit valves.



The inner side has a tongue for easy removal, and the seams are offset to reduce the risk of tearing.



Far Infrared Ray (FIR) Fleece Material

Lined with a highly insulating 'Far Infrared Ray (FIR) fleece material on the inside. FIR material absorbs heat generated by the body and releases it in the form of infrared rays, providing excellent warmth.

Unisex	S	M	L	XL
Hand (cm)	21	23	25	27

BAG

HARDSHELL SUITCASE

A large-capacity durable hardshell suitcase capable of storing all diving necessities. Its elongated form allows for fins to be placed without bending.

Lightweight Durable Elongated Slim Profile

Made of a lightweight yet sturdy polycarbonate mixed resin. Its slim lengthened form also allows for safe fin storage.

NEW COLOR

※Capable of loading up to Warp Fin XL.

Multiple Handles

Handles are located on the top, side, front, and bottom to facilitate carrying in a variety of ways.


Dual Wheel Casters

Dual wheel casters are great at noise reduction and provide excellent stability. A new elastomer-based material is used to further improve noise reduction and durability, enabling smoother rolling.



Orange

TSA Rotary Locks




Fastened with two stainless steel TSA rotary locks. The locks offer a secure seal compressing the shells together.

How to Open




Set the lock tab vertically.



Lightly grip the tab.



Rotate clockwise by about 180°and the fastener will unlatch. Rotate counter-clockwise to relatch.



When unlatched, pull to open.



Large 150L Capacity

Facilitates storing a full array of diving equipment from wetsuits to heavy gear. Also capable of storing gear in combination with mesh bags, recommended for international travel.



Easy to Use Inner Construction

Interior consists of ample compartments with cross belts for secure fastening. The red coloring on the interior makes it easy to find smaller items such as equipment parts.

NEW COLOR



Khaki

Black

LIMITED *EDITION*

Hardshell Suitcase

- ○ Body Material: Polycarbonate mixed resin
- ○ Exterior Dimensions：H78×W42×D38cm
- ○ Interior Dimensions：H73×W41×D37cm
- ○ Weight：6.1kg
- ○ Capacity：105L



MESH CARRY BAG

A mesh bag that can carried in three ways: as rolling bag, backpack, or shoulder bag.



Protective Wheel Cover

The wheel cover prevents dirt from transferring to the body when worn as a backpack.



Double Zipper

This large-capacity mesh carry bag allows for the storage of a full range of equipment. The double zipper design provides a wide opening for convenient access.




3-way use

More than just a standard mesh bag—pulling the side bands transforms it into a carry bag, and it can also be worn as a backpack for versatile 3-way use. Designed to protect and transport equipment efficiently, even when traveling on public transportation.



Mesh Carry Bag

- ○ Black
- ○ W70×D35×H35cm Capacity: approx. 85L
- ○ Weight: approx. 1500g Double zipper design
- ○ Side pocket for smaller items
- ○ Neoprene on shoulder straps provide a soft point of contact.
- ○ Detachable shoulder belt



WATER PROTECT DUFFEL BAG

A duffel bag with a wide horizontal opening for easy loading and unloading. Its spacious design offers more convenience compared to traditional vertical openings. With an exhaust valve for compression after packing, it's versatile enough for both diving and travel. Available in two sizes to suit your needs.



Black

Water Protect Duffel bag M


- ○ Black
- ○ H54×W56.5×D29cm
- ○ Capacity: 40L
- ○ Material: Tarpaulin



Black

Water Protect Duffel bag L

- ○ Black
- ○ H59×W69×D34cm
- ○ Capacity: 60L
- ○ Material: Tarpaulin



Equipped with an exhaust valve for compression after packing.

The wide horizontal opening allows for easy loading and unloading of items.





The 60L sized provides ample space, easily accommodating adult dry suits.

WATER PROTECT BAG TOTE NEO

2-way tote bag with a drain valve. Lets you drain water from wet gear through the drainage valve, while the top cover keeps your gear protected from dust and debris when stored.





The large drainage Includes an interior pocket Cover protects valve allows for to store small items like gear from dust and easy water removal.anti-fog solution.debris.

Water Protect Bag Tote NEO

○ Black ○ W65×D35×H40cm ○ Capacity: approx. 91L
○ Material: Tarpaulin ※Not completely waterproof


WATER PROTECT BAG BACKPACK TYPE

A highly functional bag that can hold all sorts of fins ranging from snorkeling fins to those for skin diving fins.



With shoulder straps

Comes with a pocket to store fins.



White Gray Black Blue Olive Orange

Water Protect Snorkeling Rucksack

- ○ H68×W33×D17cm
- ○ Capacity: approx.24L
- ○ Material: Tarpaulin

WATER PROTECT SNORKELING RUCKSACK NEO

An enhanced snorkeling backpack with two compartments, perfect for storing fins and other items.



Water Protect Snorkeling Rucksack NEO

- ○ White／Black
- ○ H80×W33×D17cm
- ○ Capacity: approx.30L
- Material: Tarpaulin





Features an interior pocket for storing small items like keys and a phone.



A bottle holder that frees up your hands while traveling.



Seperated compartments allow for storage of both wet and dry items. Also keeps gear clean by preventing contact wih shoes or sandals.

WATER PROTECT BAG SHOULDER TYPE

Shoulder straps let you carry bulky gear more easily. The L-size bag is large enough to hold a dry suit.





Blue

Water Potect Bag L (H73×W56×D34cm)

- ○ White/Gray/Black/Blue/Olive/Orange
- ○ Capacity: 60L
- ○ Material: Tarpaulin
- ○ Bag form: Drum shaped
- ○ Shoulder straps: 2 included



White

Water Protect Bag S (H34×W25×D13.5cm)

- ○ White/Gray/Black/Blue/Olive/Orange
- ○ apacity: 3L
- ○ Material: Tarpaulin
- ○ Bag form: Drum shaped



Orange

Water Potect Bag M (H59×W38×D22cm)

- ○ White/Gray/Olive/Black/Blue/Orange
- ○ Capacity: 20L
- ○ Material: Tarpaulin
- ○ Bag form: Drum shaped
- ○ Shoulder straps: 1 included

SQUARE MESH BAG

Large-capacity, highly durable mesh bags. Available in five different colors that allow for extra freedom of coordinating with your outfit/ gear.





When you have to carry a bag heavily full of gear, a grip handle is a blessing.

Square Mesh Bag

- ○ U-shaped zip
- ○ Has handy storage side pocket
- ○ W70×D35×H35cm
- ○ Capacity：approx.85L
- ○ Weight：approx.980g
- ○ A mesh bag with a mesh bottom allows drainage and air circulation : rinse in the bag and dry on the go.
- ○ Less prone to salt clogging,* large zip teeth make the bag easier to open and close.
- ○ Neoprene handle is softer on hands and cushions shoulder carrying.



Stow all your gear in a large-capacity mesh bag. The U-shaped opening makes it easy to put things in and take things out. A side pocket keeps your smaller items handy.

GULL WEIGHT VEST

A natural complement to a dry suit and, to distribute weight and relieve stress on the lower back, also useful over a wetsuit.





Cushioning on the body side reduces any pain caused by pressure or impact from theweights.



GULL Weight Vest

- ○ Black
- ○ Material : 1680D + PVC Seawater Resistant Fabric
- ○ Weight : 455 g
- ○ 4 Pockets (2 front, 2 Rear)
- ○ Maximum Loading Capacity：8kg

GULL TENSIONING BUCKLE


Tensioning buckle that automatically adjusts fit.


Surface


Back

GULL Tensioning Buckle

○Weight：200g



Tensioning Buckle Automatically Keeps the Belt Secure
Owing to compression of suit materials by water pressure, when you dive, your belt is likely to loosen and slip and upset your balance. A weight belt with tensioning buckle helps you to maintain your best position.



Protective pad at the bottom of the pocket with a sleek, simple design.
The protective pad helps reduce body strain from weights.Its streamlined design minimizes interference when wearing a buoyancy compensator (BC).

PURE DEMISTER

This uses substances that pose little danger to people on the environment, including a surfactant used in foods. This new demister features a specially selected thickening agent of demonstrated anti- fogging effectiveness. Three percent of sales is donated to environmental conservation organizations.



Pure Demister

○ Sucrose Esters of Fatty Acids ○ Drop Application
○ Contents：40cc
○ 20 Units Per Case



Suit Adhersive Glue

○ Adhesive for suit repairs
○ 50g
※Do not use for purposes other than repairing wetsuits suit.



Suits powder

○ 110g

ACTIVE MESH BAG

Simple and stowable down to a compact size, the all-mesh design of these bags provides quick drying and great breathability.


Black

Active Mesh Bag

- ○ Black
- ○ W70×D35×H35cm
- ○ Capacity：approx. 85L
- ○ Weight：approx. 500g
- ○ Neoprene handle is softer on hands and cushions shoulder carrying.


SNORKELING MESH BAG

These compact all-mesh bags can hold a full set of snorkeling or skin diving gear.


Black

Snorkeling Mesh Bag

- ○ Black
- ○ W62×D25×H25cm
- ○ Capacity：approx. 38L
- ○ Neoprene handle is softer on hands and cushions shoulder carrying.



Holds your set of three – boots, gloves, wetsuit – with room to spare.

GULL ADJUSTABLE WEIGHT BELT

Equipped with a tensioning buckle that automatically adjusts, ensuring a comfortable fit.



Adjustable Weight Belt

- ○ Black
- ○ Material：840D+PVC Seawater-Resistant Fabric
- ○ Weight：600g
- ○ Size：Total Length 125cm（Fits waist size to 105 cm）
- ○ Maximum Loading Capacity：8kg



BEACH UTILITIES

GULL・Marine Capsul


○ Withstands Splashing and Light Immersion ○ 100mm×dia. 45mm ○ Inner volume 100cc ○ MT Purple／MT Orange／MT Green／ Black／MT Blue／Sakura Pink／ Ice Blue／White





Weight Belt

○ Length 135cm ○ K Pink／Orange／K Lemon／Black／Navy／Sax



Plastic Buckle

○ K Pink／Orange／Black／Sax／Navy／K Lemon／W hite

SHAMPOO

Shampoo for cleaning and maintenance of wetsuits and drysuits.

The gentle, fragrance-free, and skin-friendly composition of this shampoo prevents fabric deterioration, ensuring prolonged use of your gear. It includes a disinfectant to ward off unpleasant odors. With only environmentally friendly ingredients that naturally decompose, it contributes to a sustainable and eco-friendly solution.



Wetsuit/Drysuit Shampoo

○ Contents：500ml
○ PH Neutral
○ Ingredients: Surfactant (non-ionic, 10% high-grade alcohol based), fatty acid alkanol amide, disinfectant
○ Fragrance-free*



About ZEE GRAVITY

We proudly represent ZEE GRAVITY, a brand built not in a boardroom, but from years of real diving experience.
The founders of ZEE GRAVITY have spent decades working with many of the world's top scuba brands — and they've seen it all: the good, the bad, and what could be better. They recognized that no single brand gets everything right, so they took a different path.

ZEE GRAVITY isn't just another manufacturer. It's a brand created by diving professionals, designers, and gear experts who understand exactly what divers need , because they are divers.
Every product is made in partnership with leading global manufacturers, combining high-tech production with practical knowledge from the field. Each design is based on real diver feedback, put through rigorous testing, and built to meet the highest standards of performance, durability, and comfort.



ZEE GRAVITY doesn't just put a logo on equipment , They put their experience behind every piece of gear.
We're excited to bring this next-level scuba gear to our region, and we trust it to deliver where it matters most underwater.

GTD DIVING

Official ZEE GRAVITY Distributor in the Middle East




SPGs - Hoses

SPG Module Capsule 52mm

This Zee Gravity 52mm submersible pressure gauge (SPG) features a copper beryllium Bourdon tube mechanism with silver welding for enhanced durability and performance. This precision mechanism is engineered to accurately measure and display the remaining air pressure in a scuba tank. It is specifically chosen for its reliability, high accuracy, and ability to maintain calibration even after shocks or impacts making it ideal for demanding diving environments.

Why Use a Copper Beryllium Bourdon Tube in SPGs?

Accuracy:
The Bourdon tube mechanism delivers a high level of precision in pressure measurement, essential for safe diving.




Reliability:
Known for its consistent performance, the mechanism maintains accurate readings over time, even with regular use.

Durability:
Copper beryllium is a tough, resilient alloy, making the Bourdon tube resistant to impact and pressure fluctuations ideal for demanding dive environments.

Corrosion Resistance:
The alloy's exceptional resistance to saltwater corrosion ensures long-term functionality and reduced maintenance.

Calibration Stability:
The combination of Bourdon tube design and copper beryllium's properties allows the gauge to retain calibration, even after exposure to shocks or heavy impacts—a crucial feature for a safety-critical device like an SPG.



Bourdon Tube Mechanism

The Bourdon tube is a curved, flattened metal tube—commonly made from copper beryllium in scuba SPGs—that serves as a highly sensitive pressure sensor. When pressurized, the tube naturally tends to straighten due to the internal fluid pressure. This movement is mechanically translated into a precise reading on the gauge face.
Its specific curvature and dimensions are engineered to accurately measure pressure changes within a defined range, ensuring reliable performance even in demanding underwater conditions.



Copper Beryllium Alloy

Copper beryllium is a high-strength, durable alloy ideal for handling the pressure fluctuations and physical impacts commonly experienced during diving.
It also offers outstanding corrosion resistance, making it especially well-suited for the harsh underwater environment.

SPG Module Capsule 50mm

This Zee Gravity 5omm compact submersible pressure gauge (SPG) features a copper beryllium spiral wound mechanism for enhanced durability and performance.




Durability and Accuracy:

Spiral wound Bourdon tubes are known for their durability and resistance to shock, making them suitable for the demanding environment of diving.



Copper Beryllium Alloy
Copper beryllium is a high-strength, durable alloy ideal for handling the pressure fluctuations and physical impacts commonly experienced during diving.
It also offers outstanding corrosion resistance, making it especially well-suited for the harsh underwater environment.



spiral wound mechanism

A submersible pressure gauge (SPG) with a spiral wound mechanism utilizes a Bourdon tube that is wound into a spiral shape to measure pressure. This design is common in diving pressure gauges and offers good shock resistance and readability.

The pressurized air from the scuba tank enters the spiral tube, causing it to unwind slightly, and this movement is translated to a needle on the gauge face that indicates the pressure.

SPG Compact In-Line



This Zee Gravity 1 console with hose 5omm compact submersible pressure gauge (SPG) features a copper beryllium spiral wound mechanism for enhanced durability and performance.

- ○ nickel-plated brass body
- ○ Copper beryllium spiral wound
- ○ Luminescent and easy-to-read dial
- ○ Diam. 50 mm / 2”
- ○ Hi Pressure Rubber Hose 80 cm
- ○ Polycarbonate transparent lens
- ○ 400 bar
- ○ EN250:2014 & European Regulation 2016/425

SPG 2Console In-Line 50mm



This Zee Gravity 2 console 5omm compact submersible pressure gauge (SPG) and Phosphor Bronze C Bourdon tube depth gauge with hose offers an ergonomic sleek style with a low and compact profile and compact profile and an extremely comfortable grip features a copper beryllium spiral wound mechanism for enhanced durability and performance.

Depth Gauge:

High-quality and reliable submersible depth gauge that features:
- Very compact and lightweight
- Phosphor Bronze C Bourdon tube
- Silicone oil-filled
- Polycarbonate upper part
- Luminous easy-to-read dial design
- Maximum depth red indicator easy to reset.

Highly accurate in a range between 0° C to 50° C degrees / 32° F to 130° F degrees.

- ○ nickel-plated brass body
- ○ Copper beryllium spiral wound
- ○ Luminescent and easy-to-read dial
- ○ SPG: diam. 50 mm / 2”
  MDI: diam. 50 mm / 2”
- ○ Hi Pressure Rubber Hose 80 cm
- ○ Polycarbonate transparent lens
- ○ 400 bar / 70 meter
- ○ EN250:2014 & European Regulation 2016/425
- ○ Depth Gauge:
  Maximum depth red indicator easy to reset

SPG Swivel

The Zee Gravity SPG swivel is made from brass and is designed to connect the HP hose to the pressure gauge. It comes equipped with a black Viton O-ring for secure sealing.



Viton is a high-performance fluorocarbon rubber known for its excellent resistance to heat, chemicals, and compression, making it ideal for demanding diving environments.

SPG O-RING




This Viton O-ring mounts on the SPG swivel and is an essential replacement part for maintaining a secure, leak-free connection. Viton is a high-performance fluorocarbon rubber known for its excellent resistance to heat, chemicals, and compression, making it ideal for demanding diving environments.

Swivels and O-Rings are O_2 Clean, meaning it has been thoroughly cleaned and prepared for safe use with high oxygen concentrations. O_2 cleaning removes contaminants like oil or grease to reduce the risk of fire or combustion in oxygen-enriched environments.

SPG Combo In-Line 52mm



This 2-gauge console by Zee Gravity includes a 52mm submersible pressure gauge (SPG) and a 63mm depth gauge, both featuring a copper beryllium Bourdon tube mechanism with silver welding for superior durability and performance.
This precision mechanism is engineered to accurately measure and display the remaining air pressure in a scuba tank. It is specifically chosen for its reliability, high accuracy, and ability to maintain calibration even after shocks or impacts making it ideal for demanding diving environments.



Depth Gauge:

The 2 console gauge combines our 52 mm (2”) PRESSURE GAUGE with our 63 mm (2.5”) DEPTH GAUGE, which is fitted with a copper-beryllium diaphragm and offers an easy and fast reading even at low depths. Furthermore, this console is equipped with an adjustable screw for diving in altitude. Top features include vertical reading and shock-absorbing protection.

- ○ nickel-plated brass body
- ○ Copper beryllium bourdon tube and silver welding
- ○ Luminescent and easy-to-read dial
- ○ SPG: diam. 52 mm / 2”
  MDI: diam. 63 mm / 2.5”
- ○ Hi Pressure Rubber Hose 80 cm
- ○ Tempered Glass lens
- ○ 360 bar - 70 m
- ○ EN250:2014 & European Regulation 2016/425
- ○ Depth Gauge:
  Maximum depth red indicator easy to reset
  Adjustable screw for diving in altitude

HP Hose - Rubber



Standard thermoplastic
High Pressure hose.

- Max. working pressure: 300 bar (4350 psi)
- Minimum burst pressure: 1200 bar (17400 psi)

- ○ Made in ITALY
- ○ EN250:2014 & European Regulation 2016/425
- ○ Size: 15cm / 55cm
- ○ Colors: Black / White



ABOUT SHEARWATER

DIVE COMPUTERS FOR DEDICATED DIVERS

From our beginnings in 2004 Shearwater Research Inc. has been fueled by the passion and vision of its Founder Bruce Partridge. With a background in computer systems design, embedded programming and advanced technical diving, Bruce brought a unique perspective to the world of dive computers. Armed with the belief that divers want a simple intuitive user interface previously unavailable in dive computers and rebreather control systems, the earliest focus was on the design of a menu structure that made sense to the user.

POWERFUL

Unrivaled in capability and performance. Advanced engineering ensures precise computing during every moment of the dive

SIMPLE

Pure simplicity in form and function. Our products provide a streamlined experience, ensuring each interaction feels instinctual without any complications

RELIABLE

Unwavering dependability without compromise. Designed and built in Canada, our dive computers are purpose built for the rugged adventures diving brings



The technologies employed by SHEARWATER

Decompression

Shearwater Research specializes in the design and production of open-circuit and closed-circuit trimix dive computers tailored for the most demanding divers. We incorporate Buhlmann with Gradient Factors and VPM-B, widely recognized decompression models within the technical diving community. Our commitment to innovative and user-friendly displays ensures that crucial information is easily accessible at a glance.

Rebreather Control Systems

Shearwater takes pride in supplying electronic control systems and decompression computers to the world's foremost rebreather manufacturers. Our ongoing objective is to advance rebreather technology with the aim of enhancing safety and reliability.

TERIC

The Teric is a full colour watch style computer featuring a high resolution AMOLED display, intuitive controls and menu navigation along with a bright, vivid colour display. With a high degree of customization, the Teric brings divers a timepiece and dive computer of unprecedented capabilities.
Featuring 5 dive modes including OC Technical for use during technical diving activities including planned decompression. Supports Full Trimix and No Safety Stops. CC/BO is designed for use with a closed circuit rebreather.
Designed and built in Canada and depth-rated to 200 meters.



Modes:
OC REC: Nitrox to 99%
OC TEC: Trimix enabled
CC/BO: Fixed PPO2
Gauge: Bottom timer with stop watch and dive logging
Freediving: Configurable sampling rates and alarms

Features:
Decompression computer
Air Integrated
Up to 4 transmitters
3 axis, tilt compensated, digital compass
Bluetooth® wireless technology
Switchable audible & vibration alerts
Upgradeable firmware
316 Stainless bezel and buttons
22mm Strap size (extender included)
Ballistic nylon polymer case

Technical Specs:
Screen Resolution: 400 x 400
Display Type: Full colour AMOLED
Display Size: 3.53cm / 1.39"
Sapphire Window
Battery Type: Internal Rechargeable Li-ion battery (factory replaceable)
Battery Capacity (approx): 1.9 Wh
Battery Life: up to 30 hours (dive mode), up to 50 hours (watch mode)
Wireless Charging Station
Number of Gases: 5 OC / 5 CC
Depth Rating: 200m / 660ft
Dive Log Capacity (10 second rate): 500 Hours

Dimensions:
Size (Dive Computer): 54.5mm x 53.5mm
Thickness (Dive Computer): 17.5mm
Weight (Dive Computer): 120.4g



FULL COLOUR, HIGH RESOLUTION AMOLED
1.39" / 3.53cm display with deep blacks, and vivid colours



RUGGED CONSTRUCTION
Sapphir crystam window, and 316 stainless bezel & buttons



OPTIONAL AIR INTEGRATION
Extend your dive time and manage all of your dive data in one place





CUSTOMIZABLE
Configure 3 different watch faces and 15 colour options to match your style.



WIRELESS CHARGING
The Teric charges wirelessly when mounted on the included dock and on some third party wireless Qi complaint chargers.



PROGRAMMABLE
5 different dive modes as well as time, alarms and stopwatch options.

REMORA BAND COLOUR STRAP KIT



TERN

Our most compact dive computer redefines diving convenience and versatility for sport divers. Incorporating a compact design with advanced features, the Tern provides an unparalleled combination of style, functionality and value. Its enhanced visibility, user-friendly interface, and compatibility with multiple diving modes, make it an essential tool for divers seeking reliability and ease of use.
Designed and Built in Canada and depth-rated to 120 meters.



Modes:
Air
Nitrox
3 Gas Nitrox
Gauge
Freediving

Features:
Decompression computer
Bluetooth wireless technology
Switchable vibration alerts
Upgradeable firmware
316 Stainless bezel and buttons
22mm strap size with quick connect (one long and one short strap included)
Ballistic nylon polymer case

Specifications:
Screen Resolution: 360 x 360
Display Type: Full colour AMOLED
Screen Brightness: Minimum 300 nits. Typical at 350 nits
Display Size: 3.3cm / 1.3"
Toughened Glass Window: Yes
Battery Type: Internal Rechargeable Li-ion battery
Battery Capacity (approx): 1.33 Wh
Battery Life: up to 20 hours (medium brightness), up to 6 months (standby)
Wireless Charging Station: Yes
Number of Gases: 3 OC
Depth Rating: 120m / 394ft
Dive Log Capacity (10 second rate): 500 Hours
Size (Dive Computer): Diameter - 50mm
Size (Dive Computer): Thickness - 16mm
Weight (Dive Computer): 100g



HIGH RESOLUTION AMOLED DISPLAY
1.3" display with deep blacks and vivid colour display



MODERN, SLEEK, PROFILE
Robust design with toughened glass, modern bezel and USB-C wireless charging



MOLTIPLE DIVING MODES
The Tern supports Air, Nitrox, 3 Gas Nitrox, Gauge, and Freedive modes.



REMORA QUICK RELEASE SYSTEM
Allows divers hassle-free switching between straps to suit different diving suits, wrist sizes, and colour preferences.



CUSTOMIZE YOUR STYLE
3 customizable clockfaces available in 12 or 24-hour time format.



CONFIGURABLE COLOUR UX
Values, Titles, Units, Menu text, and Watch Face colors can all be customized with 15 colour options.

REMORA BAND COLOUR STRAP KIT



REMORA WEBBING COLOUR STRAP KIT (FOR DRYSUIT)



TERN TX



Our most compact dive computer redefines diving convenience and versatility for sport divers. Incorporating a compact design with advanced features, the Tern TX includes both optional wireless air integration with up to 4 tanks and a digital compass. Its enhanced visibility, user-friendly interface, and compatibility with multiple diving modes, make it an essential tool for divers seeking reliability and ease of use.
Designed and Built in Canada and depth-rated to 120 meters.

Modes:
Air
Nitrox
3 Gas Nitrox
Gauge
Freediving

Features:
- Decompression computer
- Air integrated
- Connects up to 4 transmitters
- 3 axis, tilt compensated, digital compass
- Bluetooth wireless technology
- Switchable vibration alerts
- Upgradeable firmware
- 316 Stainless bezel and buttons
- 22mm strap size with quick connect (one long and one short strap included)
- Ballistic nylon polymer case

Specifications:
- Screen Resolution: 360 x 360
- Display Type: Full colour AMOLED
- Screen Brightness: Minimum 300 nits. Typical at 350 nits
- Display Size: 3.3cm / 1.3"
- Toughened Glass Window: Yes
- Battery Type: Internal Rechargeable Li-ion battery
- Battery Capacity (approx): 1.33 Wh
- Battery Life: up to 20 hours (medium brightness), up to 6 months (standby)
- Wireless Charging Station: Yes
- Number of Gases: 3 OC
- Depth Rating: 120m / 394ft
- Dive Log Capacity (10 second rate): 500 Hours
- Size (Dive Computer): Diameter - 50mm
- Size (Dive Computer): Thickness - 16mm
- Weight (Dive Computer): 100g



HIGH RESOLUTION AMOLED DISPLAY
1.3" display with deep blacks and vivid colour display



MODERN, SLEEK, PROFILE
Robust design with toughened glass, modern bezel and USB-C wireless charging



OPTIONAL AIR INTEGRATION
Connect with uo to 4 transmitters to receive all of your gas pressure data on your computer display.



REMORA QUICK RELEASE SYSTEM
Allows divers hassle-free switching between straps to suit different diving suits, wrist sizes, and colour preferences.



CUSTOMIZE YOUR STYLE
3 customizable clockfaces available in 12 or 24-hour time format.



CONFIGURABLE COLOUR UX
Values, Titles, Units, Menu text, and Watch Face colors can all be customized with 15 colour options.

REMORA BAND COLOUR STRAP KIT



REMORA WEBBING COLOUR STRAP KIT (FOR DRYSUIT)



PEREGRINE

The Peregrine is a simple and easily accessible, full colour, multi-gas dive computer. The large screen and 2-button functionality make it easy to navigate and an ideal companion for sport divers.
Designed and built in Canada and depth-rated to 120 meters.



Modes:
Air
Nitrox
3 Gas Nitrox
Gauge

Features:
- Decompression computer
- Bluetooth wireless technology
- Vibration alerts
- Upgradeable firmware
- 26mm Silicone band with stainless steel clasp
- Ballistic nylon polymer case

Specifications:
- Screen Resolution: 320 x 240 QVGA
- Display Type: Full colour LCD
- Display Size: 5.59cm / 2.2"
- Battery Type: Internal Rechargeable Li-ion battery (factory replaceable)
- Battery Capacity (approx): 3.4 Wh
- Battery Life: up to 30 hours (medium brightness)
- Wireless Charging Station
- Number of Gases: 3 OC
- Depth Rating: 120m / 394ft
- Dive Log Capacity (10 second rate): 200 Hours or 96 dive entries
- Size (Dive Computer): 77mm x 68mm x 25mm
- Weight (Dive Computer): 122g



FULL COLOUR. HIGH RESOLUTION. EASY-TO-READ DISPLAY
2.2” LCD display with vivid, enhanced colour range and saturation.



SIMPLIFIED DIVING MODES ABD FULL DECOMPRESSION SUPPORT
Uses Buhlmann ZHL-16C with gradient factors. Shearwater dive computer never lockout for dive plan deviations.



TWO BUTTON INTERFACE
Connect with uo to 4 Simple to navigate, state-aware menu structure. 316 stainless steel buttons.



WIRELESS CHARGING
Battery life per charge is up to about 30 hours on medium brightness level. USB-C wireless charging station is included.



USER CUSTOMIZABLE DISPLAY
Customize your display with information important to you.



MULTIPLE LANGUAGES
Languages include: English, French, Simplified Chinese, Traditional Chinese, German, Portuguese, Korean, Japanese, Italian, and Spanish.

PEREGRINE STRAP KIT



PEREGRINE TX

The Peregrine TX is a fusion of the beloved Peregrine's large, user-friendly interface, plus core features from our flagship model the Perdix 2 - air integration and a digital compass. Designed for sport divers, the Peregrine TX delivers the renowned Shearwater experience at extraordinary value.
Designed and built in Canada and depth-rated to 120 meters.



Modes:
Air
Nitrox
3 Gas Nitrox
Gauge

Features:
- Decompression computer
- Air Integrated
- Connects up to 4 Transmitters (Optional)
- 3 axis, tilt compensated, digital compass
- Bluetooth wireless technology
- Vibration alerts
- Upgradeable firmware
- 26mm Silicone band with stainless steel clasp
- Ballistic nylon polymer case
- Full sidemount support

Specifications:
- Screen Resolution: 320 x 240 QVGA
- Display Type: Full colour LCD
- Display Size: 5.59cm / 2.2"
- Battery Type: Internal Rechargeable Li-ion battery (factory replaceable)
- Battery Capacity (approx): 3.4 Wh
- Battery Life: Up to 30 hours (medium brightness)
- Wireless Charging Station
- Number of Gases: 3 (1%-100% O2)
- Depth Rating: 120m / 394ft
- Dive Log Capacity (10 second rate): 400 Hours or 750 dive entries
- Size (Dive Computer): 77mm x 68mm x 25mm
- Weight (Dive Computer): 125g



FULL COLOUR. HIGH RESOLUTION. EASY-TO-READ DISPLAY

2.2” LCD display with vivid, enhanced colour range and saturation.



AIR INTEGRATION OPTION

Pair with a transmitter to receive real-time gas pressure data and benefit from accurate gas time remaining calculations for extended dive time. Easily view all dive metrics in one display.



DIGITAL COMPASS

The integrated digital compass provides clear headings to endure you stay on course throughout your dive and the reciprocal heading will get you back to your starting point with ease.



SIDEMOUNT READY

The Peregrine TX allows for sidemount air integration including cylinder switch notifications and gas tracking calculations.



WIRELESS CHARGING

Battery life per charge is up to about 30 hours on medium brightness level. USB-C wireless charging station is included.



MULTIPLE LANGUAGES

Languages include: English, French, Simplified Chinese, Traditional Chinese, German, Portuguese, Korean, Japanese, Italian, and Spanish.

PEREGRINE STRAP KIT



PERDIX 2



The Perdix 2 is a tough, reliable, full-featured, expedition-grade dive computer. Featuring armoured casing with titanium surround bezel and dependable piezo touch buttons to protect performance-enhanced electronics. An aluminosilicate glass lens guards a bright 2.2” screen and offers improved clarity, impact, and damage resistance.
A strong vibration and customizable alert system draws attention at critical moments of the dive. Air integration with up to four Shearwater transmitters allows room to grow from a first computer to a powerful advanced technical diving solution. Power is delivered using a simple user-changeable single AA battery with a familiar ergonomic compact form factor. Designed and built in Canada.

Modes:

- AAir
- Nitrox
- 3 Gas Nitrox
- OC Tec - Multi gas, trimix decompression computer
- CC/BO - Closed circuit fixed PPO2
- Gauge - Bottom timer with stop watch and dive logging

Features:

- User replaceable AA battery
- Air, nitrox, trimix capable
- Quick OC bailout from CC
- Decompression computer
- Dive planning
- Bühlmann GF algorithm
- Optional Air integration
- Connects up to 4 transmitters (optional)
- 3 axis, tilt compensated, digital compass
- Strong vibration warning alerts
- **Only 1.5V non-rechargeable lithium and 3.7V lithium rechargeable batteries support
- vibration functions.
- Optional VPM-B, Optional DCIEM
- Dive logging
- Bluetooth wireless technology
- Upgradeable firmware

Specifications:

- Screen Resolution: 320 x 240
- Display Type: LCD with LED backlight
- Display Size: 5.59cm / 2.2"
- Toughened Glass Window: Yes
- Depth Rating: 260m / 850ft
- Dive Log Capacity: approx. 1000 hours
- Battery Type: Single AA (any type)
- Ships with and recommended battery type: Energizer Ultimate Lithium AA
- Battery Capacity (approx.): 5.25 Wh

Battery Life:

- Lithium 1.5V: up to 60 hours
- AA Alkaline: up to 40 hours
- Saft LS14500: up to 100 hours

Dive Computer Dimensions

- WxHxD: 81x71x38mm / 3.2"x2.8"x1.5"
- Weight: 190g (6.70oz)

Ballistic Nylon Case

- WxHxD: 130x105x70mm / 5.1"x4.1"x2.8"
- Weight: 115g (4.06oz)







TITANIUM BEZEL WITH TOUGHENED ALUMINOSILICATE GLASS SCREEN

Easy-to-read, high resolution, 2.2" display with enhanced colour range. Impact resistant screen with superior clarity.



MULTIPLE TANKS CAPABILITY

Perdix 2 can display gas pressures from up to four transmitters simultaneously making it ideal for advanced multi-tank diving



VIBRATION WARNING ALERTS

A powerful vibration alert system quickly notifies the diver of warning, errors and events. Colour-coded visual notifications and customizable alert also draw attention at critical moments of the dive.




TWO BUTTON INTERFACE

Large titanium piezo-electric buttons on both sides, along with the state-aware menu structure make the Perdix 2 easy to navigate..



USER REPLACEABLE BATTERIES

The Perdix 2 works with any standard AA battery. For best performance, Shearwater recommends lithium batteries.



USER CUSTOMIZABLE DISPLAY

Customize your display with information important to you and choose from 10 different languages.

PERDIX & PETREL STRAP KIT



PETREL 3



The Petrel 3 gives divers a connected experience as a robust, full-featured dive computer with rebreather-proven performance. A stunning, easy-to-read, 2.6” AMOLED display is protected by a toughened glass lens, titanium bezel, and piezo touch buttons.
Air integration is standard with up to four Shearwater transmitters to customize a solution from open circuit to rebreather and bailout gas pressure monitoring.
Safety is increased with a strong vibration alert system, and a user-changeable AA battery offers long dive times and ease of replacement.
Designed and built in Canada.

Modes:
- Air
- Nitrox
- 3 Gas Nitrox
- OC Tec - Multi gas, trimix decompression computer
- CC/BO - Closed circuit fixed PPO2
- Gauge - Bottom timer with stop watch and dive logging

Features:
- User replaceable AA battery
- Air, nitrox, trimix capable
- Quick OC bailout from CC
- Decompression computer
- Dive planning
- Bühlmann GF algorithm
- Optional Air integration
- Connects up to 4 transmitters (optional)
- 3 axis, tilt compensated, digital compass
- Strong vibration warning alerts **Only 1.5V non-rechargeable lithium and 3.7V lithium rechargeable batteries support vibration functions.
- Optional VPM-B, Optional DCIEM
- Dive logging
- Bluetooth wireless technology
- Upgradeable firmware

Specifications:
- Screen Resolution: 320 x 240
- Display Type: AMOLED
- Display Size: 6.60cm / 2.6"
- Toughened Glass Window: Yes
- Depth Rating: 290m / 950ft
- Number of Gases: Number of Gases: 5 Open Circuit / 5 Closed Circuit
- Dive Log Capacity: approx. 1000 hours
- Battery Type: Single AA (any type)
- Ships with and recommended battery type: Energizer Ultimate Lithium AA
- Battery Capacity (approx.): 5.25 Wh

Battery Life:
- Lithium 1.5V: up to 60 hours
- AA Alkaline: up to 40 hours
- Saft LS14500: up to 100 hours

Dive Computer Dimensions
- WxHxD: 83x75.5x39mm / 3.3"x2.97"x1.5"
- Weight: 266g (9.38oz)

Ballistic Nylon Case
- WxHxD: 130x105x70mm / 5.1"x4.1"x2.8"
- Weight: 115g (0.25lbs)



LARGE, EASY-TO-READ DISPLAY
6.60cm / 2.6” bright and clear AMOLED display. Impact resistant toughened aluminosilicate glass screen with superior clarity.



TWO BUTTON INTERFACE
Easy to navigate, state aware menu structure



USER REPLACEABLE AA BATTERY
The Petrel 3 works with any type of standard AA battery



DIGITAL COMPASS
Three Axis, tilt compensated, digital compass. Available in all modes..



AIR INTEGRATION
Petrel 3 is capable of connecting to up to four transmitters, making it ideal for advanced and technical diving.



CUSTOMIZABLE ALERTS
In addition to automatic warnings indicating potentially dangerous situations, the Petrel 3 has customizable alerts for maximum depth, maximum dive time, and no-decompression limit.

PERDIX & PETREL STRAP KIT



PETREL 3 FISCHER

The Petrel 3 Fischer gives divers a connected experience as a robust, full-featured dive computer with rebreather-proven performance. A stunning, easy-to-read, 2.6” AMOLED display is protected by a toughened glass lens, titanium bezel, and piezo touch buttons.

Air integration is standard with up to four Shearwater transmitters to customize a solution from open circuit to rebreather and bailout gas pressure monitoring.
Safety is increased with a strong vibration alert system, and a user-changeable AA battery offers long dive times and ease of replacement.
This model includes a Fischer port connection. The External Monitoring Mode provides real time PPO2 monitoring of 1 - 3 O2 sensors.
Designed and built in Canada.



Modes:

- Air
- Nitrox
- 3 Gas Nitrox
- OC Tec - Multi gas, trimix decompression computer
- CC/BO - Closed circuit fixed PPO2
- CC EXT - Closed circuit real time monitoring of 1-3 O2 sensors
- SCR EXT - Semi-closed monitoring of PPO2 for 1-3 O2 sensors
- Gauge - Bottom timer with stop watch and dive logging

Features:

- User replaceable AA battery
- Air, nitrox, trimix capable
- Quick OC bailout from CC
- Decompression computer
- Dive planning
- Bühlmann GF algorithm
- Optional Air integration
- Connects up to 4 transmitters (optional)
- 3 axis, tilt compensated, digital compass
- Strong vibration warning alerts
- Optional VPM-B, Optional DCIEM
- Dive logging
- Bluetooth wireless technology
- Upgradeable firmware

Specifications:

- Screen Resolution: 320 x 240
- Display Type: AMOLED
- Display Size: 6.60cm / 2.6"
- Toughened Glass Window: Yes
- Depth Rating: 290m / 950ft
- Number of Gases: 5 Open Circuit / 5 Closed Circuit
- Dive Log Capacity: approx. 1000 hours
- Battery Type: Single AA (any type)
- Ships with and recommended battery type: Energizer Ultimate Lithium AA
- Battery Capacity (approx.): 5.25 Wh

Battery Life:

- Lithium 1.5V: up to 60 hours
- AA Alkaline: up to 40 hours
- Saft LS14500: up to 100 hours

Dive Computer Dimensions

- WxHxD: 83x75.5x39mm / 3.3"x2.97"x1.5"
- Weight: EXT 285g (10.05oz)

Ballistic Nylon Case

- WxHxD: 130x105x70mm / 5.1"x4.1"x2.8"
- Weight: 115g (0.25lbs)



LARGE, EASY-TO-READ DISPLAY
6.60cm / 2.6” bright and clear AMOLED display. Impact resistant toughened aluminosilicate glass screen with superior clarity.



TWO BUTTON INTERFACE
Easy to navigate, state aware menu structure



USER REPLACEABLE AA BATTERY
The Petrel 3 works with any type of standard AA battery



DIGITAL COMPASS
Three Axis, tilt compensated, digital compass. Available in all modes..



AIR INTEGRATION
Petrel 3 is capable of connecting to up to four transmitters, making it ideal for advanced and technical diving.



CUSTOMIZABLE ALERTS
In addition to automatic warnings indicating potentially dangerous situations, the Petrel 3 has customizable alerts for maximum depth, maximum dive time, and no-decompression limit.

PERDIX & PETREL STRAP KIT



NERD 2

The world's first Near Eye Remote Display for scuba divers has been redesigned for enhanced flexibility and reliability. The NERD 2 is an advanced dive computer in a heads-up display format.
OC divers can now experience the freedom the NERD 2 has to offer. The universal regulator mount allows divers to secure the NERD 2 within their line of sight and dive with the security of knowing their crucial dive information with a glance of the eye.
From the combination of the Micro LCD display and the magnifying lens, the data on the NERD 2 appears as if you were looking at a 25 inch TV 12 feet away.
Designed and built in Canada.



Modes:
- Air
- Nitrox
- 3 Gas Nitrox
- OC Tec - Multi gas, trimix decompression computer
- CC INT - Closed circuit fixed PPO2
- Gauge - Bottom timer with stop watch and dive logging

Features:
- Decompression computer
- Bühlmann Gradient Factors
- 3 axis, tilt compensated digital compass
- Bluetooth® wireless technology
- Upgradeable Firmware
- Air Integration
- Number of Transmitters - Up to 4

Specifications:
- Screen Resolution: 320x240
- Display Type: QVGA
- Battery Type: Internal Rechargeable Li-Ion Battery
- Battery Capacity (approx): 1.3 Wh
- Battery Life: 18 Hours (medium brightness)
- Battery Replacement: 5 years (or 500 charge cycles)
- Number of Gases: 5 OC / 5 CC
- Dive Log: 1,000 Hours
- Depth Rating: 300m / 985ft
- OC Mount fits 17-21mm regulator hose

Dive Computer Dimensions
- 33mm x 85.81mm x 44mm
- Weight: 74g

Ballistic Nylon Case
- 240mm x 240mm x 60mm
- Weight: 313g



UNIVERSAL MOUNT
The SA model comes with an OC regulator mount, suitable for most regulators.




RECHARGEABLE BATTERY
The NERD 2 connects to a charging clip which snaps on the back of the computer. The USB cable can connect to any USB port.



TWO BUTTON INTERFACE
Simple to navigate, state-aware menu structure.



DIGITAL COMPASS
Three Axis, tilt compensated, digital compass. Available in all modes..




MOUNT OPTIONS
The 2 hole patterns allows for custom mount designs and compatibility with NERD 1 mounts.



AIR INTEGRATION FUNCTIONALITY
Capable of displaying tank pressure in all modes (transmitter sold separately).

SWIFT TRANSMITTER

Next generation smart transmitter allows divers to read gas management data directly from your air integrated dive computer. The Swift has collision avoidance protocol which allows for multiple transmitters to be used at the same time, with a lower likelihood of dropped communications. The Swift is designed and built in Canada for demanding divers of all proficiency levels.



Features:

- Advanced collision avoidance system ensures reliability using multiple transmitters
- Randomized transmit interval allows for reliable simultaneous use of multiple Swift transmitters
- LED status indicator
- Easy 'no tools' installation and removal on divers first stage
- Compatible with all existing air integrated Shearwater dive computers and many other computers already on the market

Specifications:

- Depth limit: 200msw
- Operating temperature range +4C to +34C
- Short-term (hours) temperature range: -10C to +50C
- Pressure port: 7/16" = 20NF
- Rated air pressure: 300 bar / 4350 psi
- Pressure reporting resolution: 0.14 bar / 2 psi
- HP port proof pressure: 450 bar / 6525 psi
- Accuracy: 5% full scale
- Zero offset: <3.5 bar (50 psi)
- Activation pressure: 7 bar (100 psi)
- De-activation pressure: 3.5 bar (50 psi)
- Cover screws: 1.5mm hex
- Body o-ring: 24x1.5mm
- HP port o-ring: A5568-904 75A

Dimensions


- Size 76mm (L) x 34mm (D)
- Weight 135g

Battery:

- Battery type: CR2 3V Lithium (User replaceable)
- Ships with and recommended battery type: Panasonic CR2 Industrial
- Lithium
- Battery Capacity (approx): 2.55 Wh
- Battery life: Up to 300 dive hours (HP pressure present) 5 year storage time

SMART AIR INTEGRATION TECHNOLOGY

Advanced collision avoidance system ensures reliability using multiple transmitters. Randomized transmit interval allows for reliable simultaneous use of multiple Swift transmitters.





EASY "NO TOOLS" INSTALL & REMOVAL

Does not require tools to install and remove from the diver's first stage.



LED STATUS INDICATOR

Flashes when a transmission is sent and if an interfering signal is detected..



USER REPLACEABLE BATTERY

CR2 3V Lithium battery provides up to 300 dive hours of battery life.

REMORA BAND COLOUR STRAP KIT

The Remora™ bands are designed for compatibility with the Teric, Tern and Tern TX dive computers, enhancing the user experience with their practical design and ease of use. Colour-coordinate with the rest of your dive gear quickly and easily with the Remora Quick Release System. Allows divers hassle-free switching between straps to suit different diving suits, wrist sizes, and colour preferences. Comes with both long and standard length straps.



Features & Specs:
316 Stainless Steel Black Coated Buckle
Short Band: 110mm
Long Band: 145mm
Buckle Band: 75.5mm
Band Width: 22mm

REMORA WEBBING COLOUR STRAP KIT (FOR DRYSUIT)

The Remora™ bands are designed for compatibility with the Teric, Tern and Tern TX dive computers, enhancing the user experience with their practical design and ease of use. Colour-coordinate with the rest of your dive gear quickly and easily with the Remora Quick Release System. Allows divers hassle-free switching between straps to suit different diving suits, wrist sizes, and colour preferences. Comes with both long and standard length straps.



Features & Specs:
- Suitable for drysuit use
- Remora Quick Release System
- Quick-release snap buckle
- Customize your style
- Colour-coordinate your gear

PERDIX & PETREL STRAP KIT

A pair of replacement straps for the Perdix and Petrel dive computers. Marine grade elastic material with simple pinch clip buckles ensure a comfortable, adjustable fit whether you are diving in wetsuit or drysuit.




PEREGRINE STRAP KIT

Customize the look of your Peregrine or Peregrine TX dive computer with an optional coloured silicone strap. Both long and standard strap sizes available. The long strap is better suited for wearing over thicker wetsuits or drysuits, and features a convenient strap retainer that allows the excess strap to be looped back over itself to add an extra layer of security.



SCREEN PROTECTOR KIT



PEREGRINE STRAP KIT

Protect your Peregrine or Peregrine TX dive computer with this premium silicone protective case. Enhance the durability and longevity of your dive computer, as this case offers superior protection against scratches, bumps, and everyday wear and tear.
The Peregrine Protective Case is designed to withstand the rigors of underwater exploration, ensuring your device remains in pristine condition. Invest in the best protection for your dive computer and dive with confidence.



PERDIX PROTECTIVE CASE

Protect your Perdix dive computer with this premium silicone protective case. Enhance the durability and longevity of your dive computer, as this case offers superior protection against scratches, bumps, and everyday wear and tear.
The Perdix Protective Case is designed to withstand the rigors of underwater exploration, ensuring your device remains in pristine condition. This case fits the Perdix, Perdix AI, and Perdix 2 dive computers. Invest in the best protection for your dive computer and dive with confidence.



PEREGRINE REPLACEMENT CHARGER WITH CORD

A replacement wireless charging pad and USB-C to USB-C cable for the Shearwater Peregrine or Peregrine TX dive computer.



TERIC REPLACEMENT CHARGER WITH CORD

A replacement wireless charging stand with cable (USB-A to Micro USB) for the Shearwater Teric dive computer.



BALLISTIC NYLON CARRYING CASE

The Shearwater Ballistic Nylon Carrying Case is a protective zipped case for the Teric, Perdix, Petrel, Peregrine and Tern dive computers, Swift and NERD 2



Features:
- Provides excellent protection for valuable electronics
- Thick padding for protection during transport
- EVA Protective Case anti-shock
- Black color with Shearwater logo on the top and on the zip

TERN & TERN TX REPLACEMENT CHARGER WITH CORD

A replacement wireless charging pad for the Tern or Tern TX dive computers.



NERD 2 CHARGING CLIP

Charging bracket for NERD 2 battery charging.
This charging clip connects to the NERD 2 which snaps on the back of the computer. The charge clip is splash proof and connects using the provided cable (USB-A to Micro USB).



ABOUT DIVESOFT

Divesoft was officially launched during spring 2013. Analyzer is still among the mandator products together with one and only Liberty rebreather and Freedom decompression computers.
Flagship is Liberty rebreather. Liberty rebreather has many variations you can choose and configure. Liberty rebreather can be easily configured for multiple variations; backmount or sidemount, for optimal dive configurations for each dive environment. With a simple conversion kit, the user can go from a backmount configuration to a sidemount configuration. What is more, the Liberty rebreather is designed to be fault-tolerant. No single malfunction in the electronic system could cause a breakdown of the whole apparatus. And even multiple malfunctions often do not lead to a complete breakdown.



The unique unconventional story of small hobby company from a country with no sea producing hi-tech products designed especially for top technical and cave divers all around the world.



The story of courage, challenges, a businesswoman and analytical mind of her husband, who changed their story after 22 successful years at their IT company focused on online banking software. The story has begun with Ales's passion - diving - every time he was thinking about a perfect divers equipment and how he would like to design, construct and manufacture the equipment to meet his vision.

And then one day he started to work with on an analyzer He/ O2. He even patented his idea to measure helium according to a speed of sound. The foundation stone of Divesoft was set. Analyzer was welcomed not only by Ales's friends and their friends but also by many others. Thus the ten promised pieces disappeared in a second. At that moment Lucie realised with the bold idea to change their course. The couple resigned from their IT business and entirely focused on equipment for divers.

Analyzer DNA

Divesoft Nitrox Analyzer

An ideal and affordable tool for every Nitrox diver. An innovative, accurate, durable and user-friendly Nitrox Analyzer that fits in your pocket and connects to your smart phone via Bluetooth.

A small & smart pocket Nitrox analyzer that offers simple Oxygen measurement. The perfect partner for recreational and beginner Nitrox divers. Analyzing is easy and comfortable using the Divesoft App. No Internet is needed as the App operates offline.



EASY TO MAINTAIN
The battery and Oxygen sensor can be easily replaced by the user by simply pulling the Analyzer apart.

FLOW LIMITER AND QD LP HOSE COMPATIBLE
A flow limiter or QD LP hose can be connected to the DNA using a Divesoft hose.

USER-FRIENDLY
The analyzer and its user interface were designed to be intuitive to operate especially when used by beginner divers.

COMMON OXYGEN SENSOR
The analyzer uses molex R22S (R22D can be used), with a life span of 2-3 years which is widely available in the diving industry.

ACCURATE
The DNA offers Oxygen analysis from 1-100% with accuracy of +/-1%.

EASY TO READ
The measuring is done in the Divesoft.app where the screen was designed to have large digits to be easy to read.

COMPACT
The DNA was designed to be as compact as possible fitting into every diver's pocket even in its case.

2-TAP CALIBRATION
The analyzer is calibrated in the App by 2 taps either with Air or Oxygen.



BATTERY
The analyzer uses the CR2450 battery which is compact, simple to replace, inexpensive and widely available. The battery life is 1-2 years.

MOD OF ANALYZED GAS
the App displays the Maximum Operational Depth (MOD) of the analyzed gas for ppO2 of 1.2, 1.4 and 1.6 bar in real time.

INNOVATIVE
The DNA connects to your smart phone via Bluetooth.

MEASURE ANYWHERE ANYTIME
Due to its compactness and offline function of the Divesoft App. You can take your DNA always with you and use it even without an Internet connection.

DURABLE
The body is made out of anodized aluminium with TPU ends protecting the analyzer from rough handling.

PACKAGING
Comes in semi-hard zipper case for easy transporting and to protect your DNA analyzer from harsh field environments.

HELPING THE ENVIRONMENT
The DNA and the Oxygen sensor are purchased separately as the DNA can be used with a functional spent rebreather oxygen sensor R22 (Molex connection) which is easily replaceable by the user. Help the environment by recycling your buddy's rebreather Oxygen sensor during their annual sensor replacement.

The DNA and the Oxygen sensor are purchased separately as the DNA can be used with a functional spent rebreather oxygen sensor R22 (Molex connection) which is easily replaceable by the user. Help the environment by recycling your buddy's rebreather Oxygen sensor during their annual sensor replacement.





Technical specification

Dimensions: 45.6 × 111 × 40 mm (1.8 × 4.4 × 1.6 inches)
Weight: 100 g (3.5 oz)
Weight with sensor: 126 g (4.4 oz)
Range of measuring: 0 to 100 %
Measuring temperature: 0 to +40° C (32 – 104° F)
Mixture pressure: Consistent with ambient pressure, in the range of 700–1100 millibars (20–32 inches of Hg) which corresponds to the standard atmosphere at an elevation in the range of 0 to 3000 m (0–10000 feet) above sea level.
Rated gas throughput: 0.2 L/min
Oxygen sensor: Divesoft R-22S or compatible
Power source: CR 2450, user replaceable
The gas connection: Direct contact connection to both "DIN" valve (EN 144-2) for 200/300 bars (G 5/8 thread) and M26x2 valves. Possible connection with the Divesoft professional flow limiter and connection hose.

Analyzer SOLO O2

A smart and accurate NITROX analyzer that offers simple oxygen measurement and advanced features.

Analyzer SOLO O2 is the ideal partner for all recreational NITROX divers. Analyzing is really easy, just turn on with one press and measure. Easy automatic calibration. Analyzer SOLO O2 has the same durable polymer body as its brother Analyzer SOLO, allowing to get your device upgraded to a trimix analyzer by getting a helium sensor added. Divesoft's high quality analyzer finally available for recreational divers. Intuitive controls, 2 display screens and advanced Software. Easy to read O2% content including MOD for preset ppO2, date and temperature. MOD values for PO2 at 1.2, 1.4, 1.6 bar for immediate reference. Simple automatic calibration.
Analyzer SOLO O2 provides real time gas calculations for the most accurate cylinder labeling. Built in Gas mixing software.

INTEGRATED THERMOMETER AND PRESSURE SENSOR
Pressure sensor for accuracy when calibrating in different environments.
Thermometer to display ambient temperature and built-in notification for O2 sensor performance when measuring in extreme temperature conditions.

STREAMLINE DESIGN
Designed to fit comfortably in hand for ease of gas analysis in any environment.

EASY ACCESS
Designed for easy O2 sensor replacement. The device is supplied with Teledyne or Analytical Industries Oxygen sensors.



UPGRADEABILITY
If you decide to venture into the world of technical diving and diving mixes containing Helium, you can get your Analyzer SOLO O2 upgraded by getting our solid state Helium sensor added. (The upgrade is performed by Divesoft)

LI-ION BATTERY
Rechargeable Li-Ion battery with supplied USB-C cable for your convenience as well as for purpose of continuous gas analysi

SEMI-HARD CASE
Comes in semi-hard case for easy transporting and to protect your SOLO O2 analyzer from harsh field environments.



Technical specification

Dimensions: 85 × 205 × 40 mm (31/4 × 77/8 × 11/2 inches)
Weight: 332 g (without packaging and accessories)
Range of measuring: 0 to 100 %
Operating pressure: 700–1100 millibars (20– 32 inches Hg), which corresponds to a standard atmosphere at 0 to 3000 m (0–10000 ft)
Mixture pressure: Corresponds to an ambient pressure in the range of 700–1100 millibars (20– 32 inches Hg), which corresponds to a standard atmosphere at 0 to 3000 m (0–10000 ft)
Nominal gas flow rate: 0.2 l / min
Measuring cycle: 200ms - The connection dimensions of the sampler: Standard for a DIN valve (EN 144-2) for 200/300 bars (G 5/8 thread). Samplers with a connection to any standardized or common valves are available on request or as optional equipment
Oxygen sensor: R22 S (Molex connector)
Easy to replace O2 sensor
Oxygen sensor life expectancy: 2 years
Replaceable battery: Through authorized service center
Battery: 210 measurements or 7 hours of continuous operation
Warranty: 24 months, 12 months on battery and oxygen sensor
Charging and programming: USB-C
Charging time: 3–4 h
Display: OLED
Body: ABS-PC



Analyzer SOLO

Affordable Trimix analyzer

Solo makes gas analysis simple, accurate and reliable. With Solo, you will always know what you are breathing wherever you go.

The lightweight and robust body is made from ABS-PC. Our new addition to the analyzer family offers an easy-to-read display and intuitive controls. The USB-C connector makes it piece of cake to program and takes less than 4 hours to fully charge. The 3 point calibration system ensures accurate measurements, so you can head out with confidence and explore the depths.

INTELLIGENT FIRMWARE
Firmware designed to provide real time gas calculations for the most accurate cylinder labeling

SPEED OF SOUND
Divesoft He/O2 ANALYZER uses our patented method of He content measurement based on speed of sound. That makes our analyzer a true benchmark while allowing you to own the analyzer without any addition cost with top of the line precision.





LIGHT WEIGHT AND ROBUST
Made from lightweight materials to be a perfect blend of affordability, minimum weight, and optimum robustness for field conditions

LI-ION BATTERY
Rechargeable Li-Ion battery and USB-C connector. For your convenience as well as for purpose of continuous gas analysis

STREAMLINE DESIGN
Designed to fit comfortably in hand for ease of gas analysis

SEMI-HARD CASE
Comes with our new semi-hard case to protect your SOLO analyzer from harsh field environments

EASY ACCESS
Uses Teledyne or Analytical Industries Oxygen cell with easy access replacement



Analyzer He/O2

Benchmark for analyzers

Our Analyzer He/O2 is considered benchmark for TRIMIX anlyzers for several years now and here is why:

Divesoft Analyzer He/O2 is dominating the market not only thanks to it's very accurate and reliable readings of O2, He and other gases but because Divesoft Analyzer He/O2 offers always something extra. It can be hooked up with your booster and work as an safety switch, it offers the gas blending simulator, it can be worked into your filling station and be used for continuous analyzation of filling gases, it can, thanks to the Ohm and Volt meter plugs, tell how is your battery in your scooter or torch doing, it can be hooked up with one of our flow limiters for the easier possible gas sampling and much more...

STURDY AND DURABLE
Durable design supported by premium materials that will last.

SPEED OF SOUND
Divesoft He/O2 ANALYZER uses our patented method of He content measurement based on speed of sound. That makes our analyzer a true benchmark while allowing you to own the analyzer without any addition cost with top of the line precision.



LOW MAINTENANCE
Our Analyzer He/O2 does not use an electrochemical He sensor. It uses our patented sensor to measure the speed of sound to determine the density of the measured gas mix. Which means no need for replacement and no additional expenses connected to He sensor replacement. Ever!

LI-ION BATTERY
Rechargeable Li-Ion battery and USB-C connector. For your convenience as well as for purpose of continuous gas analysis

INTELLIGENT FIRMWARE
Firmware designed to provide real time gas calculations for the most accurate cylinder labeling

PRECISE AND ACCURATE
Benchmark in accurate gas analysis with single point calibration or three-point calibration for highest precision.

SEMI-HARD CASE
Comes with our new semi-hard case to protect your SOLO analyzer from harsh field environments

Sets available:

Stand Alone Analyzer He/O2



PACKAGING INCLUDES:
- Analyzer He/O2
- Oxygen Sensor Divesoft 22S
- Simple flow limiter
- Semi-hard zipper case 250×205
- USB 2.0 "AB" cable

Analyzer Set Blender



PACKAGING INCLUDES:
- Analyzer He/O2
- Oxygen Sensor Divesoft 22S
- Professional flow limiter Mk2
- Connecting hose
- Spare parts
- Transport case Analyzer
- USB 2.0 "AB" cable

Professional Flow limiter Mk2

The Professional Flow Limiter Mk2 is equipped with a regulator that reduces the gas to flow at a constant rate regardless of the cylinder pressure. This enables the gas sampling to remain accurate even at very low pressures. This feature has proven to be critical during gas blending procedures.

A new efficient design combines the relief valve with the gas sampling nozzle in a single mechanism.
Closing the gas sampling nozzle will first engage the relief valve and vent the remaining gas from within before completely closing the device.



Basic flow limiter

Simple connector to the DIN G5/8 valve. The connection is placed into the gas input port of the analyzer and pushed against the cylinder valve. Gas flow is regulated using the cylinder valve. It is suitable for a fast analysis of gas in several cylinders. With some valves is may be difficult or even impossible to set a low enough gas flow – in such case use a flow limiter or regulator.



Flow limiter for QD connection

The connection to an inflator hose enables the measuring of mixtures in already dressed cylinders without the need of removing the second stage regulators. You only need to disconect an inflator or other quick release connector, which will output a flow of 0.2 l/min at 10 bar. The connector is cylindrical with a diameter of 5.8 mm, to the He/O2 analyzer it is connected via a connection hose.



Connection hose

A replacement connection house for use with the professional, standard, or inflator flow limiter. It is meant for a cylindrical low-pressure connection with a diameter of 5.8 mm.



Silencer

Silencer for draining gas from diving cylinders.



Tight Screw Cap DIN G5/8

Tight screw cap for the first stage of automatics, connection DIN G5/8. It prevents the first stage connector from being contaminated by water while being washed in fresh water or from contact with wet objects on a boat.

Available Size:
G5/8
M26x2



Primary Reel

Divesoft Reel made from Delrin including the handle. The width of the spool can be set in three widths based on the length of the cord from 100 to 250 m (330 to 800 ft.).

Available Size:
150 m
200 m



O2 Compatible Grease

Oxygen-compatible grease without silicone. Ideal for oxygen clean diving gear. The syringe contains 0,5 ml.



SENTRY MASK



A diver's most essential piece of gear is a mask. This sleek low-profile single-lens design mask can handle the most demanding conditions while offering low volume and an exceptionally wide field of view.
Including Divesoft doubleside neopren mask strap.



Mask strap cover

Doubleside neopren mask strap.



T-shirt DIVESOFT - Red

T-shirt unisex

Available Size:
XS-SM-MD-LG-XL-2XL-3XL



O-ring picking tool

Tool for simple O-ring replacement.



Sunglasses

Comfortable nose pad, round mirror legs (right-red, left-smoke).
Available with mirror and dark lens.



ABOUT OCEANREEF

OCEANREEF®
underwater, naturally.

Ocean Reef, often referred to as “The Full-Face Mask Company,” has been designing and manufacturing integrated diving masks (IDMs) and underwater communication gear since 1996, though its origins date back to the late 1940s with the Gamberini brothers in Genoa, Italy
All masks—including the cutting-edge Neptune III IDM—are designed and produced at their historic Genoa factory, cementing their Italian craftsmanship credentials.
Ocean Reef emphasizes a strong service technician training program to ensure their products are maintained safely and perform reliably over time.



OCEAN REEF VISION

WE WERE ALL BORN FROM THE SEA. Maybe that’s why we’re so irresistibly attracted to it.

As soon as we’re immersed in it, once again we turn to breath, we feel we’re back to our true natural setting.
In our every effort, every thought, every dream, the sea finds its way.
We yearn to be back in it to better observe it, to admire its grandness,always with new eyes.
To be back in it, to be astonished byit and to share its wonders with ourfriends.
To be back in it to imbue new life to the very place that’s been witness to the birth of it all.

Ocean Reef is a true pioneer in full-face mask technology, originally known for their professional diving masks and underwater communication systems. With that expertise, they created the ARIA series, which set the industry standard for safe, comfortable, and high-performance full-face snorkeling masks.

- Designed and manufactured in Italy, with certified CO_2 testing to ensure proper air circulation — unlike many unsafe, low-cost imitations.
- CE certified and built to European safety standards.



Why Dive an IDM?



ENABLES NOSE BREATHING
- Experience natural breathing

JAW FATIGUE
- Nothing to bite on
- Frees mouth to communicate, drink



3D EQUALIZATION SYSTEM
- Patented design
- 3 way directional adjustment system: up/down, wide/narrow, close/far. Made for maximum comfort and nose breathing
- Pushing the mask towards the face when needed causes the plugs to create a nasal seal

FLOODING
- Breathing inside the mask automatically purges water through the draining/exhalation valve. When voluntarily flooding the mask, a couple purges of the second stage button completely clear the water from the mask

MASK PRESSURE
- Automatic pressure equalization at each inspiration thanks to the integrated breathing apparatus

FOGGING
- No fogging thanks to the air circulation system
- No product treatment needed





SURFACE AIR VALVE
- Easy to grab, sturdy design
- Large air vents
- Allows IDM divers to breath ambient air when at the surface

DIRECTIONAL EXHAUST & DRAINING VALVE
- Large, one way valves drain any water and air in the mask during exhalation
- Purging the regulator will drain water even faster
- Directional exhaust valve orients the bubbles away when needed
- Position options are left, right, both sides and closed



AIR CIRCULATION
- Air circulation is achieved with an orinasal pocket so that CO2 build-up is not mixed with fresh air.
- One-way circulation keeps mask clear.

REGULATION CHARACTERISTICS
- Pneumatically balanced second stage provides consistent ease of breath at any tank pressure
- Adjustment knob provides the diver with the requested amount of air flow under all circumstances
- Dive/pre dive lever (Venturi) helps avoid surface free flow in harsh conditions
- CE certification in accordance with 89/686/CEE directives under UNI EN250 standard rules for underwater activities, including low temperatures (<50°F or <10°C)



neptune III

Evolved Innovation. Badass Design.





RUGGED

-Signature double coated visor is renowned for its unparalleled toughness and clearness, now combined with tech PU regulator protection and silicone deflector to absorb the shocks of intense scuba diving use.

COMFORTABLE

- Premium materials, redesigned orinasal pocket resulting from the experience we have learned from more than 1 million of FFSM we have made for people around the globe.

EFFORTLESS

-Completely new 2nd stage design and engineering. This FFM breathes smooth as silk.

BREATHES
+33%
BETTER

Vertical body, balanced – all new Neptune III regulator delivers amazingly smooth breathing at any depth. This IDM breathes +33% better than our Neptune Space.
There is no bulk on your chin, exhaled bubbles in your eyesight or getting stuck while moving your head left and right.



INNOVATIVE

- The 2nd stage is fully integrated into the mask, as per our company's philosophy, but now it can be detached quickly (Level 1 tech certification required) for faster than ever servicing and swap.



SAV III


- While designing the IDM we decided to improve our professional surface air valve as well. Now with a new design, better grasping surface and an internal valve, the mask will not fog when not connected to the cylinder and water will not drip in if you leave the valve open when submerging your head.



The Neptune III visor is all new and designed from scratch – it offers the widest field of vision of any conventional and any Full Face mask on the market. The Neptune III visor surpasses the Space's field of vision by +10%. Using an uncommon vertical body regulator was a conscious design choice to push vertical vision to its maximum potential. Reading instrumentation and operating your equipment with a FFM has never been easier.

-47%
BUOYANCY
Neptune III is 47% less buoyant than other FFMs

-24%
INTERBNEATLT VEORLUME
24% smaller than competition.





Sets available:

Stand Alone
Neptune III FFM



Neptune III
Package



- Neptune III Integrate Diving Mask
- 1st stage SL 35 TX INT or 1st stage SL 35 TX DIN
- Extraflex Quick Disconnect Hose
- Bump – Back Up Mask & Snorkel Package
- Octopus – Secondary Regulator w/quick Disconnect Hose
- Pressure Gauge
- Neptune III Backpack

Available Size:
SM/MD
MD/LG

Available Color:
Black
White
Blue

Specification:

- 6 point strap harness
- real orinasal pocket
- hard to flood, easy to clear
- widest field of view on the market
- 2 sizes, "S" shape bellow technology face seal
- cold water CE certified, full face 2 second stage
- new generation, vertical body, balanced, Neptune III 2 second stage tech PU and silicone rubber 2 second stage, shock absorbent, shell
- light and durable
- 2 year warranty

neptune III basic

The Neptune III basic is light, simple and no-thrills – it is the FFM of choice for your underwater work, your FFM of choice for scientific diving, your FFM of choice for recreational and sport diving if you're looking for a reliable, affordable entry level product.
The Neptune III Basic is a real Full Face Mask (or Integrated Diving Mask).
It features a working orinasal mask to create one directional breathing circulation – guaranteeing no fogging, even without use of defogger products – making sure that the diver isalways breathing fresh air with no unwanted CO2 re-breathed.



Specification:

- 6 point strap harness
- real orinasal pocket
- hard to flood, easy to clear
- widest field of view on the market
- 2 sizes, "S" shape bellow technology face seal
- cold water CE certified, full face 2 second stage
- new generation, vertical body, balanced, Neptune III 2 second stage
- tech PU and silicone rubber 2 second stage, shock absorbent, shell
- light and durable
- customizable and upgradeable
- accessory Surface Air Valve
- 2 year warranty

Available Size:
SM/MD
MD/LG

Available Color:
Black

VESPER

This product is compatible with all OCEAN REEF IDMs from the SPACE and Neptune lines.



The all-new Vesper is a lightweight, powerful, easy-to-use, fully integrated secondary diving light.
It's reduced size and patent pending placement inside the mask results in a unit that increases the negative buoyancy of the system while being incredibly comfortable. The Vesper is: smaller, lighter than the VL, doesn't require adhesive or screws, can be installed by end-user with no training, charging via USB, features an infrared sensor, an SOS mode and a multipurpose case, the goal of this case is to protect the unit when stored and transported.

Specification:

- BATTERY PACK
- RECHARGEABLE WITH MAGNETIC CABLE
- EASY TO INSTALL AND REMOVE BY THE END USER
- ULTRA LIGHT AND ULTRA COMPACT
- ACTIVATION WITH SENSOR
- SOS MODE
- EXTRA BRIGHTNESS
- ILLUMINATES THE FACE OF THE USER TO ALLOW BEING IDENTIFIED (WHILE NOT BLINDING THE DIVER)








SL35TX DIN/INT

Screw connection at 300 bar (4500 Psi).
Standard yoke connection 232 bar (3364 Psi).



OCEAN REEF IDMs are CE certified with this, high performance environmentally sealed and balanced diaphragm first stage with anti-freeze kit. Adjustable intermediate pressure. Made of chrome plated brass, with a stainless steel piston and spring, and a Teflon™ seat. 2 high-pressure ports 7/16-20 UNF. Flow rate of approx. 4800 l/m at 140 bar.

PRIMARY 2nd STAGE



Standard downstream valve with dive-predive switch, no adjustment knob. Weight (without hose) 230g Quick Disconnection male part to assemble or sold separately, Black Extraflex Quick Disconnection Hose 80cm / 32” to assemble or sold separately. Static intermediate pressure 9.5-9.8bar

OCTOPUS - SECONDARY REGULATOR



Standard downstream valve with dive-predive switch, no adjustment knob. Weight (without hose) 230g Quick Disconnection male part to assemble or sold separately, Black Extraflex Quick Disconnection Hose 80cm / 32” to assemble or sold separately. Static intermediate pressure 9.5-9.8bar

PRESSURE GAUGE



Single piece brass body: copper beryllium coiled inner mechanism; bourdon tube; rack and pinion movement for smooth and precise operation; tempered glass transparent window; plastic cover with loops for fixing: graduation 350 BAR/5000 PSI, full scale.

BUMP - back up mask (& Snorkel) Package




Safety when diving is a primary concern for OCEAN REEF. That is why we put together a back up bailing system made of a comfortable conventional mask with fabric strap for easy and quick donning, a flexible, semi-dry snorkel and a tough pouch where you can fit the mask, the rolling snorkel and hang it on your BCD or on your belt thanks to the 2 D rings and belt loop.

EXTENDER KIT

The perfect addition to your Gdivers basic model IDM, or any other OCEAN REEF full face scuba masks from 2006 on (with nylon clamping band). This kit is available in 7 different colors. Each kit includes:

1. FRAME : frames are an extra protection for your head, an aesthetic finishing to your mask, a customization to better identify the diver and a wide surface to add anything you can think of. On the top there is a flat surface, perfect to add any GoPro – like sport camera.
2. NEW NACS, or Neptune Adjustable Communication Support is a Patented OCEAN REEF accessory used to mount your OCEAN REEF communication device to your IDM. It’s light, sturdy and durable. It distributes the weight of the comm unit perfectly on the mask, you don’t feel it anymore.
3. EARPHONE SUPPORTS : not only these can be used in case you have a GSM G-Power SL communication unit (you can install the earphones on them), you can also drill holes in the pre-defined points and install side lights. These supports also rotate at a 30° angle. the same support can also be used for sport cameras for an on-board view point! Included in the mask and extender kit package.





Available in one size, 7 colors.



CAMERA & TORCH SUPPORT



Holds anything cylindrical up to about 70mm (2.7inch) in dia- meter with re-openable, heavy duty zip ties. Slide comes off when needed for handling – snaps in easily and holds in place. Adds the possibility for horizontal tilt angle (adding to the 30° vertical of the accessory support). Compatible with standard GoPro fitting.

FOLDABLE NACS




New NACS, or Neptune Adjustable Communication Support is a Patented OCEAN REEF accessory used to mount your O.R. communication device to your IDM. It's light, sturdy and durable. It distributes the weight of the comm unit perfectly to the point you don't even feel it anymore. This model now features the possibility to fold it inside the mask when storing the IDM. Compatible with left ear type comm units, such as w the GSM G.divers.

Neptune III Backpack

Neptune III Backpack, a tool designed by divers, for divers. This backpack has dozens of features that will challenge your creativity and satisfy your need for an intelligent solution when traveling with your OCEAN REEF Full Face Mask. Versatility, adaptability, functionality, customization and badass design are the key words to this new, exciting product from OCEAN REEF.







MULTITOOL

Our multitool is the perfect holder for the equalization extensions, and also has numerous functions for a wide variety of uses.



Q.R.S. (Quick Release System)

New and unique OCEAN REEF invention, thanks to the Q.R.S. (Quick Release System) the FFM can be doffed with one hand. This accessory is compatible with all OCEAN REEF full face mask (sold separately) and is included with the new Neptune III mask.



EXTRAFLEX QUICK DISCONNECT HOSES

Four layer technology, inner layer non-toxic polyurethane blend. Polyester first layer reinforcement, thermo rubber jacket. Polyethylene anti-scratching reinforcement. Commercial & professional hose requires two hands to disconnect.



Swivel connection

The Swivel connection moves freely turning 360° around its axis. it allows free movement of the hose and a streamlined configuration. Chromium plated brass. Can be used with quick disconnect.



DUAL TANK VALVE


Allows connection of the second stage directly to two gas sources (mix, side mounting, pony bottle). Allows a diver to alternate between sources without removing the mask. Solid piece of chromium plated brass. Stainless steel cord attaches to safety clip (avoids an unwilling switch of gas). Nice and smooth movement while easy to operate with thick gloves. Can also be used with quick disconnect.



OPTICAL LENS SUPPORT 2.0



Compatible with IDMs M/L and FFSMs Aria, Aria QR+, UNO (sizes ranging from S/M to L/XL, XS excluded), Sea Vu Dry S/M - L/XL, Easy breath S/M - M/L - L/XL, Tusa Sport S/M to L/XL. Lens correction for your IDM and FFSM without ruining your mask . Use them as convenient glasses on land - snap the legs off and put the frame in your mask when you scuba dive or snorkel for an optical corrected mask!



This product is part of our living eco line - 100% plant based plastic

LENSES

Single prescription lenses for our Optical lens 2.0 support are available in 7 different corrections per eye.



IDM's



MAGENTA COLOR ENHANCING LENSES



Magenta lenses are made to enhance your uw vision. Because the water absorbs much of the wavelength of sunlight, colors might look less intense, dull, or different from what they really are. These lenses, that can be installed on your Optical Lens 2.0, will correct the water filtering and make you enjoy the reef's amazing color.

Gdivers Surface Air Valve

The GDivers IDMs may be equipped with a surface air valve (SAV) that allows the diver to breathe ambient air while at the surface.



Gdivers Surface Air Valve

The Surface Air Valve / SAV III / SAV III basic allows the diver to breathe ambient air while at the surface conserving the diver's gas supply.





PROFESSIONAL ACCESSORIES MOUNT

Professional Accessories Mount Kit R+L (w/universal slide and clamping band)



Professional Accessories Mount Kit R (w/universal slide and clamping band)



OCEAN REEF Shearwater Nerd2 HUD mount for FFMs



OCEAN REEF Scubapro Galileo HUD Extender Mount



Combo Mount on Universal Slide



COMMUNICATION

GSM|mercury

WIRELESS

THE MOST COMPLETE UNDERWATER WIRELESS UNIT ON THE MARKET

This unit is blending four different OCEAN REEF units into one: the extended range of the Gpower, the like-stereo sound of the GSM G.power SL, the clearness and double channel option of the DC and the battery life of the Gdivers.


Key Features:

- It's foldable inside the mask. Now you don't need to assemble the comm unit and take it off the mask. Simply fold it close and pack the IDM.
- Brand new rechargeable, changeable battery with an autonomy of approximately 30 hours. No need to purchase disposable batteries to throw away once they are done. No need to purchase batteries before a dive trip. Recharge with a standard micro USB cable from any power source you want.
- Digital as the first ever unit we introduced in the market – the DC. This one adds clearer communication, with a higher volume AND 2 earphones for a stereo-like experience.
- Double channel unit for separate teams/conversations, depending on the surrounding environment conditions, it exceeds a range of 800ft /250 meters.
- DAT (Digital Activation Transmission) – hands-free mode.
- Compatible with all prior OCEAN REEF units and competitor units on same frequency.
- Easy and solid new PTT button. Button module doesn't create entanglement and can be operated via a flat, sturdy button and easy lever. As intuitive as you would want it.
- Voice menu that is clear and immediate to learn, matches perfectly the simplicity of the buttons.
- 3 level volume.



THE GSM MERCURY DUAL POWER HAS THE SAME CHARACTERISTICS AS THE GSM MERCURY. INSTEAD OF HAVING 2 CHANNELS IT HAS THE OPTION OF HAVING CHANNEL 1 AT NORMAL POWER AND REDUCED POWER. THE UNIT IS EASILY R ECOGNIZED THANKS TO A FLUORESCENT YELLOW STICKER THAT READS "DUAL POWER".





GSM CUBE3

WIRELESS

The most versatile unit possible.

• Capable of communicating in three different ways: wireless, hard wired, VHF.
• It can be connected to the ALPHA PRO X DIVERS surface unit
• for cable hardwired communication – full duplex, hands free communication.
• The unit is a permanent wireless unit. Always on receiving mode
• for any communication on channel 1 frequency when battery inserted.
• PTT button activates wireless transmission on channel 1 when battery inserted.
• Six-pin waterproof connection allows connecting and detaching from cable communication while underwater.
• GSM CUBE3 can be connected to a separate unit in order to interface with a VHF radio and allow radio communication while on the surface.



ALPHA PRO X DIVERS

HARDWIRED

2 headset, low-profile, fully integrated, foldable, hardwired underwater communication unit.

- Waterproof piezoelectric speakers (X2)
- D-Mic microphone
- Full-duplex system
- Audio recall button
- 6 pin waterproof connector
- The unit itself is a hardwired comm. unit.
- Clarity of communication is outstanding
- Range depends on cable length
- Includes recall button
- Speaker and microphone as featured in all comm. units.

Compatible with existing Alpha Pro X-Divers surface units.



GSM G.divers

Wireless underwater transceiver unit, with the autonomy of approx. 30 hours in receiving mode, and range of operation of 200-250 meters (calm sea water). Lightweight, powerful single channel and “push to talk” communication system make the GSM Gdivers the perfect addition to any training class or guided tour, for extra safety and for fun! The unit operates on the same frequency as all other OCEAN REEF units and most popular wireless communication units on the market. The GSM Gdivers uses a 9V alkaline battery and has a “low battery” alarm which beeps every 30 seconds when the battery is low.

WIRELESS



M101a

The M101A G.divers is a receive-only unit operating on one channel. The M101A fits on any conventional mask strap or full face mask models. It might be held and shared by more divers thanks to the high quality speaker. The M101A uses a 9V alkaline battery and has a “low battery” alarm which beeps every 30 seconds when the battery is low. It’s the perfect instrument for Instructors and team leaders to communicate with divers that don’t wear IDMs with the possibility of integrating a transceiver unit.

WIRELESS



M100

The M100 G.divers is a portable surface transceiver unit that may be worn on the operator’s belt. This is a high performance, compact, and easy to use unit. It is made to respond to the demands of communicating with divers in action without carrying expensive, complicated and heavy units. The size of the main unit is similar to a smartphone / mobile.. The main unit has a PTT (Push to Talk) button and a headphone/microphone connector. The unit turns on when the headphone/microphone is connected to the main unit. The unit turns off automatically when the headphone/microphone is removed. A 10 meter (33 feet) transducer cable connects to the main unit and is lowered into the water. The operator may control the depth of the transducer. It operates on one channel and uses a 9V replaceable alkaline battery with autonomy of approximately 30 hours. The range of operation is approx 200 meters (600 feet).

The unit comes with the following items: • 10 meter (33 feet) transducer cable • Headphone/microphone • Screwdriver.

WIRELESS



M105 Digital DC

WIRELESS

Surface operator can easily change from one channel to the other by pressing a button, distinguishing two different lines of communication if needed.

Surface to diver unit.

- Transceiver unit.
- Allows communication with any number of divers wearing wireless comm units.
- Direct communication with PTT walkie-talkie.
- Uses 6V DC lead battery. Allows up to 48 hours of operation.
- Can be powered with a 12V DC source.
- Activated only when the antenna is connected to the unit to prevent unwanted loss of power.
- 10mt (approx. 33ft.) transducer cable length. Available in different lengths on request.
- Long cables may require amplifier mounting.
- Has the addition of a second transceiver channel



Comes with:

- Headphone connection.
- Volume control.
- Speaker.
- Water resistant case pressure compensation valve
- Battery charger.
- Easy to read LED battery tester which shows the power status of the battery.
- Transducer cable.
- Bag.
- Microphone.

Available accessories:

- Audio out cable. (code 8590).
- Headset. (code 8589).
- Tuner for >50 meters M105 Antenna. (code OR008609).
- Splitter for connecting 2 antennas with M105 or M105DC.(code OR023001).
- External power cable code 8594

ALPHA PRO X DIVERS

HARDWIRED

INCLUDES: ALPHA PRO UW 2.0 + SURFACE UNIT + PROFESSIONAL 50 M CABLE

This communication unit is specifically designed to meet the needs of professional and commercial divers that cannot compromise on a full duplex, hands free, super clear communication system. Cable communication is still unequaled in quality, while needing a hard connection diver to surface.





SURFACE UNIT

- Hardwired, full duplex surface unit for underwater communications.
- 2 ports for 2 communication cables.
- On/off and volume adjustment switches.
- Microphone.

Switch for communication between surface & diver 1, surface & diver 2, surface & diver 1 & diver 2.

- Headset port (headset optional).
- External 12v power port (cable optional).
- Battery charger port.
- Audio/video recall.
- Incorporated speaker.
- 12V rechargeable battery.
- Underwater unit volume adjustment (for both divers).
- Stand-by autonomy: 24h.

ALPHA PRO UW 2.0
underwater comm unit

2 headset, low-profile, fully integrated, foldable, hardwired underwater communication unit.

- Waterproof piezoelectric speakers (X2)
- D-Mic microphone
- Full-duplex system
- Audio recall button
- 6 pin waterproof connector
- The unit itself is a hardwired comm. unit.
- Clarity of communication is outstanding
- Range depends on cable length
- Includes recall button
- Speaker and microphone as featured in all comm. units.



ALPHA PRO X DIVERS professional cable

Professional cable can be sold separately. Includes yellow rope exterior 10mm diameter and 4000newton resistance. Available in any length (max 200m/600') with optional bag (up to 100m/300').



AUDIO & VIDEO SURFACE UNITS

GAMMA Alpha HD



PROFESSIONAL AUDIO 50 M. CABLE
Can be ordered separately / custom length



PROFESSIONAL VIDEO 50 M. CABLE
Can be ordered separately / custom length



UW UNIT 2.0
Can be ordered separately



CAMERA
Can be ordered separately



surface portable video and audio unit. All new features:

All new features:

- 13” full HD increased backlit, anti-reflective Screen.
- AHD 1080p wide angle Camera (120°)
- Option to display split screen for both cameras, for contemporary viewing.
- Digital video out (HDMI).
- PC/Mac connection USB-A Plug & Play.
- Internal recording devices: programmable DVR with 320GB expandable to 1TB recording both audio and video.
- Backup recording: digital audio+video via USB-A (pen drive o HDD not included).
- Gamma Alpha can receive audio and video from two divers.
- On/Off and speaker volume adjustment switch.
- Speaker.
- Microphone.
- Switch for communication between surface & diver 1, surface & diver 2, surface & diver 1 & diver 2 combined.
- Headset port (headset optional).
- Audio/video recall from divers.
- 12V rechargeable battery + battery charger.
- Underwater unit volume adjustment (for both divers).
- External power charger, 12V (cable optional).
- Stand-by autonomy: 24h.
- Professional surface/diver cable (50 meters, 165 ft. long) (can be sold separately). (code OR033134).
- Includes new Alpha Pro 2.0 hardwired underwater comm unit - can be sold separately code: OR033160.
- Professional video cable (50 mt, 165 ft. long) (can be sold separately). (code OR008575).



GAMMA 105

This is an audio/video surface unit. Integrates wireless audio and hardwired video.

- Ultrasonic surface communication unit: 10 m (33 ft) transducer cable, microphone, external power supply cable, audio port, headphone port, volume control, and loudspeaker.
- 7 inch 16:9 color LCD monitor, speaker, audio and video port, brightness and color contr ols.
- Video port for external video recorder or monitor.
- 12V battery.
- Battery charger connector.
- 12V battery charger.
- CCD Micro Video Camera with underwater housing and mounting bracket. Also sold separately.
- 50 m (165 ft) camera cable. Available length on request.





Audio/Video Standard lenght cable

- Comm. Cable (roped) 4000N resistance. Includes 6 pin rubber connector (diver) and DIN connector (Surface)
- Video Cable (roped) 4000N resistance. Includes: 4 pin rubber connector (diver) and DIN connector (Surface) for GAMMA ALPHA & GAMMA 105 / GAMMA ALPHA HD
- Comm Floating Cable – 500Kg resistance. Includes 6 pin connector (diver) and DIN connector (surface)
- Floating Video Cable - 500Kg resistance. Includes 4 pin connector (diver) and DIN connector (surface)




ALPHA PRO X DIVERS bag

This bag is designed to be incredibly tough to carry coil cables, it is bright colored and easy to spot. The drawstring top prevents items from falling out but comfortably leaving the cable coiled and connected to a surface unit. Conveniently comes with a handle and shoulder strap.

Available customization with Marsh Marine connection to use with 3d party topside units. Ask for quotation.



ALSO AVAILABLE:
1. Cable Fleeters
2. Custom cable length and floating cables option.



Avoid any traction between the surface and the underwater unit

Cable Fleeters

Cable Fleeter is designed to avoid any damage to cabling while retrieving divers. Incredibly resistant, it is available in 2 diameters for multiple cable fitting (range 25-36 mm), or single-cable (range 10-20 mm).


- Continuous weave configuration
- No fraying wires
- Lighter and safer to handle
- Longer Life



CABLE FLOATER

A useful accessory to keep the audio or video cables floating. Each package contains three pcs and two Velcro straps keep the floater in position around the cable.





Why Snorkel with ARIA?



SNORKEL & BREATHE LIKE MOTHER NATURE TAUGHT US
Goodbye jaw discomfort, goodbye difficult breathing and goodbye water in your snorkel. For good.
With Aria you breathe through your nose, while the dry top prevents water from getting in the snorkel.
Now your mouth is free to say: WOW!



NO MORE FOGGING PROBLEMS
Goodbye defoggers, hassles and lost opportunities to see the fish of a lifetime.
Aria's breathing circulation inside the mask's frame guarantees no fogging and no extra stress. Just take it out and jump in.





AUGMENTS YOUR FIELD OF VISION, THE MOST!
Aria has the largest field of vision of any mask out there. To that we added light colors for the brightest experience ever.



YOU CAN EVEN ATTACH A CAMERA TO YOUR ARIA
Aria's also equipped with a dock for sport cameras – you can record and relive your experience any time you want.

ALL OCEAN REEF FULL FACE SNORKELING MASKS:

- OriginalFFSM manufacturerwithover1million masks safely in use.
- Designed and manufactured in Italy.
- Full Service USA production & distribution center.
- Safe. Patented. Original. Fresh air, breathing technology.
- Exceeds CO2 safety guidelines. Independently tested and confirmed by italcert, an ISO certified laboratory.
- Only brand with patented 2-way Radio Snorkeling Communication System.
- 70+ year history of designing and manufacturing full face mask product for scuba, snorkeling, military and space applications.
- 4 sizes to fit all faces, from kids to adults.

ARIA QR+

NEW DESIGN, new strap and quick release system.

This ensures greater comfort, safety and ease when putting on and taking off the mask. The quick release not only is easy to grasp, but also swivels to ensure a good hold from the comfortable elastic straps.

FULL VISUAL, of the underwater world- The QR + mask will revolutionize your snorkeling experience. You will be able to observe everything that happens around you underwater with a 180° panoramic view. Experienced snorkelers will appreciate the dark face seal which reduces incoming surface glare for a more enjoyable visual experience.

ACCESSORIES - QR+ comes with the Camera Support included. This camera support is made on the GoPro based standard attachment - it is engineered to click and hold way in front of the frame (it will always be underwater) and also has a new design made so that you can rotate the camera for easier "selfie" shots. The support clicks on and off from the snorkel easily while holding firmly and safely.

The mask also comes with a reusable carry bag with a mesh bottom for drainage to allow drying after use.

QR+ is compatible with all accessories in the FFSM Ocean Reef line. Exclusives like Snorkie Talkie, Optical Lens Kits and matching Duo fins all add to maximize comfort for an unforgettable experience.

Made in Italy.



PACKAGING EU

PACKAGING USA

SIZE: S/M – M/L – X/L

the Classic ARIA

The "Classic" Aria is the descendant of our first OCEAN

REEF brand FFSM. It's simple, yet beautiful, available in 2 sizes and 2 color options. The comfortable elastic fabric strap is super soft & gentle on your hair, while firmly holding the mask in place. Easy breathing through your nose & mouth allows you to enjoy all the beautiful moments in the sea.

ACCESSORIES - The mask comes with a reusable carrybag with mesh bottom for drainage to allow drying after use. Aria is compatible with all accessories in the FFSM Ocean Reef line. Exclusives like Snorkie Talkie, Optical Lens' Kits and matching Duo fins all add to maximize comfort for an unforgettable experience. Made In Italy.



PACKAGING EU

PACKAGING USA

ARIA JR

NEW DESIGN, new mask. Designed with kids in mind.

It is a specific XS size, that includes a coloring book and a full sheet of stickers (2022 version) to customize a full sheet of stickers (2022 version) to customize the mask to preference!

Kids will love it.

They can enjoy a comfortable and safe FFSM - under adult supervision - to start discovering the Oceans. Stickers will tell one apart from the other while looking cool with their friends. The JR is a unique experience for every kid.

ACCESSORIES - The mask comes with a reusable carry bag with a mesh bottom for drainage to allow drying after use. Aria is compatible with all accessories in the FFSM Ocean Reef line. Exclusives like Snorkie Talkie, Optical Lens' Kits and matching Duo fins all add to maximize comfort for an unforgettable experience.

Made in Italy.









snorkie-talkie™

Walkie Talkie for Snorkeling!

This product is the first and only Snorkeling


IMPROVED CLARITY


Communication Unit available - it is an exclusive Patented technology by OCEAN REEF.
Rechargeable Battery Via USB.
Rated IP68. These practical transceivers make communication possible while snorkeling.
Four different channels are used in pairs for direct one on one communications or for group narration by snorkeling tour leaders.

- Range 150 mt (500 ft) any direction (doesn't work underwater);
- Complies with different countries rules (FSR for USA, PMR446 for EU);
- Any number of Snorkie Talkie can communicate with each other on the same channel;
- Waterproof 3 mt/10 ft;
- Battery level indication;
- 8 hrs operating time;
- 1200 hrs stand by battery life;
- Adjustable volume. Made In Italy.



Micro USB Cable







Push to talk button

Earphone can be placed on right or left side of the head (orange silicone tube bends to preference).

· Integrated speaker.
· Speak directly in the mask as you snorkel.

duo

Travel Fins DUO II

FIN AND PACKAGING ALL MADE IN ITALY!

Get the best snorkeling experience with OCEAN REEF

DUO II fins. Great for both beginners and experienced snorkelers.
Compact and light for easy packing and traveling.
Unbeatable comfort thanks to ultra-soft high grade silicone flat-foot pocket. Easy wearing with integrated one/hand don/release ring system designed into the anatomical rubber heel piece.
DUO II are packaged in a cool made in Italy bag for easy carrying that is reusable as a dry bag and a snorkeling signaling buoy.

Performance blade, hydrodynamic shape: larger blade, with cetacean tail inspired design ensures better boost, while reducing drag and cramps. Dual material technology with smooth wide side gliding zones and reinforced rails creates stability, central rubber section cups the water which reduces blade drifting for improved efficiency.

Adjustable open heel and rotating buckle with quick adjustment system - easy to fit to selected size, prevents unwanted loosening and has a large adjustable range, suitable for different foot types. 2 size fit most. Quick release of the entire buckle thanks to the pin design.

NO EXTRA EFFORT: thanks to the central drain hole design in the neutral area of the blade gliding back to position is efficient and light.

EASY TO RINSE: no sand stuck in foot pocket and no residual water after rinsing due to its drain way-out technology.

The dual material technology coupling system prevents perishing of the elastic elements and the delamination of the fin.

High quality and rationalized logistics. Made in Italy with REACH certified materials.



SIZES FOR MODEL

S/M	L/XL
US 4-8.5 UK 3-7.5 EU 36-42	US 9-13 UK 8-12 EU 43-48

DUO II are packaged in a cool Made in Italy Bag for easy carrying that is reusable as a Dry Bag and a Snorkeling Signaling Buoy.



Aria QR+ Snorkeling Set



Aria Classic Snorkeling Set



Aria Extra Snorkel



ARIA Snorkel Tube, Designed for Ocean Reef Full Face ARIA Snorkeling Mask
No more water getting in your snorkel, you don't have to clear it if you go underwater, and no water gets in if there's surf, splash or such. Just breathe comfortably and enjoy the ride.




Camera support



Support designed to mount your action camera on top of your mask. This accessory comes with a GoPro and other sport camera compatible fitting to mount cameras on your Aria snorkel. You can decide whether to use the adapter or just attach your camera's sticker to the flat part of the accessory holder.
The accessory holder snaps on the snorkel and then slides into place with a loud click (it clicks on the logo on your snorkel). This prevents the holder to slide back and forth.
The holder is designed to be taken off and handled, with the camera, to let you enjoy the freedom of actually deciding where to aim your filming. Practice this where you know you will not lose your camera. It is a good idea to have a float on the camera as well. Also, the camera's fitting is well over the masks frame to give you certainty of an effectively submerged camera – and awesome pictures!
You can fit various sizes of chemical lights on the accessory holder, for a sunset snorkel session or just some funky look. Dispose responsibly of the chemical lights and beware of maritime traffic if you go out snorkeling.
Marker wings are the perfect addition to this accessory to customize colours for better recognition when the head of the snorkeler is in the water, but also for other chemical lights mounting – and extra comfort in using the holder as a selfie stick!
Also compatible with SEA VU DRY, UNO, Sport, JR and QR+ snorkeling full face mask.







Lens for OPTICAL LENS SUPPORT 2.0


OCEAN REEF – Corrective Lens for OCEAN REEF Optical Lens Support 2.0.
Corrective lens for Snorkeling and Scuba Full Face Masks.





OCEAN REEF – OPTICAL LENS SUPPORT 2.0

OCEAN REEF – Optical Lens Support 2.0: This frame is engineered with removable, snap in, legs.
The frame can be installed in all OCEAN REEF FFSM and scuba masks (with the exception of XS size).
This frame is a removable and customizable corrective lens option that no other FFSM offers.
Convenient optical correction that transforms in an inexpensive pair of glasses, when you're done snorkeling and scuba diving.



EEZYCUT
emergency cutting tools

ABOUT EEZYCUT

The unique cutting mechanism of the EEZYCUT TRILOBITE provides the cleanest, sharpest, most effortless cutting action available. Everyone experiences the “wow factor” the first time they use this ergonomically designed cutting tool, as it slices and dices its way through line and webbing. The EEZYCUT TRILOBITE is rated to cut line with ease, repeatedly, up to 8mm thick, and can easily cut through larger line. TheTRILOBITE also makes light work of all types of webbing. With replacement blades, this cutting tool provides you with the best cut, every time.



The forefront of Emergency Cutting Tool (E.C.T.) dynamics and design, the EEZYCUT TRILOBITE was developed for divers, mariners, mountaineers, extreme sports adventurers and rescue service providers who demand a tool that delivers a swift, safe, efficient cut.

SCUBA

Easier to use than a knife or shears, even with gloves.

FISHING

Faster to use than a knife, a TRILOBITE belongs in every tackle box.

FIRE & RESCUE

A TRILOBITE by Eezycut is an invaluable tool when a person’s life is on the line.

CLIMBING + OUTDOORS

When fast, simple, and reliable is what you seek, you need a TRILOBITE.

AIRBORNE SPORTS

When seconds count, a TRILOBITE by Eezycut can be a life saver.

WATER SPORTS

On or near water, there are countless uses for a TRILOBITE.

INDUSTRIAL SAFETY

Simple, fast & reliable. Exactly what you need in an industrial environment.

SEAT BELTS

Seat belts are life savers, until you need to get out of one.

HOME & GARDEN

From working on crafts to cutting weed barrier, a TRILOBITE is ideal.







WHY EEZYCUT

A Safer Cutting Tool

Open faced diving knives are notoriously dangerous, making them generally unsuitable in response to an emergency situation. TheTRILOBITE's custom ergonomic design provides a level of protection, while still delivering an easy, clean and efficient cut, making it the perfect emergency cutting tool.





Specialty Blades

Normal "marine grade" stainless steel, in terms of diving knives, is generally the name given to 420 grade stainless steel, also known as "cutlery grade". While it has a good corrosion capacity in water, it does not have such a good capacity to hold a sharp edge. Titanium can not create as sharp an edge as stainless steel. The grade of stainless steel used in the EEZYCUT TRILOBITE (440a) is known for its capacity to hold an extremely sharp edge, while having very good corrosive qualities. When the blade loses its edge or starts to corrode, you can easily put a new blade in, and yet again have the sharpest, cleanest cut in the water. Washing in fresh water after diving is recommended for all stainless steel knives and blades. All stainless steel which is used in salt water needs to be treated with care. Carefully coating any stainless steel blade in normal divers silicone grease prior to salt water usage significantly prolongs the life of the blade.
EEZYCUT only recommend EEZYCUT blades. Most carpet blades are thicker, and do not fit the TRILOBITE.



Replacement Blades

The replaceable blades allow the user to always have the sharpest machined edge, just when they need it most. Nothing is as sharp as a machined edge, which means the sharpness of most open faced knives deteriorate in their effectiveness from the moment of purchase. Replacement blades with a machined edge make sense.





Double-Sided Design

The double-sided design means that it can be deployed more efficiently in a variety of situations, with less fiddling around. It also provides a level of redundancy.

Redundancy

The EEZYCUT TRILOBITE has two sides, and so it has REDUNDANCY built into it's design, but nothing can replace the true redundant safety feature of two completely independent E.C.T.'s. The TRILOBITE's size and effectiveness fits in easily to any inventory of cutting tools, or for carrying multiple TRILOBITES.



Ambidextrous

The EEZYCUT TRILOBITE is easily used in both hands. It is not only ambidextrous, but right handed users find it remarkably easy to use in the left hand. This flexibility in the design, along with the double sided design, makes it an ideal tool for self rescue.



The Sharpest Cut – Every Time

The ergonomically patented design uses a longer section of the cutting edge, prolonging the integrity of the blade by dispersing the erosion. As the line is pushed onto the blade by the frame of the tool, the cut is much more stable, which not only provides a much cleaner splice, but helps the blade retain it's edge. Other "closed" cutting tools have one pivotal stress point on the cutting surface which can quickly corrode and weaken.

Effortless Cut

The "WOW" factor that users experience when they first use the TRILOBITEis a reflection of it's unique and incredibly efficient cutting mechanism.



Fits Anywhere

In the pocket, on the harness, or even on the wrist for effortless access.
The TRILOBITE's compact form factor makes it easy to use in tight or complex spaces.



EEZYCUT TRILOBITE


Black & Blue


Black Jack


Licorice Allsort


Hi Viz


Lemon & Lime


Plum


Phosphorescence


Gun Metal


Orange Ninja


Hornet


Poseidon


Event Horizon


Sour Patch


Tree Frog


Yellow Jacket


Red

Harness Pouch









Wrist Pouch









Flexi/Shoulder Pouch







440a Replacement Blades



WWW.GTDDIVING.COM

Interested in retail prices or ready to purchase?
Click the link below to explore our full product range, check pricing, and place your order directly through our online store.

WWW.DIVEGEARZONE.COM

Looking for Scuba Training?
Whether you're just starting as an Open Water Diver or aiming to become an Advanced Technical or CCR Diver — even up to Course Director level — GoTechDive has the right training path for you. From recreational to advanced technical, we offer world-class education for every step of your diving journey.

WWW.GOTECHDIVE.COM